



ASİR STEEL DOOR

ANKARA/TURKEY

www.asirmuhendislik.com.tr

info@asirmuhendislik.com.tr

ADDRESS:1129. sc. no:19 ostim
Ankara

+905325509339

SINGLE WING SIZE:100CM*220CM

DOUBLE WING SIZE:160-180CM*220CM



ASİR MUHENDİSLİK



ASİR MUHENDİSLİK



ASİR MUHENDİSLİK

ABOUT US

- Our company manufactures steel doors, fire doors, shaft covers and metal doors in Ankara, Turkey. We have sales to many countries. Our doors are certified. Our doors, which are produced with quality and experience, care about the security and wishes of our customers. We are happy to see you among our respected customers. Any model you want can be produced. Production can be made for any size. In addition, accessories such as hydraulic pusher, under-door guillotine magnetic holder, magnetic contact lock arm can be given as additional accessories.



Ecertis



ARZEN



HAFELE



dynamic series



door leaf plate: 1.2mm metal dkp, door frame sheet: 2mm dkp door frame jamb plate: 1.5mm metal dkp, inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) wood natural and black highglass



symbol serial



door leaf plate: 1.2mm metal dkp, door frame sheet: 2mm dkp door
frame jamb plate: 1.5mm metal dkp, inner and outer mdf: 8mm safety
pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle
glass lock: central (14 point locked) and mono (6 point locked) wood
natural and black highglass



ROYAL SERIES



door leaf plate: 1.2mm metal dkp, door frame sheet: 2mm dkp,
door frame jamb plate: 1.5mm metal dkp, inner and outer
mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german
binoculars. wide angle glass lock: central (14 point locked) and
mono (6 point locked)



DIAMOND SERIES



door leaf plate: 1.2mm metal dkp, door
frame sheet: 2mm metal dkp, door frame
jamb plate: 1.5mm dkp ,inner and outer
mdf: 8mm safety pin: 6 pcs hinge: 3 pcs
door leaf seal: german binoculars. wide
angle glass lock: central (14 point locked)



TOWER SERIES



door leaf plate: 1.2mm metal dkp , door frame sheet:
2mm dkp, door frame jamb plate: 1.5mm metal dkp,,
inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs
door leaf seal: german binoculars. wide angle glass lock:
mono (6 point locked)



KONFORT SERIES



door leaf plate: 1.2mm metal dkp , door frame sheet: 2mm dkp
door frame jamb plate: 1.5mm metal dkp , inner and outer mdf:
8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german
binoculars. wide angle glass lock: central (14 point locked)



BLACK PEARL SERIES



door leaf plate: 1.2mm metal dkp door frame
sheet: 2mm metal dkp , door frame jamb
plate: 1.5mm metal dkp , inner and outer
mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door
leaf seal: german binoculars. wide angle glass
lock: central (14 point locked. LED LIGHT




glass series-2



door leaf plate: 1.2mm metal dkp , door frame sheet:
2mm dkp, door frame jamb plate: 1.5mm metal dkp inner
and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door
leaf seal: german binoculars. wide angle glass lock:
central (14 point locked. tempered and painted glass,
laminated wood



glass series-1



door leaf plate: 1.2mm metal dkp , door frame sheet:
2mm dkp ,door frame jamb plate: 1.5mm metal dkp ,
inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs
door leaf seal: german binoculars. wide angle glass lock:
central (14 point locked. tempered and painted glass,
laminated wood



white series



door leaf plate: 1.2mm meta dkp , door
frame sheet: 2mm dkp door frame
jamb plate: 1.5mm meta dkp , inner
and outer mdf: 8mm safety pin: 6 pcs
hinge: 3 pcs door leaf seal: german
binoculars. wide angle glass lock:
mono (6 point locked)



natural series-2



door leaf plate: 1.2mm metal dkp , door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm dkp inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coating



natural series-1



door leaf plate: 1.2mm dkp metal, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm dkp inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin



light series



door leaf plate: 1.2mm metal dkp , door frame sheet:
2mm door frame jamb plate: 1.5mm dkp metal, inner
and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door
leaf seal: german binoculars. wide angle glass lock: mono
(6 point locked)



black apple series



door leaf plate: 1.2mm dkp metal, door frame sheet: 2mm metal
,door frame jamb plate: 1.5mm dkp inner and outer mdf: 8mm
safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars.
wide angle glass lock: central (14 point locked) natural wood and
PVC coatin



SPACE SERIAL



door leaf plate: 1.2mm dkp metal, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm dkp inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin



OUR VILLA DOOR MODELS



door leaf plate: 1.2mm metal dkp , door frame sheet: 2mm metal ,door
frame jamb plate: 1.5mm metal dkp inner and outer mdf: 8mm safety
pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle
glass lock: central (14 point locked) natural wood and PVC coatin.
mirrored Glassvilla door




OUR VILLA DOOR MODELS



door leaf plate: 1.2mm metal dkp, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm dkp inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin. Glass villa door



OUR VILLA DOOR MODELS



door leaf plate: 1.2mm metal, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin. Glass villa door




OUR VILLA DOOR MODELS



door leaf plate: 1.2mm metal, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin. Glass villa door



OUR VILLA DOOR MODELS



1550\$

door leaf plate: 1.2mm metal, door frame sheet: 2mm metal ,door frame jamb plate: 1.5mm inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin. Glass and without glass villa door

OUR VILLA DOOR MODELS



door leaf plate: 1.2mm metal dkp, door frame sheet: 2mm metal dkp ,door frame jamb plate: 1.5mm metal dkp inner and outer mdf: 8mm safety pin: 6 pcs hinge: 3 pcs door leaf seal: german binoculars. wide angle glass lock: central (14 point locked) natural wood and PVC coatin. Glass villa door

Steel door accessories, locks, and furniture





FIRE DOOR



Our fire doors are made of 1.5mm dkp metal, wing 1+1mm dkp metal, and electrostatic powder painted. Our safes are adjustable safes. If the customer requests 150kg/m³ rockwool filled inside the wing, drywall insulation is also used. It has 2 spindle hinges, 1 water-proof hinge, dust, sound insulation gasket and fire gasket. It has panic bar and unlocked handle. Upon the customer's request, a locked handle, hydraulic lock, under door guillotine magnetic lock can also be used. We manufacture single-wing and double-wing fire doors. Any size can be manufactured. Our door is certified for 120 minutes fire resistance. Grilles can be made in sheet metal doors. We also manufacture shaft cover.



Our fire doors are made of 1.5mm dkp metal, wing 1+1mm dkp metal, and electrostatic powder painted. Our safes are adjustable safes. If the customer requests 150kg/m³ rockwool filled inside the wing, drywall insulation is also used. It has 2 spindle hinges, 1 water-proof hinge, dust, sound insulation gasket and fire gasket. It has panic bar and unlocked handle. Upon the customer's request, a locked handle, hydraulic lock, under door guillotine magnetic lock can also be used. We manufacture single-wing and double-wing fire doors. Any size can be manufactured. Our door is certified for 120 minutes fire resistance. Grilles can be made in sheet metal doors. We also manufacture shaft cover.




FIRE DOOR




Our fire doors are made of 1.5mm dkp metal, wing 1+1mm dkp metal, and electrostatic powder painted. Our safes are adjustable safes. If the customer requests 150kg/m³ rockwool filled inside the wing, drywall insulation is also used. It has 2 spindle hinges, 1 water-proof hinge, dust, sound insulation gasket and fire gasket. It has panic bar and unlocked handle. Upon the customer's request, a locked handle, hydraulic lock, under door guillotine magnetic lock can also be used. We manufacture single-wing and double-wing fire doors. Any size can be manufactured. Our door is certified for 120 minutes fire resistance. Grilles can be made in sheet metal doors. We also manufacture shaft cover.

FIRE DOOR ACCESSORIES





EKONOMIC SERIES



DOOR FRAMES OF
OUR ECONOMIC
DOORS 1.5MM DKP
AND ELECTRO
STATIC POWDER
COATED WING 1MM
DKP AND MDF
COATED MONO (6
POINT LOCKING)
STEEL DOOR.



EKONOMIC SERIES

1



2



3



DOOR FRAMES OF OUR
ECONOMIC DOORS 1.5MM
DKP AND ELECTRO STATIC
POWDER COATED WING
1MM DKP AND MDF COATED
MONO (6 POINT LOCKING)
STEEL DOOR.

4





5




6



STEEL DOOR DETAIL



Kasa Etkeni (cm)	Door Ölçüsüne Uygunluğu (cm)
10 cm	9 cm - 13 cm
12 cm	11 cm - 15 cm
14 cm	13 cm - 17 cm
16 cm	15 cm - 19 cm
19 cm	18 cm - 22 cm
23 cm	22 cm - 26 cm



A	B	C	D
770 mm	910 mm	2080* mm	2150 mm
820 mm	960 mm	2080* mm	2150 mm
870 mm	1010 mm	2080* mm	2150 mm

* 2080 mm den 1980 mm'ye kadar yükseklik dışıdır.
Yan pervazlar 12 mm, başlı pervazlar 9 mm, standart üretilir.


PAKET ÖLÇÜLERİ & İÇERİĞİ





Kapı Kandı
1 Kancız, Kilit, Kilit Kurguluğu
77mm'lik kapıdaki alüminyum alt çita
77mm'lik kapıdaki kasa alt parçaları



Kasa Başlığı
1 Kasa Başlığı




Kasa
2 boy kasa
4 boy 12mm 1 boy 9mm pervaz (eubatac)
Kasa toplama aparatları 8 civata, 4 dübel
Kilit kurguluğu civi ve topası (1'er adet)
3 adet menteşe



FIRE DOOR DETAIL







Top Trip & Receiver Plate




Single Door With Panic Bolt Fitted



Bottom Floor Mounted Keep Plate



A 4:1



B 4:1





SOME OF OUR CUSTOMERS



SUMMA



BAYRAKTAR

HOSPITAL, OFFICE BUSINESS CENTER AND THERMIC POWER PLANT PROJECTS





OUR HOUSING PROJECTS



OUR HOTEL, HOSPITAL AND UNIVERSITY PROJECTS



WE ARE WAITING FOR YOU

