



**G-Ext**<sup>®</sup>  
Exterior Decorative Panels

**GENTAS**  
*a touch to life*



### Endless possibilities...

G-Ext® exterior decorative panels brings compelling aesthetic and nearly limitless design possibilities to next-generation architectural claddings.

With its smooth, seamless and non-porous surface, G-Ext® decorative panels are easy to clean and it takes longer for to accumulate dirt and thus they are easy to maintain.

### With durability, longevity and safety

G-Ext® panels are very durable and resistant to mechanical or physical stress such as bending, impact, cracking and scratching without losing its ability to be easily processed with sizing, drilling and engraving tools. In addition, G-Ext® is highly durable to environmental

exposure, such as sunlight, heat, moisture and other atmospheric chemicals which ensures structural integrity and color stability.

When required, G-Ext® panels can be produced with enhanced fire retardant and fire resistant capabilities. When encountered with fire, the material does not enflame easily and no melting, burning droplets, explosion, or toxic gas emissions happens during fire exposure.

Without compromise on health and environment. None of our surface materials contain highly toxic substances such as asbestos and chlorine and all production is highly regulated and constantly audited in order to maintain accordance to most current European regulations on emissions.



**Water Repellent**



**Easy To Clean**



**Dry Heat Resistance**



**Heat & Cold Resistance**



**Low Light Reflectivity**



**Chemical Resistance**



**Scratch & Abrasion Resistance**



**Impact Resistance**



**Ultra Color Intensity**



## GENTAS ENVIRONMENTAL DECLARATION

### GENTAS OPERATIONAL MEASURES FOR IMPROVEMENT OF ENVIRONMENTAL PERFORMANCES

The production process of "GENTAS" laminates has been adapted to the environment thematic.

New and strict regulations had been adopted to ensure a continuous improvement of the environmental performances.

The purity of the air and of the water is being efficiently protected in the production department area.

All the gases from the impregnation and pressing machinery are absorbed and eliminated in a special steam boiler. This important process is controlled by our Technical Manager and supervised by government authorities.

The residues resulting from the production are efficiently treated in the factory area.

As another part of GENTAS care for the environment, all the raw material used for the production of the laminates are purchased only

from suppliers who are in environmental performances needed. possession of ISO 9002 and Kraft papers only from FSC certified producers. Our Kraft paper contains an important percentage of recycled paper (around 20%) and our decorative papers do not contain any of the following materials:

- Cadmium
- Chrome Hexavalent
- Lead
- Mercury
- Polybrominated Biphenils (PBB)
- Polybrominated Diphenylether (PBDE)

No efforts will be spared by GENTAS to continue the implementation of all the necessary actions to achieve the best

We are a Fsc certified laminate producer.

We added respect to the nature to the quality of our products. FSC had certified that our laminate products has been manufactured from the sustainable managed resources and submitted for your use.



G-Ext EBC Panels  
G-Ext UV+ Panels



# G-Ext EBC PANELS

## WOOD / NATURAL STONE & CONCRETE


G-Ext EBC exterior decorative panels are produced by pressing impregnated kraft papers together with decorative papers which are EBC (Electron Beam Curing) treated.

G-Ext EBC panels are suitable for horizontal and vertical usage





25689



25690



25683



25687



25685



25686



24659



24531



24658

24533 / NOVACENTO-PINE



24535 / NOVACENTO PINE



# G-Ext EBC

Size: 1300x2800mm / 1300x3050mm



24534



24530



24532



24390



24391



24392



25629



25630



25678





24389



24290



24292



24241



24279



24248



24525



24657



24399





# G-Ext UV+ PANELS

PLAIN COLOR


WOOD

NATURAL STONE &  
CONCRETE

G-Ext UV+ exterior decorative compact panels produced with HPL production technique. The surface layer of the G-Ext UV+ compact panels has been specially treating and extra reinforcing.


G-Ext UV+ panels are suitable for vertical usage






**3097**


Available as  
1860x4200 mm



**3096**



**3150**




**3103**

Available as  
1860x4200 mm




**3195**




**3106**

Available as  
1860x4200 mm




**3151**

Available as  
1860x4200 mm



**3105**

Available as  
1860x4200 mm




**3107**

Available as  
1860x4200 mm


## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



3153


Available as  
1860x4200 mm



3159




3239




3240

Available as  
1860x4200 mm



3260




3190

Available as  
1860x4200 mm



3156

Available as  
1860x4200 mm




3155


Available as  
1860x4200 mm



3168




3163



3276




3251



3104


Available as  
1860x4200 mm




3148



3252



3296



3167



3253

Available as  
1860x4200 mm








Riviera Zoloche

## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm




3286




3285




3284



3281




3282



3246



3262



3137



3131



3297




3299



3291



3292



3238




3140



3300



3289



3127

## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



3126




3158



3116



3274



3245




3278



3164



3242



3294



4220

Available as  
1860x4200 mm



4270



4234

Available as  
1860x4200 mm



4251

Available as  
1860x4200 mm




4252



4258



4241



4248



4572

Available as  
1860x4200 mm





## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



4257



4281



4656



4271



4273



4274

Available as  
1860x4200 mm



4389



4290

Available as  
1860x4200 mm



4292

Available as  
1860x4200 mm





4347



4479



4378

Available as  
1860x4200 mm



4395

Available as  
1860x4200 mm



4394

Available as  
1860x4200 mm



4530



4390



4391



4392

## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



4509



4428



4510



4597



4598

Available as  
1860x4200 mm



4484



4399

Available as  
1860x4200 mm



4485



4518



4631



4570



4666

Available as  
1860x4200 mm



4523

Available as  
1860x4200 mm



4550



4551



5649



4628



5672

## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



4626



4627



4552



4655



4584



4657



4525

Available as  
1860x4200 mm




4614


Available as  
1860x4200 mm



5678



5576



5544



5628



5677



5646



5686



5635



5662



5634

## G-Ext UV+

Size: 1300x2800mm / 1300x3050mm / 1400x4200mm



4583

Available as  
1860x4200 mm



4662



4632



5638



4348



4502



5687



5629




5630



5689



5644



5690



5450






## Our Certificates



ISO 14001: 2004 REGISTERED COMPANY  
CERT. NO.: E2077



**ICDLI**  
(Uluslararası Laminat Üreticileri Birliği Üyesidir.)



**ISEGA**



EN-438





**G-Ext**<sup>®</sup>  
Exterior Decorative Panels

**GENTAS**  
*a touch to life*