





Fastest • Safest • Ayso

WIDE RANGE FIRE PROTECTION SOLUTIONS








Fire | Pumps | Valves | Service





SPRINKLER

 <p>Standard Coverage Upright / Pendent / Sidewall K: 80 / 115 / 160</p>	 <p>Extended Coverage Upright / Pendent / Sidewall K: 80 / 115 / 160 / 200</p>	 <p>Storage Upright / Pendent K: 160 / 200 / 240 / 320 / 360</p>	 <p>Dry Barrel Upright / Pendent / Sidewall K: 80 / 115 / 160</p>	 <p>Nozzles NV / HV / WC K: 22 / 35 / 41 / 80 / 100</p>
--	--	--	--	---


SPRINKLER ACCESORIES

 <p>Flexible Sprinkler Hoses Ø: DN20 / DN25 L: 500mm - 2000mm</p>	 <p>Escutcheons & Covers 1/2" - 3/4" White / Ckrome / Brass</p>	 <p>Sprinkler Guard Upright / Pendent 1/2" - 3/4" - 1"</p>	 <p>Water Shields Upright / Pendent 1/2" - 3/4" - 1"</p>	 <p>Sprinkler Cabinet & Wrenches</p>
---	---	--	---	--

ALARM VALVES

 <p>Wet Alarm Valves 3" / 4" / 6" / 8" F-F / G-G</p>	 <p>Dry Alarm Valves 3" / 4" / 6" F-F / G-G</p>	 <p>Deluge Alarm Valves 2" / 3" / 4" / 6" / 8" F-F / G-G</p>	 <p>Pre-Action Alarm Valves 2" / 3" / 4" / 6" F-F / G-G</p>
--	---	---	---











ALARM VALVE ACCESSORIES

 <p>Water Motor Gong</p>	 <p>Retarding Chamber</p>	 <p>Dry Pipe Accelerator</p>	 <p>Air Maintenance Device</p>	 <p>Pressure Gauge</p>
 <p>Solenoid Valve</p>	 <p>Air Compressor</p>	 <p>Pressure Switches</p>	 <p>Explosion Proof Pressure Switches</p>	 <p>Electric Bells</p>











VALVES

 <p>Butterfly Valve w/ Supervisory Switch Threaded / Grooved / Wafer 1" - 12"</p>	 <p>Butterfly Valve Wafer / Lug 1" - 12"</p>	 <p>OS&Y Gate Valve F-F / G-G / T-T 1" - 12"</p>	 <p>Supervisory Switch For use with OS&Y Gate Valve 1" - 12"</p>	 <p>Flow Switches Threaded / U Bolted 1" - 8"</p>
 <p>Check Valves Threaded / Grooved / Wafer 1" - 12"</p>	 <p>NRS Gate Valve F-F / G-G 2" - 12"</p>	 <p>Post Indicator Vertical / Horizontal</p>	 <p>Supervisory Switch For use with NRS Gate Valve</p>	 <p>Test & Drain Valves T-T / G-G 1" - 12"</p>
 <p>Fire Hydrant Under / Above Ground 3" / 4" / 6"</p>	 <p>Adjustable Road Box</p>	 <p>Ball Valves Brass / Bronze / Stainless 1/2" - 8"</p>	 <p>Angle Valve 1/2" - 2"</p>	 <p>Pressure Relief Valves</p>
 <p>Fire Hose Valves</p>	 <p>Pressure Reducing Hose Valves</p>	 <p>Hose Cabinets</p>	 <p>Fire Department Connections</p>	 <p>Magnetic Level Gauges</p>
 <p>Pressure Relief Valves T-T / F-F 3" - 10"</p>	 <p>Flow Meters W-W / F-F 2" - 12"</p>	 <p>Air Release Valve</p>	 <p>Waste Cone</p>	 <p>Pump Casing Relief Valves</p>






GROOVED PIPE FITTINGS

				
Coupling Rigid / Flexible 1" - 12"	Reducing Coupling 2" - 8"	U Bolted Mechanical Tee 1" - 2 1/2"	Grooved Mechanical Tee 2" - 8"	Threaded Mechanical Tee 2" - 8"
				
Flanged Adaptor 2" - 8"	Grooved Flange 2" - 8"	Grooved Fittings 1" - 12"	Roll Grooving Machine 1" - 12"	Hole Cutting Machine 1" - 4"

SEISMIC BRACING SYSTEMS

				
Structural Attachment	Sway Brace	Bar Joist Attachment	Adjustable I-Beam Attachment	I-Beam Attachment
				
Seismic Branchline Restraint Pipe Attachment	Seismic Restraint Cable Sets	U/V Flex	Double Gimbal Expansion Joint	Vibration Absorber

PIPE HANGERS

				
Loop Hangers With Nut	Loop Hangers Without Nut	Clevis Hangers	Beam Clamps	CPVC Pipe Hangers

GASEOUS FIRE EXTINGUISHING SYSTEMS



FM 200 Fire Suppression Systems



Novec Fire Suppression Systems



Inert Fire Suppression Systems



Co2 Fire Suppression Systems

SPECIAL HAZARDS



Restaurant Fire Suppression System



Electrical Cabinets Fire Suppression System



Heavy Industrial / Off-road Fire Suppression System



Smoke & Heat Exhaust Ventilation Systems


FIRE PUMPS




Endsuction



Horizontal Split Case




Vertical Turbine




FP Accessories

FOAM EXTINGUISHING SYSTEMS



Vertical / Horizontal Bladder Tanks



Foam Proportioners



Foam Concentrates



Foam Discharge Devices

MONITORS

			
<p>Sidewinder EXM2 Max. GPM: 700</p>	<p>Cobra EXM2 Max. GPM: 1250 / 1500</p>	<p>Cobra Max</p>	<p>Scorpion EXM2 Max. GPM: 2500</p>
			
<p>SkyStream EXM2 Max. GPM: 3000</p>	<p>Magnum EXM2 Max. GPM: 5000</p>	<p>Sidewinder EXM2 UHP Max. GPM: 300</p>	<p>BoaX2 2000 Max. GPM: 2000</p>
			
<p>Nitro HD Max. GPM: 750</p>	<p>RAM XD Max. GPM: 500</p>	<p>BrushHawk Max. GPM: 500 (2000)</p>	<p>Sidewinder Max. GPM: 500</p>
			
<p>Scorpion Electric Max. GPM: 2000</p>	<p>Scorpion Max. GPM: 2000</p>	<p>Vulcan Max. GPM: 1250</p>	<p>Spit-Fire Max. GPM: 2000</p>
			
<p>Copperhead Max. GPM: 1250</p>	<p>Python Max. GPM: 1250</p>	<p>Giant Python Max. GPM: 2500</p>	<p>Hydrant Mount Max. GPM: 1250</p>

Fastest • Safest • Ayso

15 YEARS OF EXPERIENCE OVER 500 PROJECT REFERENCES

Ayso Teknik provides Fire Suppression Systems, hazard analysis, quotation, installation service and support to protect your assets reliably and effectively.



Fire | Pumps | Valves | Service



Hospitals



Power Plants



Hotels



Warehouses



Residences & Shopping Malls



Sorting & Recycling Facilities



Ports & Intermodal Facilities



Oil & Gas

