



GENERAL BROCHURE GENEL BROŞÜR

We Always Provide Reliability

Manufacturing is complicated but it is much more difficulty to provide simultaneously production and appropriate reliability. We carry out the most complicated process. Reliability, technology, durability, aesthetic, sensitivity and conformity are incorporated and have found in their reflection in all our production.

Her Zaman Güven Ürettik

Üretmek zordur, ürettiklerinle güveni aynı potada eritmek daha da zor. Biz dünyanın en zor işini yapıyoruz. Güveni, teknoloji, dayanıklılık, estetik, hassasiyet ve uyumla birleştirerek tüm ürünlerimize yansıtıyoruz.



www.yilmazmachine.com.tr



KD 305

Mitre Saw Machine

Dereceli Kesme Makinesi



Portable, Mechanic Clamp, Ø300 mm, Without Saw, 230V

Portatif, Mekanik Mengene, Ø300 mm, Testeresiz, 230V



KY 305

Mitre Saw Machine

Dereceli Kesme Makinesi



Portable, Mechanic Clamp, Tilted, Ø300 mm, Without Saw, 230V

Portatif, Mekanik Mengene, Yatarlı, Ø300 mm, Testeresiz, 230V



KD 350 M

Mitre Saw Machine

Dereceli Kesme Makinesi



Portable, Mechanic Clamp, With Ø350 mm of Saw, 400V

Portatif, Mekanik Mengene, Ø350 mm Testereleli, 400V



KD 350 D

Mitre Saw Machine
Dereceli Kesme Makinesi



Mechanic Clamp, With Ø350 mm of Saw, With Stand, 400V
Mekanik Mengene, Ø350 mm Testereli, Sehpalı, 400V



KD 350 PS

Mitre Saw Machine
Dereceli Kesme Makinesi



Pneumatic Clamp, With Ø350 mm of Saw, With Stand, Cooling System, 400V
Pnömatik Mengene, Sehpalı, Ø350 mm Testereli, Soğutmalı, 400V



KD 400 M

Mitre Saw Machine
Dereceli Kesme Makinesi



Portable, Mechanic Clamp, With Ø400 mm of Saw, 400V
Portatif, Mekanik Mengene, Ø400 mm Testereli, 400V



KD 400 D

Mitre Saw Machine

Dereceli Kesme Makinesi



Mechanic Clamp, With Ø400 mm of Saw, With Stand, 400V

Mekanik Mengene, Sehpalı, Ø400 mm Testereli, 400V



KD 400 PS

Mitre Saw Machine

Dereceli Kesme Makinesi



Pneumatic Clamp, With Ø400 mm of Saw, With Stand, Cooling System, 400V

Pnömatik Mengene, Ø400 mm Testereli, Sehpalı, Soğutmalı, 400V



RYK 420 S RYK 420 W

Radial Saw Machine

Radyal Kesme Makinesi



RYK 420S: Aluminium Radial Cutting, With Ø420 mm of Saw, Cooling System, Laser Marker, Motor Brake System, Pneumatic Top Clamp, Digital Display for Angles, 400V

RYK 420S: Alüminyum Radyal Kesim, Ø420 mm Testereli, Soğutmalı, Lazer İşaretleme, Motor Frenleme, Pnömatik Dikey Mengene, Dijital Açı Okuyucu, 400V

RYK 420W: PVC and Wood Radial Cutting, With Ø420 mm of Saw, Laser Marker, Motor Brake System, Pneumatic Top Clamp, Digital Display for Angles, 400V

RYK 420W: Ahşap Radyal Kesim, Ø420 mm Testereli, Lazer İşaretleme, Pnömatik Dikey Mengene, Motor Frenleme, Dijital Açı Okuyucu, 400V



MK 420

Manual Up-Cutting Saw Machine

Manuel Altan Çıkma Kesme Makinesi



Manual, With Ø420 mm of Saw, With Stand, 230V

Manuel, Ø420 mm Testereli, Sehpalı, 230V



MK 420 PS

Manual Up-Cutting Saw Machine

Manuel Altan Çıkma Kesme Makinesi



**Manual, With Ø420 mm of Saw, With Stand, Cooling System,
Vertical Clamp, CE Comformity, 400V**

Manuel, Ø420 mm Testereli, Sehpalı, Soğutmalı, Dikey Mengeneli,
CE Uyumlu, 400V



MK 450

Manual Up-Cutting Saw Machine

Manuel Altan Çıkma Kesme Makinesi



Manual, With Ø450 mm of Saw, With Stand, 230V

Manuel, Ø450 mm Testereli, Sehpalı, 230V



ACK 420 S

Up-Cutting Saw Machine

Altan Çıkma Kesme Makinesi

Semi-Automatic, Hydro-Pneumatic, 2.2 kW, with Ø420 mm of Saw, With 3 m of Conveyor, Cooling System, 400V

Yarı Otomatik, Hidro-Pnömatik, 2.2 kW, Ø420 mm Testereli, 3 metre Konveyörlü, Soğutmalı, 400V



ACK 420 CE

Up-Cutting Saw Machine

Altan Çıkma Kesme Makinesi

Semi-Automatic, Hydro-Pneumatic, 2.2 kW, with Ø420 mm of Saw, With 3 Meters of Conveyor, Cooling System, CE Conformity, 400V

Yarı Otomatik, Hidro-Pnömatik, 2.2 kW, Ø420 mm Testereli, 3 metre Konveyörlü, Soğutmalı, CE Uyumlu, 400V



ACK 550

Up-Cutting Saw Machine

Altan Çıkma Kesme Makinesi

Semi-Automatic, Hydro-Pneumatic, 4 kW, With Ø550 mm of Saw, Cooling System, Vertical Clamps, Left Horizontal Clamp, With 3 Meters of Conveyor, 400V

Yarı Otomatik, Hidro-Pnömatik, 4 kW, Ø550 mm Testereli, Dikey mengenerler ve Sol Yatay Mengene, 3 metre Konveyörlü, Soğutmalı, 400V





ACK 700

Up-Cutting Saw Machine

Alttan Çıkma Kesme Makinesi



Semi-automatic, Hydro-Pneumatic, 4 kW, With Ø700 mm of Saw, Vertical Clamps, Right/Left Horizontal Clamps, Cooling System, With 3 Meters of Conveyor, 400V

Yarı Otomatik, Hidro-Pnömatik, 4 kW, Ø700 mm Testereli, Dikey Mengeneler ve Sağ/Sol Yatay Mengene, 3 metre Konveyörlü, Soğutmalı, 400V



SCM 420 L4 SCM 420 L7

Servo Controlled Serial Cutting Machine

Servo Kontrollü Seri Kesim Makinesi



Automatic, Hydro-Pneumatic, With Ø420 mm of Saw, 4 - 7 Meters of Length Stop, Cooling System, 400V

Otomatik, Hidro-Pnömatik, Ø420 mm Testere, 4 - 7 metre Konveyör, Soğutma Sistemi, 400V



SK 500

Automatic Profile Slicing Machine

Otomatik Profil Dilimleme Makinesi



Servo Controlled, With Ø500 mm of Saw, With 2.5 Meters of Conveyor, Cooling System, 400V

Servo Kontrollü, Ø500 mm Testere, 2.5 Metre Konveyör, Soğutmalı, 400V



SK 500 D

Automatic Profile Slicing and Drilling Machine
Otomatik Profile Dilimleme ve Delik Delme Makinesi



Servo Controlled, With Drilling Unit, With Ø500 mm of Saw, With 2.5 Meters of Conveyor, Cooling System, 400V
Servo Kontrollü, Delik Delme Ünitesi, Ø500 mm. Testere, 2.5 metre Konveyör, Soğutmalı, 400V



SDT 275

Reinforcement Steel and Square Profile Cutting Saw
Destek Sacı ve Kare Profil Kesme Makinesi



Manual, With Stand, With Ø275 mm of Saw, 400V
Mekanik, Sehpalı, Ø275 mm Testereli, 400V



SDT 280

Semi-Automatic Reinforcement Steel and Profile Multi Cutting Machine

Yarı-Otomatik Çoklu Destek Sacı ve Profil Kesme Makinesi



Multiple Bundle Cutting, Hydraulic Vertical Clamp, Semi-automatic Bant Saw, Cooling System, With 3 Meters of Conveyor, 400V

Çoklu Kesme, Hidrolik Üst Baskı, Yarı Otomatik Şerit Testereli, Soğutma Sistemi, 3 Metre Rulo Sehpa, 400V



CK 412

PVC Glazing Bead Saw
PVC Çıta Kesme Makinesi



Automatic, With Manual Measuring Unit, With Mould System, 400V
Otomatik, Manuel Ölçü Alma Ünitesi, Özel Kalıp Sistemli, 400V




VK 420

V Cutting & 90° End Notching Machine
V Kesme & 90° Kertme Makinesi



Semi-Automatic, Hydro-Pneumatic, 2x2.2 kW, 2xØ420 mm of Saws, Cooling System, Horizontal Clamps, 400V
Yarı Otomatik, Hidro Pnömatik, 2x2,2 kW, 2xØ420 mm Testereli, Yatay Mengene, Soğutma Sistemi, 400V



KD 402 S

Double Head Mitre Saw Machine
Çift Kafa Kesme Makinesi



With Ø400 mm of Saws, With Digital Display, Cooling System, CE, 400V
Ø400 mm Testereli, Dijital Açık Okuyucu, Soğutma Sistemi, CE, 400V



DC 421 PSD

Full Automatic Double Head Mitre Saw Machine
Tam Otomatik Çift Kafa Kesme Makinesi



Cross Cut, With Ø420 mm of Saws, Automatic, Operator Control Panel, Cooling System, USB Data Transfer, 400V

Karşıdan Gelme, Ø420 mm Testereli, Otomatik, Operatör Kontrol Paneli, Soğutmalı, USB Veri Aktarmalı, 400V



DC 421 PBS

Full Automatic Double Head Mitre Saw Machine
Tam Otomatik Çift Kafa Kesme Makinesi



Cross Cut, PC Computerized, With Ø420 mm of Saws, Automatic, Barcode Printer, Cooling System, 400V

Karşıdan Gelme, Bilgisayar Kontrollü, Ø420 mm Testereli, Otomatik, Barkod Yazıcı, Soğutmalı, 400V




DC 550 PB

Full Automatic Double Head Mitre Saw Machine
Tam Otomatik Çift Kafa Kesme Makinesi



Cross Cut, PC Computerized, With Ø550 mm of Saws, Barcode Printer, Cooling System, 400V

Karşıdan Gelme, Bilgisayar Kontrollü, Ø550 mm Testereli, Barkod Yazıcı, Soğutmalı, 400V



DC 550 SKH

Full Automatic Double Head Mitre Saw Machine
Tam Otomatik Çift Kafa Kesme Makinesi



Cross Cut, Servo Controlled, PC Computerized, With Ø550 mm of Saws, Barcode Printer, Profile Height Measurement System, Cooling System, 400V

Karşıdan Gelme, Servo Kontrollü, Bilgisayar Kontrollü, Ø550 mm Testereli, Barkod Yazıcı, Soğutmalı, Profil Yükseklik Ölçme Sistemi, 400V



CDC 600

Full Automatic Double Head Compound Cutting Machine
Bileşik Açılı Otomatik Çift Kafa Kesme Makinesi



Pivoting and Tilting Saw Mechanism, Up-Cutting, Servo Controlled, PC Computerized, With Ø600 mm of Saws, Barcode Printer, Cooling System, 5 Meters, 400V

Döner ve Yatar Testere Mekanizması, Alttan Çıkma, Ø600 mm Testereli, Servo Kontrollü, Bilgisayar Kontrollü, Barkod Yazıcı, Soğutmalı, 5 Metre, 400V




SM 201

Single Head Reinforcement Steel Screwdriver
Tek Kafa Destek Sacı Vidalama Ünitesi



Single Head, Screwing, Semi-Automatic, Vertical, With Stand
Tek Kafa, Vidalama, Yarı Otomatik, Dikey, Sehpalı




SM 201 SD

Vertical Screwdriver and Montage Drilling Machine
Dikey Vidalama ve Pencere Montaj Deliği Delme Makinesi



Double Head, Screwing and Montage Drilling, Semi Automatic, Vertical, With Stand, 380V
Çift Kafa, Vidalama ve Montaj Deliği Delme, Yarı Otomatik, Dikey, Sehpalı, 380V



SM 206

Full Automatic Double Head Reinforcement Steel Screwdriver
Tam Otomatik Çift Kafa Destek Sacı Vidalama Makinesi



Double Head, Screwing, Automatic, Loading and Unloading Stations, 220V
Çift Kafa, Vidalama, Otomatik, Besleme ve Boşaltma İstasyonlu, 220V




NEW

MCA 801

Automatic Mullion Connector Assembly Machine
Orta Kayıt Aksesuar Montaj Makinesi



Double Head, Screwing, Semi-automatic, With Profile Support Table
Çift Kafa, Vidalama, Yarı Otomatik, Profil Destek Tablalı



NSM 352 - NSM 352 A

Sash Assembly Station Kanat Toplama Merkezi




NSM 352 - PVC Sash Assb., With Template, Automatic Centering, Shear Cutting, Punching, Hinge Hole Drilling and Screwing, Laser Pointer, Corner Element Hanger

NSM 352 - PVC Kanat Toplama, Şablonlu, Otomatik Merkezleme, Makas Kesim Panç, Menteşe Delme ve Vidalama, Lazer İşaretleme, Köşe Dönüş Asma Aparatlı

NSM 352 A - Alm. Sash Assb., With Template, Automatic Centering, Shear Cutting, Punching, Hinge Hole Drilling and Screwing, Laser Pointer, Corner Element Hanger

NSM 352 A - Alm. Kanat Toplama, Şablonlu, Otomatik Merkezleme, Makas Kesim Panç, Menteşe Delme ve Vidalama, Lazer İşaretleme, Köşe Dönüş Asma Aparatlı



NSM 353 - NSM 353 A

Sash Assembly Station Kanat Toplama Merkezi



NSM 353 - PVC Sash Assb., With Template, Automatic Centering, Shear Cutting, Punching, Hinge Hole Drilling and Screwing, Lazer Pointer, Corner Element Hanger, Cutter for Espagnolette Channel, Tripple Handle Hole Drilling

NSM 353 - PVC Kanat Toplama, Şablonlu, Otomatik Merkezleme, Makas Kesim, Panç, Menteşe Delme ve Vidalama, Lazer İşaretleme, Köşe Dönüş Asma Aparatlı, İspanyolet Frezesi, Üçlü Kolyeri Delme

NSM 353 A - Alm. Sash Assb., With Template, Automatic Centering, Shear Cutting, Punching, Hinge Hole Drilling and Screwing, Lazer Pointer, Corner Element Hanger, Cutter for Espagnolette Channel, Tripple Handle Hole Drilling

NSM 353 A - Alm. Kanat Toplama, Şablonlu, Otomatik Merkezleme, Makas Kesim, Panç, Menteşe Delme ve Vidalama, Lazer İşaretleme, Köşe Dönüş Asma Aparatlı, İspanyolet Frezesi, Üçlü Kolyeri Delme



GAS 301

Glass Assembly Table Cam Toplama Ünitesi



Fast Glass Installation, 70° Inclined Working Platform, Ergonomic Use, Roller Surfaces

Hızlı Cam Montajı, 70° Eğimli Çalışma Platformu, Ergonomik Kullanım, Makaralı Yüzeyler



TK 503

Single Corner PVC Welding Machine

PVC Tek Köşe Kaynak Makinesi



Portable, 30° - 180° Welding Angle, 165 mm of Welding Height, 0.2 mm or 2.0 mm Welding Features, 230V

Portatif, 30° - 180° Kaynak Aralığı, 165 mm Kaynak Yüksekliği, 0.2 mm veya 2.0 mm Kaynak Özelliği, 230V



TK 505

Single Corner PVC Welding Machine

PVC Tek Köşe Kaynak Makinesi



30° - 180° Welding Angle, 180 mm of Welding Height, 0.2 mm or 2.0 mm Welding Features, 230V

30° - 180° Kaynak Aralığı, 180 mm Kaynak Yüksekliği, 0.2 mm veya 2.0 mm Kaynak Özelliği, 230V



DK 502

Double Corner PVC Welding Machine

PVC Çift Köşe Kaynak Makinesi



Double Head, 180 mm of Welding Height, 0.2 mm or 2.0 mm Welding Features, CE, 230V

Çift Kafalı Kaynak, 180 mm Kaynak Yüksekliği, 0.2 mm veya 2.0 mm Kaynak Özelliği, CE, 230V



CA 601

Semi-Automatic PVC Corner Cleaning Machine
Yarı Otomatik PVC Köşe Temizleme Makinesi



Semi-Automatic, Quick Change of Cutter Set , Without Cutters, 400V
Yarı Otomatik, Seri Bıçak Değiştirmeli, Bıçaksız, 400V



CA 603

PVC Corner Cleaning Machine (4 Cutters)
PVC Köşe Temizleme Makinesi (4 Bıçaklı)



4 pcs of Cutter Set Capacity, Without Cutters, 400V
4 Takım Bıçak Kapasiteli, Bıçaksız, 400V

17



NEW

WGM 202

Window Gasket Milling Machine
Pencere Contası Frezeleme Makinesi



2 pcs. of Cutter Set Capacity, Semi-automatic, With Knives, 400V
2 set Bıçak Kapasiteli, Yarı otomatik, Bıçaklı, 400V



SNM 560 M

Manual Aluminium Facade Notching Machine
Manuel Alüminyum Cephe Kertme Makinesi



Manuel Controlled, Digital Displays for Angles, With Ø500 (horizontal) and Ø550 mm (vertical) of Saws, Cooling System, Max. Clamping Capacity: H: 240 mm - W: 140 mm, Max. Notching Capacity: H: 205 mm - W: 185 mm

Manuel, Yatay Ø500 ve Dikey Ø550 Testereler, Soğutmalı, İşlenebilen Maksimum Profil: H: 240 x W: 140 mm, Maks. Kertme Kapasitesi H: 205 mm - W: 185 mm



SNM 560 SRV

Servo Controlled Aluminium Facade Notching Machine
Servo Kontrollü Alüminyum Cephe Kertme Makinesi



Servo Controlled, With Ø500 (Horizontal) and Ø550 mm (Vertical) of Saw, Cooling System, Max. Clamping Capacity: H: 240 mm - W: 140 mm Max. Notching Capacity: H: 205 mm - W: 185 mm

Servo Kontrollü, (Yatay) Ø500 ve (Dikey) Ø550 Testereler, Soğutmalı, İşlenebilen Maks. Profil Ölçüleri: H: 240 x W: 140 mm, Maks. Kertme Ölçüleri: H: 205 mm - W: 185 mm



KM 212

Portable End-Milling Machine
Portatif Orta Kayıt Alıştırma Makinesi



Portable, Manual, Mechanic Clamps, Without Cutters, 230V
Portatif, Manuel, Mekanik Mengeneli, Bıçaksız, 230V



KM 211 S

Manual End-Milling Machine

Manuel Orta Kayıt Alıştırma Makinesi



Manual, Pneumatic Clamps, Cooling System, Without Cutters, (230V- 400V)

Manuel, Pnömatik Mergeneli, Soğutmalı, Bıçaksız (230V- 400V)



KM 215 S

Semi-Automatic End-Milling Machine

Orta Kayıt Alıştırma Makinesi



Semi-Automatic, Pneumatic Clamps, Angle Adjustment, Quick Change of Cutter Set, Without Cutter, Cooling System, (230V- 400V)

Yarı Otomatik, Pnömatik Mergeneli, Açı Ayarlı, Seri Bıçak Değiştirmeli, Bıçaksız, Soğutmalı (230V - 400V)



FR 221 S

Pneumatic Template Copy Router

Pnömatik Kopya Freze Makinesi



Pneumatic Clamps, Cooling System, 230V- 400V

Pnömatik Mergeneli, Soğutmalı, 230V - 400V



FR 222

Portable Template Copy Router

Portatif Kopya Freze Makinesi

Portable, Mechanic Clamps, 230V

Portatif, Mekanik Mengeneli, 230V



FR 223

Portable Template Copy Router

Portatif Kopya Freze Makinesi

Portable, Mechanic Clamps, AC Motor, 230V

Portatif, Mekanik Mengeneli, AC Motor, 230V



FR 223 S

Template Copy Router

Kopya Freze Makinesi

Portable, Mechanic Clamps, AC Motor, Cooling System, 230V

Portatif, Mekanik Mengeneli, AC Motor, Soğutmalı, 230V





FR 226 S

Automatic Copy Router with Triple Hole Drill

Otomatik Üçlü Kol Yeri Delmeli Kopya Freze



Manual, Triple Spindle Drill, 900 RPM, Cooling System, 400V
Otomatik, Üçlü Kol Yeri Delmeli, 900 dev./dk., Soğutmalı, 400V



ST 264 - ST 264 CE

Automatic PVC Water Slot Machine

Otomatik PVC Su Tahliye Makinesi



ST 264: 3x Frequency Controlled Motors, 230V

ST 264: 3x Frekans Kontrollü Motor, 230V

ST 264 CE: 3x Frequency Controlled Motors, Safety Kit, 230V

ST 264 CE: 3x Frekans Kontrollü Motor, Güvenlik Kitli, 230V



CRM 201 S

Copy Router With Triple Hole & Water Slot Drilling

Freze, Üçlü Kol Yeri Delme ve Su Tahliye



**Copy Router, Triple Hole and Water Slot Drilling, Horizontal and Vertical
Pneumatic Clamps, Cooling System, High Frequency Motor, Ø5 Cutter Bit, 230V**

Kopya Freze, Otomatik Üçlü Kol Yeri Delme, Yatay ve Dikey Pnömatik
Mengeneler, Soğutmalı, Yüksek Frekans Motor, Ø5 Freze, 230V



CRM 250 S

3 Spindle Copy Router Machine
3 Motorlu Kopya Freze Makinesi



3x High Frequency Motors, Horizontal and Vertical Pneumatic Clamps, Ø10 and Ø5 Cutter Bits, Cooling System, 2x Template, 230V

3x Frekans Motorlu, Yatay ve Dikey Pnömatik Mergeneler, Ø10 ve Ø5 Frezeler, Soğutmalı, 2x Şablonlu, 230V



NCR 300

4 Axis Numerical Controlled (NC) Router Machine
4 Eksen Numerik Kontrollü (NC) Freze Makinesi



4 Axis, NC Controlled, With Programmable Ready Macros, Horizontal and Vertical Clamps, Cooling System, Ø8 mm of Cutter Bit, 400V

4 Eksen, NC Kontrollü, Programlanabilir Hazır Makrolu, Yatay ve Dikey Mergeneli, Takım Soğutma, Ø8 mm Freze, 400V



KP 110

Pneumatic Aluminium Corner Crimping Machine
Pnömatik Alüminyum Köşe Birleştirme Presi



Pneumatic Press, Clamping Capacity H:120 mm
Pnömatik Pres, Mengene Kapasitesi H:120 mm



KP 180

Hydraulic Aluminium Corner Crimping Machine
Hidrolik Alüminyum Köşe Birleştirme Presi



Hydraulic Press, Clamping Capacity H: 180 mm, 400V
Hidrolik Pres, Mengene Kapasitesi H: 180 mm, 400V



KP 130 CNC

CNC Automatic Corner Crimping Machine
CNC Otomatik Köşe Presi



CNC Controlled, Clamping Capacity H: 120 mm, 220-230V
CNC Kontrollü, Mengene Kapasitesi H: 120 mm, 220-230V



PYE 101-102-103-104

Manual Punch Press
Manuel Panç Pres



Corner Punch Press
Köşe Delme Presi



CPM 4150 S

Composite Panel Processing Machine
Kompozit Panel İşleme Merkezi



1.600 x 4.100 mm Net Machining Capacity, CNC Controller, Manual Vacum Controller, 400V

1.600 x 4.100 mm Net İşleme Ölçüsü, CNC Kontrol, Manuel Vakum Kontrol, 400V



CPM 4200

Composite Panel Processing Machine
Kompozit Panel İşleme Merkezi



2.000 x 4.100 mm Net Machining Capacity, CNC Controller, 400V

2.000 x 4.100 mm Net İşleme Ölçüsü, CNC Kontrol, 400V




CPM 6161

Composite Panel Processing Machine
Kompozit Panel İşleme Merkezi



1.600 x 6.650 mm Net Machining Capacity, Automatic Vacum Controller, Double Station, 400V

1.600 x 6.650 mm Net İşleme Ölçüsü, CNC Kontrol, Otomatik Vakum Kontrollü, Çift İstasyon Çalışma, 400V



PIM 6509

PVC Profile Machining & Cutting Center
PVC Profil İşleme ve Kesme Merkezi



**8 Axis CNC Control System, Windows Based Touchscreen PC,
Ø550 mm of Saw, 400V**

8 Eksen CNC Kontrol Sistem, Windows Tabanlı Dokunmatik PC Ekran,
Ø550 mm Testere, 400V



AIM 3410

Aluminium Profile Machining Center
Alüminyum Profil İşlem Merkezi



**4 Axis, 3.200 mm of Machining Capacity, Delta CNC Automation,
CAM Software for 4-Axis Movement**

4 Eksen, 3.200 mm İşleme Kapasitesi, Delta CNC Kontrol, 4 Eksen
CAM Yazılım

25



AIM 4420

Aluminium Profile Machining Center
Alüminyum Profil İşlem Merkezi



**4 Axis, 4.020 mm of Machining Capacity, B&R CNC Automation,
CAMPROX®Cam Quix 4-Axis Software**

4 Eksen, 4.020 mm İşleme Kapasitesi, CNC Kontrol, CAMPROX®
Cam Quix 4-Eksen Yazılım



AIM 7420

Aluminium Profile Machining Center
Alüminyum Profil İşlem Merkezi



4 Axis, 7.020mm of Machining Capacity, B&R CNC Automation, CAMPROX® Cam Quix 4-Axis Software

4 Eksen, 7.020 mm İşleme Kapasitesi, CNC Kontrol, CAMPROX® Cam Quix 4-Eksen Yazılım



AIM 7420 T

Aluminium Profile Machining Center
Alüminyum Profil İşlem Merkezi



4 Axis, 7.020 mm of Machining Capacity, B&R CNC Automation, CAMPROX® Cam Quix 4-Axis Software, Rigid Taping Feature

4 Eksen, 7.020 mm İşleme Kapasitesi, CNC Kontrol, CAMPROX® Cam Quix 4-Eksen Yazılım, Enkoderli Motor ile Kılavuz Çekme Özellikli



AIM 7510

Aluminium Profile Machining Center
Alüminyum Profil İşlem Merkezi



5 Axis, 7.120 mm of Machining Capacity, DELTA CNC Automation, CAMPROX® Cam Quix 5-Axis Software

5 Eksen, 7.120 mm İşleme Kapasitesi, DELTA CNC Otomasyon, CAMPROX® Cam Quix 5-Eksen Yazılım




ALM 6510

Aluminium Profile Machining and Cutting Center
Alüminyum Profile İşleme ve Kesim Merkezi



8 Axis CNC Control System, Windows Based Touchscreen PC, Ø550 mm of Saw, Barcode Printer, Cooling System, Automatic Lubrication, 400V

8 Eksen CNC Kontrol Sistem, Windows Tabanlı Dokunmatik PC Ekran, Ø550 mm Testere, Barkod Yazıcı, Soğutmalı, Otomatik Yağlama, 400V



CCL 1660

PVC Welding and Corner Cleaning Line
PVC Kaynak ve Köşe Temizleme Hattı



DK 540 - CS 240 - SA 250 - SA 260 - CNC 608/610

27

DK 540


Four Corner PVC Welding Machine
Dört Köşe PVC Kaynak Makinesi



Four Head, 180 mm of Welding Height, Automatic Setting of 0.2 - 2.0 mm Welding Features, 400V

4 Köşe Kaynak Makinesi, H: 180 mm Kaynak Yüksekliği, 0,2 mm veya 2,0 mm Kaynak için Otomatik Geçiş Özelliği, 400V





DK 540 CS

Four Corner PVC Welding Machine With Gasket Pressing System

Conta Baskı Sistemli Dört Köşe PVC Kaynak Makinesi



Four Head, With Gasket Pressing System, 180 mm of Welding Height, Automatic Setting of 0.2 - 2.0 mm Welding Features, 400V

4 Köşe Kaynak Makinesi, Conta Baskı Sistemli, H: 180 mm Kaynak Yüksekliği, 0.2 mm veya 2.0 mm Kaynak için Otomatik Geçiş Özelliği, 400V



CNC 608 - 610

PVC Corner Cleaning Machine

PVC Köşe Temizleme Makinesi



2 - 4 pc. of Servo Motors

2 - 4 adet Servo Motor



SA 250

Cooling Station

Soğutma İstasyonu





SA 255

Window Buffer Station

Yedek Çerçeve Bekleme İstasyonu



SA 260

Robotized Rotating System

Profil Çevirme Robotu



MKN 150-300-301

Roller Conveyor

Konveyör



1.5 and 3.0 meter, Mechanical, Manual Stop

1.5 ve 3.0 metre, Mekanik, Manuel Dayama



DKN 302 - 602

Roller Conveyor
Konveyör



3.0 and 6.0 meter, Hand Wheel Controller, Digital Display, Pneumatic Brake System

3.0 ve 6.0 metre, Volantlı, Manuel Kontrollü, Dijital Göstergeli, Pnömatik Frenlemeli



SKN 300 - 600

Roller Conveyor
Konveyör



3.0 and 6.0 meter, Computerized, ± 0.2 mm Positioning Accuracy

3.0 ve 6.0 metre, Bilgisayar Kontrollü, $\pm 0,2$ mm Pozisyonlama Hassasiyetli



SKN 301

Roller Conveyor
Konveyör



3.0 m., PLC Controlled, Touch Screen, for CK 412, 3 Meters of Digital Measuring Unit, L: 3.000 x W: 200 mm

3.0 metre, PLC Kontrollü, Dokunmatik Ekranlı, CK 412 için, 3 Metre Dijital Ölçü Alma Aparatı, L: 3.000 x W: 200 mm



HDL 400 - 700

Roller Conveyor
Konveyör



4.0 and 7.0 meter, Automatic Length Stop, Servo Controlled, Touch Screen, CSV Data Transfer

4.0 ve 7.0 metre, Otomatik Dayama, Servo Kontrollü, Dokunmatik Ekran, CSV Veri Aktarmalı



WB 4000

Work Bench
Montaj Masası



Work Bench, Telescopic Feature, Plastic Feet, Rubber Covered Surfaces

Montaj Masası, Teleskobik Özellikli, Plastik Ayaklı, Çizilmeye Karşı Contalı Yüzeyler



GPT 1000

Glass & Profile Trolley
Pencere Taşıma Arabası



Glass & Profile Trolley, Swivel Wheels, Special Paint Againsts Scratches

Cam ve Pencere Taşıma Arabası, Döner Tekerlekli, Çizilmeye Korumalı Yüzeyler



HP 1000

Horizontal Profile Trolley

Yatay Profil Taşıma Arabası



Horizontal Profile Trolley, Special Paint Against Scratches, Double Sided, Swivel Wheels

Yatay Profil Taşıma Arabası, Çizilmeye Korumalı Yüzeyler, Çift Yönlü, Döner Tekerlekli



PT 1000

Product Transportation Trolley

Pencere Taşıma Arabası



Product Transportation Trolley, Special Paint Against Scratches, Single Sided, Swivel Wheels

Ürün Taşıma Arabası, Çizilmeye Korumalı Yüzeyler, Tek Yönlü, Döner Tekerlekli



VP 1000

Vertical Profile Trolley

Dikey Profil Taşıma Arabası



Vertical Profile Trolley, Special Paint Against Scratches, Double Sided, Swivel Wheels

Dikey Profil Taşıma Arabası, Çift Yönlü, Döner Tekerlekli, Çizilmeye Korumalı Yüzeyler




VP 2000

Vertical Profile Trolley
Dikey Profil Taşıma Arabası



Vertical Profile Trolley, Special Paint Against Scratches, Double Sided, Swivel Wheels

Dikey Profil Taşıma Arabası, Çizilmeye Korumalı Yüzeyler, Çift Yönlü, Döner Tekerlekli



GT 1000

Gasket Trolley
Conta Taşıma Arabası



Gasket Trolley, Four Station, Swivel Wheels

Conta Taşıma Arabası, Dört İstasyonlu, Döner Tekerlekli



PWB 4100

Pneumatic Work Bench
Pnömatik Montaj Masası



Pneumatic Work Bench, Telescopic Feature, Vertical and Horizontal Working Position, Plastic Feet

Pnömatik Montaj Masası, Teleskobik Özellikli, Yatay ve Dikey Çalışma Konumlu, Plastik Ayaklı




RT 1000

Rotating Assembly Table
Döner Montaj Masası



Rotating Assembly Table, Special Paint Against Scratches, Plastic Feet, Telescopic Feature

Döner Montaj Masası, Çizilmeye Karşı Contalı Yüzeyler, Plastik Ayaklı, Teleskopik Özellik




WAS 1000

Window Assembly Station
Pencere Montaj İstasyonu



Window Assembly Station, Fixed Feet, Roller Fitted Surfaces

Pencere Montaj İstasyonu, Sabit Ayaklı, Tekerlekli Kayar Yüzeyler



PC 4000

Profile Carry Cart
Profil Taşıma Arabası



Profile Trolley, Swivel Wheels, Special Paint Against Scratches

Profil Taşıma Arabası, Döner Tekerlekli, Çizilmeye Korumalı Yüzeyler



RS 1000

Profile Support

Profil Destek Ayağı



Roller Stand, Height Adjustment, Fixed Feet

Profil Destek Ayağı, Yükseklik Ayarlı, Sabit Ayaklı



PT 2000

Window Trolley Two Sided

Çift Yönlü Pencere Taşıma Arabası



**Product Transportation Trolley Special Paint Against Scratches,
Double Sided, Swivel Wheels**

Ürün Taşıma Arabası, Çizilmeye Korumalı Yüzeyler, Çift Yönlü, Döner
Tekerlekli



MS

Machine Stand

Makine Sehpası


**Machine Stand For KD 305 / KY 305 / KD 350 / KD 400 / KM 212 – FR 222
/ FR 223**

KD 305 / KY 305 / KD 350 / KD 400 / KM 212 / FR 222 / FR 223 için

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a template for writing or drawing. The margins are consistent on all sides.



www.yilmazmachine.com.tr



www.yilmazmachine.com.tr