



Tařınabilir enerjide gvenli marka
Reliable brand in portable energy

2025 ORGAZ PRODUCT CATALOGUE



www.orgaz.com.tr



unicef



A MEMBER OF
WLGA
Energy Anywhere



ORGAZ | LPG EKİPMANLARI



30 YILLIK ÜRETİM TECRÜBESİ

30 yılı aşkın tecrübemizle alçak ve yüksek basınç regülatörleri, portatif sobalar, lambalar gibi LPG ile çalışan ekipmanların imalatını yapmaktayız.

30 YEARS OF PRODUCTION EXPERIENCE

With more than 30 years of experience, we manufacture LPG powered equipment such as low and high pressure regulators, portable stoves and lamps.



74 ÜLKEYE İHRACAT

Müşteri odaklı yaklaşımımızla 74 ülkeye çeşitli markalar altında ürün tedarik etmekteyiz.

EXPORTS TO 74 COUNTRIES

With our customer-oriented approach, we supply products to 74 countries under various brands.



ORGAZ ® alçak ve yüksek basınç regülatörleri, portatif sobalar, brülörler, lambalar, vanalar gibi LPG ile çalışan ekipmanların imalatını yapmaktadır.

Üretim hattımız 3 büyük kıtanın merkezinde yer alan İstanbul'da gerçekleştirildiği için lojistik açıdan hızlı çıkış sağlanmaktadır.

30 yılı aşkın üretim tecrübesine sahip Orgaz, müşteri odaklı yaklaşımıyla 74 ülkeye çeşitli markalar altında ürün tedarik etmektedir.

Bu ülkelerin ulusal standartlarının gerektirdiği ürün sistemleri içerisinde CE ve ISO belgelerine sahip olup, kalite ve zamanında teslimat ana ilkeleridir.

Ürün kalitesi, hammadde girişinden ürün çıkışına kadar her aşamada uygulanan kontrol sistemleri, laboratuvar testleri ve ürünlere yönelik muayene testleri ile sağlanmaktadır.

"Tüm Bu Ürünlerimizi Avrupa Kalitesinde ve Uzak Doğu Fiyatlarında bulabilirsiniz."

LPG Ekipmanlarımız ORGAZ ve GASPOWER markaları altında , Kartuş grubu ekipmanı ORCAMP ve CAMPINGMAN markası altında , Tüp emniyet valfleri ORG markası altında , Elektrikli ev aletleri ise ORHOME ve SCHANAL markası altında satılmaktadır.

ORGAZ, İSTANBUL'dadır; Türkiye'nin en büyük ve tarihi sanayi şehridir. Burada 3 havalimanı, uluslararası liman, en ucuz ve en büyük Lojistik avantajları bulunmaktadır.

ORGAZ kalitesi, prestijli onaylarla Türk TSE belgesi, CE Belgeleri CERTY GAS, Pi tarafından TÜV SÜD tarafından onaylanmıştır.

ORGAZ, Türkiye'nin Avrupa Özel Topluluğuna üyeliğinden dolayı müşterilere vergi avantajı sağlayan EUR.1, A.TR EURO-MED sertifikalarının tümünü ürünleri için verebilir.

ORGAZ, tedarikçilerinden biri olan SHV Enerji temsilcisidir. İç pazarda yaygın bir iştirak sistemine sahibiz. Bugün 74 ülkeye ihracat yapıyoruz ve ihracatımız toplam satışlarımızın yaklaşık yüzde 70'ini oluşturmaktadır. Ürünlerimiz ağırlıklı olarak Afrika, Avrupa, Orta Doğu ve Rusya'ya ihraç edilmektedir.



ORGAZ ® manufactures LPG-operated equipment such as low- and high-pressure regulators, portable stoves, burners, lamps, valves. Since our production line is carried out in Istanbul, which is located in the center of 3 large continents, fast output is provided in terms of logistics.

With more than 30 years of production experience, Orgaz supplies products under various brands to 74 countries with its customer-oriented approach.

It has CE and ISO certificates within the product systems required by the national standards of these countries, and quality and timely delivery are the main principles.

Product quality is ensured by control systems, laboratory tests and inspection tests for products applied at every stage from raw material entry to product exit.

"All this products you can find European Quality with the Far East Prices"

Our LPG Equipment's sold under the ORGAZ and GASPOWER brand names, cartridge group equipment's sold under the ORCAMP and CAMPINGMAN brand names , cylinder safety valves sold under the ORG brand name, home appliances sold under the ORHOME and SCHANAL brand name.

ORGAZ is in İSTANBUL that is; the biggest Industrial and historical city of Turkey. There are 3 airports, international ports, the cheapest and the biggest Logistics advantages.

ORGAZ quality is certified by prestigious approvals as the Turkish TSE, CE Certificates are approved by CERTY GAS , Pi marked by TÜV SÜD.

ORGAZ can give the EUR.1, A.TR EURO-MED, certificate all of their products because of Turkey membership to European Custom Community that gives tax advantage to customers.

ORGAZ is the one of the supplier of which is the representative of SHV Energy. We have a widespread subsidiary system in our domestic market. Today we export to 74 countries, which account for approximately 70% of our total sales. Our products are mainly exported to Africa, Europe, Middle East and Russia.

KARTUŞLU ÜRÜNLER CARTRIDGE EQUIPMENTS

3

SİBOPLU OCAKLAR SAFETY VALVE CARTRIDGE STOVES

4

NARGİLE OCAKLAR HOOKAH STOVE

6

KAMP OCAKLAR CAMPING STOVES

7

PAELLA OCAKLARI PAELLA STOVES

10

SET ÜSTÜ OCAKLAR TABLE COOKERS

11

MANGAL & PIŞİRİCİLER BBQ & MULTI COOKING OPTIONS

12

KAMP GEREÇLERİ CAMPING EQUIPMENTS

20

PÜRMÜZLER TORCHES

22

ISITICILAR VE PIŞİRİCİ RADYANLAR HEATERS AND CERAMIC BURNERS

25

KAMP LAMBALARI CAMPING LANTERN

28

DEDANTÖRLER REGULATORS

31

HORTUMLAR HOSES

34

MUSLUK VE BRÜLÖRLER VALVES AND BURNERS

37

TAV VE KAYNAK TAKIMLARI BLOWTORCHES and WELDING TOOLS

41

OCAKLAR

STOVES

Delinebilir ve Vidalı taşınabilir piknik tüplerinde Bütan ve Propan gaz kartuşları kullanılmaktadır. Modern tasarımı ile kolay taşınması doğa aktivitelerinde konforlu kullanım sağlamaktadır. Uluslararası standartlara uyumlu, zengin ürün yelpazesi.

Drillable and Screwed Orcamp Brand Butane and Propane gas cartridges are used. Easy transportation with its modern design provides comfortable use in nature activities. Rich product range in compliance with international standards.





KARTUŞLU OCAKLAR

CARTRIDGE STOVES



K-190

KARTUŞ OCAK

Cartridge Stove

MAT Metal Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	550 _G
CTN	DIM	LOAD
12 _{PCS} / 6,9 _{KG}	410x280x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



CK-190

ÇAKMAKLI KARTUŞ OCAK

Cartridge Stove with Ignition



MAT Metal Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	550 _G
CTN	DIM	LOAD
12 _{PCS} / 7,3 _{KG}	410x280x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



K-191

KARTUŞ OCAK

Cartridge Stove

MAT Metal Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	600 _G
CTN	DIM	LOAD
12 _{PCS} / 7,7 _{KG}	405x270x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



CK-191

ÇAKMAKLI KARTUŞ OCAK

Cartridge Stove with Ignition

MAT Metal Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	600 _G
CTN	DIM	LOAD
12 _{PCS} / 7,7 _{KG}	405x270x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



PK-190

PLASTİK GÖVDELİ KARTUŞ OCAK

Cartridge Stove / Plastic Body

MAT Plastic Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	400 _G
CTN	DIM	LOAD
12 _{PCS} / 5,4 _{KG}	410x280x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



PCK-190

ÇAKMAKLI PLASTİK GÖVDELİ KARTUŞ OCAK

Cartridge Stove / Plastic Body / Ignition

MAT Plastic Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	500 _G
CTN	DIM	LOAD
12 _{PCS} / 6,68 _{KG}	410x 280x410 _{MM}	20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



EPK-190

PLASTİK GÖVDELİ EKONOMİK KARTUŞ OCAK

Economic Cartridge Stove / Plastic Body

MAT Plastic Body, Chrome Grill and Burner

CONS	POWER	NET WGT
62,7 _{G/H}	0,8 _{KW} /688 _{Kcal/h}	300 _G
CTN	DIM	LOAD
12 _{PCS} / 4,06 _{KG}	350x456x210 _{MM}	20 DC - 10.080 _{PCS} 40 HC - 24.360 _{PCS}

Standart Cartridge Housing
Color Option





SİBOPLU OCAKLAR

SAFETY VALVE CARTRIDGE STOVES



K-502

SİBOPLU KARTUŞ OCAK

Safety Valve Cartridge Stove

MAT	Chrome Burner and Supports, Brass Valve		
CONS	101,9 _{G/H}	POWER 1,3 _{KW} /1119 _{Kcal/h}	NET WGT 300 _G
CTN	12 _{PCS} /14 _{Kg}	DIM	295x360x195 _{mm}



CK-194

ÇAKMAKLI MİKRO OCAK

Micro Stove with Ignition

MAT	Chrome Burner and Supports, Brass Valve		
CONS	62,7 _{G/H}	POWER 0,8 _{KW} /688 _{Kcal/h}	NET WGT 250 _G
CTN	12 _{PCS} /3,4 _{Kg}	DIM	335x485x165 _{mm}



K-193

SİBOPLU KARTUŞ OCAK

Safety Valve Cartridge Stove



MAT	Chrome Burner and Grill, Brass Valve		
CONS	62,7 _{G/H}	POWER 0,8 _{KW} /688 _{Kcal/h}	NET WGT 250 _G
CTN	24 _{PCS} /7,24 _{Kg}	DIM	405x280x410 _{mm}



CK-193

ÇAKMAKLI SİBOPLU KARTUŞ OCAK

Valve Cartridge Stove with Ignition



MAT	Chrome Burner and Grill, Brass Valve		
CONS	62,7 _{G/H}	POWER 0,8 _{KW} /688 _{Kcal/h}	NET WGT 330 _G
CTN	24 _{PCS} /8,80 _{Kg}	DIM	405x280x410 _{mm}



K-192

SİBOPLU KARTUŞ OCAK

Safety Valve Cartridge Stove

MAT	Chrome Burner and Grill, Brass Valve		
CONS	62,7 _{G/H}	POWER 0,8 _{KW} /688 _{Kcal/h}	NET WGT 240 _G
CTN	24 _{PCS} /6,2 _{Kg}	DIM	405x280x410 _{mm}



CK-192

ÇAKMAKLI SİBOPLU KARTUŞ OCAK

Valve Cartridge Stove with Ignition



MAT	Chrome Burner and Grill, Brass Valve		
CONS	62,7 _{G/H}	POWER 0,8 _{KW} /688 _{Kcal/h}	NET WGT 300 _G
CTN	24 _{PCS} /7,5 _{Kg}	DIM	405x280x410 _{mm}



SB-605 ISITICI FONKSİYONLU OCAK Stove with Heater Functional

MAT Chrome Burner and Grill, Brass Valve

CONS	POWER	NET WGT
112,9g/H	1,44kW/1239cal/h	440g
CTN	DIM	
20PCS / 9,10kg	400x550x385mm	



K-500 SİBOPLU KAMP OCAK Valve Cartridge Stove

MAT Chrome Burner and Grill, Brass Valve

CONS	POWER	NET WGT
101,9g/H	1,3kW/1119cal/h	450g
CTN	DIM	
12PCS / 5,86kg	315x385x400mm	



KTS-227 227 Gr GAZ KARTUŞU 227 Gr Gas Cartridge

CTN	DIM	WGT
24PCS / 8,2kg	285x420x215mm	300g

FEATURES
227G BAYONET-TYPE GAS CARTRIDGE,
COMPLIES WITH EN-417.



KTS-230 230 Gr GAZ KARTUŞU 230 Gr Gas Cartridge

CTN	DIM	WGT
24PCS / 9,5kg	345x440x205mm	350g

FEATURES
LINDAL 7/16 DOUBLE LAYER UNIVERSAL VALVE
COMPLIES WITH EN-417.



KTS-450 450 Gr GAZ KARTUŞU 450 Gr Gas Cartridge

CTN	DIM	WGT
12PCS / 8,10kg	340x240x319mm	640g

FEATURES
LINDAL 7/16 DOUBLE LAYER UNIVERSAL VALVE
COMPLIES WITH EN-417.





NARGİLE OCAKLAR HOOKAH STOVE



NARGİLE OCAKLAR HOOKAH STOVE



NO-190 KARTUŞ NARGİLE OCAK Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	780 G
CTN	12 PCS / 9,9 kg	DIM	380x260x565 mm	LOAD	20 DC - 6,420 PCS 40 HC - 14,580 PCS



NO-192 SİBOPLU NARGİLE OCAK Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	500 G
CTN	12 PCS / 6,62 kg	DIM	260x380x385 mm	LOAD	20 DC - 10,800 PCS 40 HC - 24,600 PCS



NO-194 NARGİLE OCAK Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	790 G
CTN	12 PCS / 9,74 kg	DIM	575x325x295 mm	LOAD	



ENO-220 ELEKTRİKLİ NARGİLE OCAK Electrical Charcoal Burner

MAT Enameled Coated Body and Grill, S/S Tong

CTN	12 PCS / 19,05 kg	DIM	365x525x470 mm	NET WGT	1,50 kg
-----	-------------------	-----	----------------	---------	---------

Voltage: 220 - 240V
Nominal Voltage: 3A
Frequency: 50 - 60HZ
Class: 1
Power: 700W



NO-191 KARTUŞ NARGİLE OCAK Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	890 G
CTN	12 PCS / 11,16 kg	DIM	330x495x530 mm	LOAD	20 DC - 3,960 PCS 40 HC - 9,480 PCS



NO-193 SİBOPLU NARGİLE OCAK Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	1,40 kg
CTN	6 PCS / 8,60 kg	DIM	345x500x310 mm	LOAD	20 DC - 9,900 PCS 40 HC - 22,500 PCS



NO-192-US NARGİLE OCAK Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	500 G
CTN	12 PCS / 6,62 kg	DIM	260x380x385 mm	LOAD	



NO-193-US NARGİLE OCAK Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	94 G/H	POWER	1,2 kW / 1033 kcal/h	NET WGT	1,40 kg
CTN	6 PCS / 8,60 kg	DIM	345x500x310 mm	LOAD	



KAMP OCAKLAR CAMPING STOVE



K-630
KAMP OCAK
Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	650 _g
CTN	DIM	LOAD
20 PCS / 13,45 _{kg}	470x470x655 _{mm}	20 DC - 4.000 PCS 40 HC - 9.400 PCS



K-635
TURBO KAMP OCAK
Turbo Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
297,8 _{gH}	3,8 _{kW} /3270 _{kcal/h}	690 _g
CTN	DIM	LOAD
20 PCS / 14,21 _{kg}	470x470x655 _{mm}	20 DC - 4.000 PCS 40 HC - 9.400 PCS



K-636
SÜPER TURBO KAMP OCAK
Super Turbo Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
278,8 _{gH}	3,55 _{kW} /3054 _{kcal/h}	800 _g
CTN	DIM	LOAD
20 PCS / 16,9 _{kg}	470x470x690 _{mm}	20 DC - 3.700 PCS 40 HC - 9.000 PCS



CK-630
ÇAKMAKLI KAMP OCAK
Camping Stove With Ignition

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	700 _g
CTN	DIM	LOAD
20 PCS / 14,43 _{kg}	470x470x655 _{mm}	20 DC - 4.000 PCS 40 HC - 9.400 PCS



CK-635
ÇAKMAKLI TURBO KAMP OCAK
Turbo Camping Stove With Ignition

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
297,8 _{gH}	3,8 _{kW} /3270 _{kcal/h}	740 _g
CTN	DIM	LOAD
20 PCS / 15,15 _{kg}	470x470x655 _{mm}	20 DC - 4.000 PCS 40 HC - 9.400 PCS



BK-630 / BK-635
BLİSTER AMBALAJ KAMP OCAK
Blister Package Camping Stove

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	650 _g
CTN	DIM	LOAD
12 PCS / 9,80 _{kg}	605x465x300 _{mm}	20 DC - 4.200 PCS 40 HC - 9.960 PCS



K-620
MİDİ OCAK
Midi Stove

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
116 _{gH}	1,48 _{kW} /1273 _{kcal/h}	400 _g
CTN	DIM	LOAD
20 PCS / 9,1 _{kg}	400x550x385 _{mm}	20 DC - 6.700 PCS 40 HC - 16.100 PCS



EPK-620
BOYALI MİDİ OCAK
Painted Midi Stove

MAT Painted Body and Chrome Burner and Brass Valve

CONS	POWER	NET WGT
116 _{gH}	1,48 _{kW} /1273 _{kcal/h}	500 _g
CTN	DIM	LOAD
20 PCS / 10,65 _{kg}	400x550x385 _{mm}	20 DC - 15.000 PCS 40 HC - 125.000 PCS

CONNECTION TYPES



W20-1/14\"L



W21,8-1/14\"L



G3/8\"-19L



G3/8



M10x1



W20-1/14\"L



EPK-630

BOYALI KAMP OCAK Painted Camping Stove

MAT Painted Body, Zinc Burner and Zinc Valve

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kw} /2022 _{kcal/h}	500 _g
CTN	DIM	LOAD
15 _{PCS} / 8,25 _{kg} Domounted Package	230x710x240 _{mm}	20 DC - 9.750 _{PCS} 40 HC - 23.500 _{PCS}



PK-628

MIDI OCAK Midi Stove

MAT Chrome Body, Zinc Burner and Zinc Valve

CONS	POWER	NET WGT
116 _{gH}	1,48 _{kw} /1273 _{kcal/h}	700 _g
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{kg}	470x470x655 _{mm}	20 DC - 51.000 _{PCS} 40 HC - 120.000 _{PCS}



K-625

MIDI OCAK Midi Stove

MAT Chrome Arm and Burner, Brass Valve

CONS	POWER	NET WGT
116 _{gH}	1,48 _{kw} /1273 _{kcal/h}	700 _g
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{kg}	470x470x655 _{mm}	



K-626

MIDI OCAK Midi Stove

MAT Chrome Arm and Burner, Brass Valve

CONS	POWER	NET WGT
116 _{gH}	1,48 _{kw} /1273 _{kcal/h}	700 _g
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{kg}	470x470x655 _{mm}	



G-610/7

KAMP OCAK VE BRÜLÖR VALF TAKIM Camping Stove with Valve Burner Set

MAT Painted Body, Chrome Burner and Brass Valve

CONS	POWER	NET WGT
297,8 _{gH}	3,8 _{kw} /3270 _{kcal/h}	300 _g
CTN	DIM	LOAD
50 _{PCS} / 15,77 _{kg}	575x245x560 _{mm}	



G-610/1

KAMP OCAK VE METAL HORTUM SET Camping Stove with Metal Hose Set

MAT Painted Body, Chrome Burner and Brass Valve

CONS	POWER	NET WGT
297,8 _{gH}	3,8 _{kw} /3270 _{kcal/h}	300 _g
CTN	DIM	LOAD
50 _{PCS} / 15,77 _{kg}	575x245x560 _{mm}	



KB-636

KROM KÜÇÜLTÜCÜ Chrome Grid

CTN	DIM	WGT
250 _{PCS} / 13,45 _{kg}	405x270x410 _{mm}	50 _g



7/16"-28NEF



M16x1,5



M14x1,25



M14x1,25



G3/8



M14x1,5



BURNER AND VALVE

VALVE ET BRÛLEUR B630



B-630
VALF BRÛLÖR TAKIM
Valf Burner Set

MAT Brass Valve, Chrome Burner, Metal or Plastic Knob

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	150 _g
CTN	DIM	LOAD
100 _{PCS} / 19,910 _{kg}	520x225x470 _{mm}	20 DC - 54,000 _{PCS} 40 HC - 125,000 _{PCS}



B-800
VALF BRÛLÖR TAKIM
Super Valve Burner Set

MAT Brass Valve, Chrome Burner, Metal Knob

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	200 _g
CTN	DIM	LOAD
100 _{PCS} / 25,70 _{kg}	560x225x470 _{mm}	20 DC - 54,000 _{PCS} 40 HC - 125,000 _{PCS}



G-300
TRİVET IZGARA
Trivet Grill

MAT Metal Painted Body

CTN	DIM	NET WGT
6 _{PCS} / 10,50 _{kg}	685x350x335 _{mm}	1,65 _{kg}



G-270
TRİVET GRILL
Trivet Grill

MAT Metal Painted Body

CTN	DIM	NET WGT
10 _{PCS} / 7,7 _{kg}	325x325x315 _{mm}	700 _g



GR-813
BRÛLÖRLÜ IZGARA
Grill with Burner

MAT Metal Painted Body

CONS	POWER	NET WGT
184,2 _{gH}	2,35 _{kW} /2022 _{kcal/h}	1,05 _{kg}
CTN	DIM	LOAD
20 _{PCS} / 22,10 _{kg}	510x775x375 _{mm}	20 DC - 54,000 _{PCS} 40 HC - 125,000 _{PCS}



KA-402
İKİLİ SANAYİ OCAK
Two Burner Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS	POWER	NET WGT
1200 _{gH}	15,4 _{kW} /13200 _{kcal/h}	15 _{kg}
CTN	DIM	LOAD
1 _{PCS}	360x820x260 _{mm}	20 DC - 54,000 _{PCS} 40 HC - 125,000 _{PCS}



VL-400
KARE VOLKAN OCAK
Square Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS	POWER	NET WGT
1200 _{gH}	15,4 _{kW} /13200 _{kcal/h}	4,24 _{kg}
CTN	DIM	SIZE
1 _{PCS}	325x310x105 _{mm}	L35x35-22 _{cm}



VL-401
KARE VOLKAN OCAK
Square Cast Iron Body Stove

MAT Metal Body, Cast Iron Burner

CONS	POWER	NET WGT
1200 _{gH}	15,4 _{kW} /13200 _{kcal/h}	4,10 _{kg}
CTN	DIM	SIZE
1 _{PCS}	410x408x130 _{mm}	L40x40-16 _{cm}



VL-402
EKO VOLKAN OCAK
Eco Square Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS	POWER	NET WGT
278,8 _{gH}	3,55 _{kW} /3054 _{kcal/h}	1,5 _{kg}
CTN	DIM	SIZE
1 _{PCS}	305x305x52 _{mm}	L32x32-14 _{cm}



PAELLA OCAKLARI PAELLA STOVES



MOD-200
Ø20CM TEKİLİ PAELLA OCAK
Ø20cm Single Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
5 _{kW}	1,2 _{kg}	10 _{PCS} / 13,67 _{kg}
DIM	LOAD	
340x440x330 _{mm}	20 DC - 6.255 _{PCS} 40 HC - 14.000 _{PCS}	



MOD-300
Ø30CM TEKİLİ PAELLA OCAK
Ø30cm Single Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
6,5 _{kW}	1,5 _{kg}	10 _{PCS} / 21,85 _{kg}
DIM	LOAD	
505x615x335 _{mm}	20 DC - 6.255 _{PCS} 40 HC - 14.000 _{PCS}	



MOD-300 DUAL
Ø30CM İKİLİ PAELLA OCAK
Ø30cm Dual Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
7,5 _{kW}	1,95 _{kg}	10 _{PCS} / 21,85 _{kg}
DIM	LOAD	
505x615x335 _{mm}	20 DC - 3.900 _{PCS} 40 HC - 9.000 _{PCS}	



MOD-350
Ø35CM İKİLİ PAELLA OCAK
Ø35cm Dual Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
9,1 _{kW}	2 _{kg}	10 _{PCS} / 21,85 _{kg}
DIM	LOAD	
590x615x335 _{mm}	20 DC - 2.600 _{PCS} 40 HC - 8.000 _{PCS}	



MOD-400
Ø40CM İKİLİ PAELLA OCAK
Ø40cm Dual Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
11,4 _{kW}	2,40 _{kg}	10 _{PCS} / 25,50 _{kg}
DIM	LOAD	
640x340x740 _{mm}	20 DC - 2.000 _{PCS} 40 HC - 7.000 _{PCS}	



MOD-500
Ø50CM İKİLİ PAELLA OCAK
Ø50cm Dual Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
14,1 _{kW}	2,9 _{kg}	5 _{PCS} / 16,32 _{kg}
DIM	LOAD	
520x750x350 _{mm}	20 DC - 1.500 _{PCS} 40 HC - 5.500 _{PCS}	



MOD-600
Ø60CM ÜÇLÜ PAELLA OCAK
Ø60cm Triple Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
21 _{kW}	4,25 _{kg}	1 _{PCS}
DIM	LOAD	
630x900x135 _{mm}	20 DC - 1.050 _{PCS} 40 HC - 3.250 _{PCS}	



MOD-700
Ø70CM ÜÇLÜ PAELLA OCAK
Ø70cm Triple Paella Burner

MAT Enameled Burner

POWER	NET WGT	CTN
24,1 _{kW}	4,90 _{kg}	1 _{PCS}
DIM	LOAD	
700x990x135 _{mm}	20 DC - 800 _{PCS} 40 HC - 2.250 _{PCS}	





SET ÜSTÜ OCAKLAR TABLE COOKERS



OR-110

TEKLİ SET ÜSTÜ OCAK Table Cooker with One Burner

MAT Metal Painted Body, S/S Burner

CONS
70,5_g/h

POWER
0,9_{kW}/774_{kcal/h}

NET WGT
1,42_{KG}

CTN
1_{PCS}

DIM
110x275x255_{mm}

LOAD
20 DC-3.750_{PCS}
40 HC-8.915_{PCS}



OR-210

İKİLİ SET ÜSTÜ OCAK Table Cooker with Two Burner

MAT Metal Painted Body, S/S Burner

CONS
148,9x2_g/h

POWER
1,9x2_{kW}/1635x2_{kcal/h}

NET WGT
2,56_{KG}

CTN
1_{PCS}

DIM
110x555x255_{mm}

LOAD
20 DC-1.850_{PCS}
40 HC-4.410_{PCS}



OR-310

ÜÇLÜ SET ÜSTÜ OCAK Table Cooker with Three Burner

MAT Metal Painted Body, S/S Burner

CONS
70,5-148,9x2_g/h

POWER
0,9-1,9x2_{kW}/774-1635x2_{kcal/h}

NET WGT
3,30_{KG}

CTN
1_{PCS}

DIM
335x90x635_{mm}

LOAD
20 DC-1.500_{PCS}
40 HC-3.600_{PCS}



OR-101

TEKLİ SET ÜSTÜ OCAK Table Cooker with One Burner

MAT Metal Painted Body, Enamel Burner

CONS
B 164,6_g/h

POWER
B 2,10_{kW} 1807_{kcal/h}

NET WGT
1,82_{KG}

CTN
1_{PCS}

DIM
85x305x365_{mm}

LOAD
20 DC-2.250_{PCS}
40 HC-5.340_{PCS}



OR-201

İKİLİ SET ÜSTÜ OCAK Table Cooker with Two Burner

MAT Metal Painted Body, Enamel Burner

CONS
M 109,7_g/h
B 164,6_g/h

POWER
M 1,40_{kW} 1205_{kcal/h}
B 2,10_{kW} 1807_{kcal/h}

NET WGT
2,82_{KG}

CTN
1_{PCS}

DIM
85x305x500_{mm}

LOAD
20 DC-1.900_{PCS}
40 HC-4.600_{PCS}



OR-301

ÜÇLÜ SET ÜSTÜ OCAK Table Cooker with Three Burner

MAT Metal Painted Body, Enamel Burner

CONS
S 74,5_g/h
M 109,7_g/h
B 164,6_g/h

POWER
S 0,95_{kW} 817_{kcal/h}
M 1,40_{kW} 1205_{kcal/h}
B 2,10_{kW} 1807_{kcal/h}

NET WGT
4,15_{KG}

CTN
1_{PCS}

DIM
85x380x620_{mm}

LOAD
20 DC-1.400_{PCS}
40 HC-3.400_{PCS}



OR-401

DÖRTLÜ SET ÜSTÜ OCAK Table Cooker with Four Burner

MAT Metal Painted Body, Enamel Burner

CONS
S 74,5_g/h
M 109,7_g/h
B 164,6_g/h

POWER
S 0,95_{kW} 817_{kcal/h}
M 1,40_{kW} 1205_{kcal/h}
B 2,10_{kW} 1807_{kcal/h}

NET WGT
5,43_{KG}

CTN
1_{PCS}

DIM
133x513x566_{mm}


LOAD
20 DC-1.150_{PCS}
40 HC-2.850_{PCS}

MANGAL & PİŞİRİCİLER

BBQ & MULTI COOKING OPTIONS

Konforunuz için, yaratıcı ve pratik çözüm. Kolay kurulum ve taşınabilirlik. Güvenilir gıda emayesi ile kaplanmış ızgara, homojen ısı dağılımı veren patentli özel brülör ile lezzetli mangal keyfinizi sağlar.

Creative and practical solution for your comfort. Easy installation and portability. The grill, coated with reliable food enamel, provides your delicious barbecue pleasure with a patented special burner that gives homogeneous heat distribution.





ÇOK AMAÇLI SÜPER OCAKLAR MULTI-PURPOSE SUPER STOVE



GR-823

ÜÇ AYAKLI ÇOK AMAÇLI SÜPER OCAK Tripot Multi Purpose Super Stove

MAT Painted Body, Chrome Burner, Brass Valve, Enamel or Teflon Grills Options

CONS
278,8_{g/h}

POWER
3,55_{kW}/3054_{kcal/h}

NET WGT
4_{kg}

CTN
4_{PCS} / 16,35_{kg}

DIM
410x620x405_{mm}

*Gas Connection Options / Gaz Bağlantı Seçenekleri



7/16 Universal Gas Cartridge



M40-009 Adapter



AK-190 Adapter Set

*Optional Accessories / Opsiyonel Aksesuarlar



GR-823-60

EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granite Coated.
Ø 40 cm



GR-823-40

YAPIŞMAZ GRANİT KAPLAMA
Non - Stick Granite Coated.
Ø 40 cm



GR-823-40

EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granite Coated.
Ø 40 cm



TAŞIMA ÇANTASI.
Carry Bag.



GR-918

TRİPOT ÇOK AMAÇLI SÜPER MANGAL Tripot Multi Purpose Super Grill

MAT Painted Body, Chrome Burner, Brass Valve, Enamel or Teflon Grills Options

CONS
278,8_{g/h}

POWER
3,55_{kW}/3054_{kcal/h}

NET WGT
4,25_{kg}

CTN
2_{PCS} / 8,69_{kg}

DIM
330x485x550_{mm}

*Gas Connection Options / Gaz Bağlantı Seçenekleri



*Optional Accessories / Opsiyonel Aksesuarlar



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granite Coated.
Ø 40 cm



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granite Coated.
Ø 40 cm



TAŞIMA ÇANTASI.
Carry Bag.

GR-820

ÇOK AMAÇLI SÜPER OCAK Multi Purpose Super Stove

MAT Painted Body, Chrome Burner, Brass Valve, Enamel or Teflon Grills Options

CONS
180,3_{g/h}

POWER
2,30_{kW}/1979_{kcal/h}

NET WGT
3,2_{kg}

CTN
4_{PCS} / 13,2_{kg}

DIM
410x620x405_{mm}





K-629

KATLANABİLİR İKİLİ KAMP OCAK

Foldable Two Burner Camping Stove

MAT Painted Body, Chrome Burner, Brass Valve

CONS 2x295_{GPH} POWER 2x3,8_{kW}/3260_{cal/h} NET WGT 3,3_{KG}

CTN 2_{PCS} / 6,83_{KG} DIM 285x545x360_{MM}



K-629-1

İKİLİ YER TİPİ KAMP OCAK

Ground Type Two Burner Camping Stove

MAT Painted Body, Chrome Burner, Brass Valve

CONS 2x295_{GPH} POWER 2x3,8_{kW}/3260_{cal/h} NET WGT 3,3_{KG}

CTN 2_{PCS} / 6,83_{KG} DIM 285x545x360_{MM}

*Gas Connection Options / Gaz Bağlantı Seçenekleri



*Optional Accessories / Opsiyonel Aksesuarlar



ALÜMİNYUM GRANİT IZGARA
Aluminum Granite Grill



TAŞIMA ÇANTASI
Carry Bag.



YENİ ÜRÜN
NEW PRODUCT



Operates with 227g bayonet-type gas cartridges, ensuring convenient and portable use.



Designed for compatibility with 7/16 threaded gas cartridges, offering reliable and efficient performance.





Paslanmaz barbekü, Kartuş tüp bağlantılı
Stainless, Any EN417 7/16"x27 UNEF threaded gas cartridge (direct pressure)

ORM-6 Marin Tip Barbekü Marine Grill

Dünyada en yaygın
kullanılan şık marin
tip barbekü



ORM-6 MARİN TİP BARBEKÜ Marin Grill

MAT Stainless Steel Body and Grill, Brass Valve

CONS
278,8 G/H

POWER
3,55 kW / 3054 kcal/h

NET WTGT
6,35 KG

CTN
1 PCS

DIM
515x450x280 MM





ORM-5 TRİPOD AYAKLI MANGAL

Tripod Stand BBQ

MAT Painted Body, Stainless Steel Grill, Chrome Burner

CONS	POWER	NET WT
278,8 _{G/H}	3,55 _{KW} /3054 _{Kcal/h}	6,35 _{KG}
CTN	DIM	
1 _{PCS}	515x450x280 _{MM}	



ORM-5-1 TÜP ÜSTÜ PREMIUM MANGAL

Top Premium Grill

MAT Painted Body, Stainless Steel Grill, Chrome Burner

CONS	POWER	NET WT
278,8 _{G/H}	3,55 _{KW} /3054 _{Kcal/h}	6,35 _{KG}
CTN	DIM	
1 _{PCS}	515x450x280 _{MM}	

*Product Details / Ürün Detayları



YAĞ KABI
Oilcan



PASLANMAZ ÇELİK IZGARA
Stainless Steel Grill



KROM GÜÇLÜ BRÜLÖR
Powerfull Chrome Burner

*Gas Connection Options / Gaz Bağlantı Seçenekleri



DOĞRUDAN TÜP BAĞLANTISI
Direct Cylinder Connection



METAL HORTUM BAĞLANTISI
Metal Hose Connector





GR-914

TÜP ÜSTÜ KATMER SAC

Tupe Grill

MAT Painted Body, Chrome Burner, Brass Valve, Enamel or Teflon Grills Options

CONS
278,8_{g/h}

POWER
3,55_{kW}/3054_{kcal/h}

NET WGT
6,10_{KG}

CTN
2_{PCS} / 12,26_{KG}

DIM
340x460x565_{mm}

Optional Accessory / Opsiyonel Aksesuarlar



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granit Coated.
Ø 40 cm



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granit Coated.
Ø 40 cm



TAŞIMA ÇANTASI.
Carry Bag.

*Product Details / Ürün Detayları



GR-917

TÜP ÜSTÜ KATMER SAC

Tupe Grill

MAT Painted Body, Chrome Burner, Brass Valve, Enamel or Teflon Grills Options

CONS
278,8_{g/h}

POWER
3,55_{kW}/3054_{kcal/h}

NET WGT
6,10_{KG}

CTN
2_{PCS} / 12,26_{KG}

DIM
340x460x565_{mm}

*Optional Accessory / Opsiyonel Aksesuarlar



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granit Coated.
Ø 40 cm



EMAYE VEYA YAPIŞMAZ GRANİT KAPLAMALI
Enamel Or Non-Stick Granit Coated.
Ø 40 cm



TAŞIMA ÇANTASI.
Carry Bag.





SB-645

MINİ ŞİŞ - DÖNER MAKİNASI (ELEKTRİK MOTORLU 220 V) Shawarma - Shashlik Grill (Electrical Rotisserie Motor 220 V)

MAT Stainless Steel Body

CONS  352_{G/H}

POWER  3,15_{KW}/3500_{Kcal/h}

NET WGT  8,18_{KG}

CTN  1_{PCS}

DM  340x400x200_{MM}

FEATURES
Powerfull Ceramic Radian Burner.
Ø 30 cm Cooking Area.
Gas Type: Butan-Propane (LPG)
Operation Pressure: - 50 mbar
High Quality Stainless Steel Body
240V - 4Kw



SB-645

MINİ ŞİŞ - DÖNER MAKİNASI (PİLİ MOTORLU) Shawarma - Shashlik Grill (Battery Rotisserie Motor)

MAT Stainless Steel Body

CONS  352_{G/H}

POWER  3,15_{KW}/3500_{Kcal/h}

NET WGT  8,18_{KG}

CTN  1_{PCS}

DM  340x400x200_{MM}

FEATURES
Powerfull Ceramic Radian Burner.
Ø 30 cm Cooking Area.
Gas Type: Butan-Propane (LPG)
Operation Pressure: - 50 mbar
High Quality Stainless Steel Body



ELEKTRİK MOTORLU 220 V
Electrical Rotisserie Motor 220 V



PİLİ MOTORLU
Battery Rotisserie Motor



KATLANABİLİR
Foldable



TAŞIMA ÇANTALI
Carry Bag.



GR-832

TEFLON KREP TAVASI Crepe Pan

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3_{g/h}

POWER
2,3_{kW}/1979_{kcal/h}

NET WGT
4,75_{KG}

CTN
1 PCS

DIM
560x555x225_{mm}



GR-832

GAZLI PANKEK TAVASI Pancake Maker

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3_{g/h}

POWER
2,3_{kW}/1979_{kcal/h}

NET WGT
4,75_{KG}

CTN
1 PCS

DIM
560x555x225_{mm}



GR-830

TÜP ÜSTÜ YUFKA SACI Tube Grill

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3_{g/h}

POWER
2,3_{kW}/1979_{kcal/h}

NET WGT
4,75_{KG}

CTN
1 PCS

DIM
560x555x225_{mm}

Gıda emayesi ile sağlıklı pişirme sağlayan pişirme sacı, özel brülörü ile homojen ısı dağılımı sağlar.

Special burner and food enameled coverage gives, healthy food and homogeneous heat all side of the grill.





KAMP GEREÇLERİ
CAMPING EQUIPMENTS



OUT-4260
ATEŞ ÇUKURU BARBEKÜ
Portable BBQ Grill



1PCS



360x250x205_{MM}



4,62_{KG}



G-386
ATEŞ ÜSTÜ ŞİŞ / PİLİÇ ÇEVİRME
Portable Compact Grill and Shashlik



1PCS



387x224x300_{MM}



2,28_{KG}



G-388
ATEŞ ÜSTÜ ŞİŞ / PİLİÇ ÇEVİRME
S/S Portable Compact Grill and Shashlik



1PCS



387x224x300_{MM}



2,17_{KG}



G-385
BOYALI ATEŞ ÜSTÜ IZGARA
Painted Foldable Campfire Grill



1PCS



387x224x160_{MM}



1,54_{KG}



G-387
PASLANMAZ ATEŞ ÜSTÜ IZGARA
S/S Foldable Campfire Grill



1PCS



387x224x160_{MM}



1,53_{KG}



G-170
ATEŞ KUTUSU
Fire Box



6PCS



210x245x200_{MM}



600_G



G-380
AYAKLI KAVURMA SACI
Tripod Roasting Sheet



1PCS



560x460x90_{MM}



2,13_{KG}



G-330
ATEŞ ÜSTÜ PASLANMAZ
ŞİŞ APARATI
S/S, BBQ Skewer Rack



6PCS



520x360x240_{MM}



500_G



G-360
ÜÇGEN
KATLANIR OCAK
Triangle Folding Hob



1PCS



360x360x360_{MM}



1,290_{KG}



OUT-2250

KATLANABİLİR YAN MASALI SANDALYE
Folding Side Table Camping Chair

CTN  6 PCS

DIM  360x360x360_{MM}

WGT  1,29_{KG}



G-590

TROVE AKILLI IZGARA
Trove Smarter Grill

CTN  1 PCS

DIM  590x385x50_{MM}

WGT  6,55_{KG}



G-591

TROVE AKILLI IZGARA
Trove Smarter Grill

CTN  1 PCS

DIM  590x385x50_{MM}

WGT  12_{KG}



DS-270

DOĞA ŞÖMİNE
Fire Pit

CTN  1 PCS

DIM  Ø270/360_{MM}

WGT  4,22_{KG}



DS-340

DOĞA ŞÖMİNE
Fire Pit

CTN  1 PCS

DIM  Ø240/420_{MM}

WGT  4,58_{KG}



RZ-306

RÜZGARLIK
Wind Screen

HIGH  300_{CM}

WIDTH  120

N-O-W  6



RZ-556

RÜZGARLIK
Wind Screen

HIGH  550_{CM}

WIDTH  160

N-O-W  6



RZ-559

RÜZGARLIK
Wind Screen

HIGH  550_{CM}

WIDTH  160

N-O-W  9

PÜRMÜZLER


TORCHES

METAL PLASTİK GÖVDELİ KARTUŞ PÜRMÜZLER

METAL AND PLASTIC BODY BLOWTORCHES

Delinebilir ve Vidalı Orcamp Marka Butan ve Propan gaz kartuşları kullanılmaktadır. Modern tasarımı ile kolay taşınması doğa aktivitelerinde konforlu kullanım sağlamaktadır. Cihaz kapalı olmadan ve bitmeden asla kartuş tüpünü yerinden çıkarmayınız.

Drillable and Screwed Orcamp Brand Butane and Propane gas cartridges are used. Easy transportation with its modern design provides comfortable use in nature activities. Never remove the cartridge tube before the device is turned off and finished.





PÜRMÜZLER TORCHES

Standart Cartridge Housing
Color Option



X-190
KARTUŞ PÜRMÜZ
Cartridge Torch

MAT	Metal Body, Plastic Handle				
CONS		POWER		NET WGT	
	170 G/H	2,2 kW	1900 kcal/h		650 g
CTN		DIM		LOAD	
	12 PCS / 8,29 kg		400x380x455 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



CX-190
ÇAKMAKLI KARTUŞ PÜRMÜZ
Cartridge Torch with Ignition

MAT	Metal Body, Plastic Handle				
CONS		POWER		NET WGT	
	170 G/H	2,2 kW	1900 kcal/h		700 g
CTN		DIM		LOAD	
	12 PCS / 9,39 kg		400x380x455 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



XU-190
UZUN BOYUNLU KARTUŞ PÜRMÜZ
Cartridge Torch with Long Burner

MAT	Metal Body, Plastic Handle				
CONS		POWER		NET WGT	
	170 G/H	2,2 kW	1900 kcal/h		750 g
CTN		DIM		LOAD	
	12 PCS / 9,96 kg		350x456x210 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



EPX-190
EKO KARTUŞ PÜRMÜZ
Eco Cartridge Torch with Plastic Body

MAT	Plastic Body, Plastic Handle				
CONS		POWER		NET WGT	
	170 G/H	2,2 kW	1900 kcal/h		420 g
CTN		DIM		LOAD	
	12 PCS / 5,7 kg		400x380x455 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



PX-190
KARTUŞ PÜRMÜZ
Cartridge Torch with Plastic Body

MAT	Plastic Body, Plastic Handle				
CONS		POWER		WGT	
	170 G/H	2,20 kW	1900 kcal/h		500 g
CTN		DIM		LOAD	
	12 PCS / 6,75 kg		400x380x445 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



PCX-190
ÇAKMAKLI KARTUŞ PÜRMÜZ
Cartridge Torch with Ignition

MAT	Plastic Body, Plastic Handle				
CONS		POWER		WGT	
	170 G/H	2,20 kW	1900 kcal/h		550 g
CTN		DIM		LOAD	
	12 PCS / 7,36 kg		400x380x445 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



XU-193
VİDALI SİBOPLU PÜRMÜZ
Valve Cartridge Torch
(for 227 g gas cartridge)

MAT	Brass Valve, S/S Burner				
CONS		POWER		WGT	
	170 G/H	2,20 kW	1900 kcal/h		500 g
CTN		DIM		LOAD	
	12 PCS / 6,75 kg		400x380x445 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



X-193
GEÇME TÜPLÜ PÜRMÜZ
Valve Gas Cartridge Torch

MAT	Brass Valve, S/S Burner				
CONS		POWER		WGT	
	170 G/H	2,20 kW	1900 kcal/h		550 g
CTN		DIM		LOAD	
	12 PCS / 7,36 kg		400x380x445 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS



CX-500+KTS-227
PÜRMÜZ SET
Torch Set with 227gr Gas Cartridge

MAT	Brass Valve, S/S Burner				
CONS		POWER		WGT	
	80 G/H	1 kW	1900 kcal/h		450 g
CTN		DIM		LOAD	
	12 PCS / 7,36 kg		400x380x445 mm		20 DC - 4,920 PCS 40 HC - 11,880 PCS

CX-194 YABANI OT YAKMA PÜRMÜZÜ Weed Burner

MAT	Brass Valve, Metal Burner		
CONS		POWER	
	228 _{G/H}		3,6 _{KW} / 2900 _{Kcal/h}
CTN		DIM	
	12 _{PCS} / 11,02 _{KG}		345x900x310 _{MM}



X-192 SİBOPLU PÜRMÜZ Valve Gas Cartridge Torch

MAT	Brass Valve, S/S Burner		
CONS		POWER	
	170 _{G/H}		2,20 _{KW} / 1900 _{Kcal/h}
CTN		DIM	
	12 _{PCS} / 7,36 _{KG}		400x380x445 _{MM}
		LOAD	
			20 DC - 4,920 _{PCS} 40 HC - 11,880 _{PCS}



XM-192 SİBOPLU PÜRMÜZ Valve Gas Cartridge Torch

MAT	Brass Valve, Metal Burner		
CONS		POWER	
	170 _{G/H}		2,2 _{KW} / 1900 _{Kcal/h}
CTN		DIM	
	12 _{PCS} / 7,75 _{KG}		400x380x455 _{MM}



YAK-400 YAK - YAK TAKIM Yak Yak Set

MAT	Brass Valve, Metal Burner, Hose		
CONS		POWER	
	170 _{G/H}		2,2 _{KW} / 1900 _{Kcal/h}
CTN		DIM	
	12 _{PCS} / 7,75 _{KG}		400x380x455 _{MM}



BUN-100 BUNSEN LAB BRÜLÖR Bunsen Lab Burner

MAT	Brass Valve, Chrome Burner		
CONS		POWER	
	192 _{G/H}		2,45 _{KW}



BUN-101 BUNSEN LAB BRÜLÖR 7/16 Bunsen Lab Burner 7/16

MAT	Brass Valve, Chrome Burner		
CONS		POWER	
	192 _{G/H}		2,45 _{KW}



BUN-102 BUNSEN KARTUŞLU LAB BRÜLÖR Bunsen Lab Burner

MAT	Meral Body, Brass Valve, Chrome Burner		
CONS		POWER	
	192 _{G/H}		2,45 _{KW}




ISITICILAR VE PİŞİRİCİ RADYANLAR

HEATERS AND CERAMIC BURNERS

Farklı standartlardaki tüplerde kullanılabiler soba seçenekleri ile doğa aktivitelerinde, açık alan ısıtmasında kolay çözümler üretir. Kolay taşınabilir ve saklanır, ekonomik gaz tüketimi ile tercihinizdir. Döner ocaklarınızda kaliteli yedek parça imkanı edirsiniz.

With stove options that can be used in cylinders of different standards, you can use them in nature activities, outdoor areas produces easy solutions for heating. Easy to carry and store, it is your choice with economical gas consumption. You get quality spare parts for your rotary cookers.





ISITICILAR VE PIŞIRICI RADYANLAR HEATERS AND CERAMIC BURNERS

HEATERS AND CERAMIC BURNERS

ISITICILAR VE PIŞIRICI RADYANLAR



SB-600 KAMP SOBA Camping Heater

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	112,9 _{G/H}		1,44 _{KW} /1239 _{Kcal/h}	1 _{KG}
CTN		DIM		LOAD
	20 _{PCS} / 20,1 _{KG}		400x380x455 _{MM}	20 DC - 6.200 _{PCS} 40 HC - 15.000 _{PCS}



SB-601 TELLİ KAMP SOBA Camping Heater with Safety Wire

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	112,9 _{G/H}		1,44 _{KW} /1239 _{Kcal/h}	1 _{KG}
CTN		DIM		LOAD
	20 _{PCS} / 20,1 _{KG}		400x380x455 _{MM}	20 DC - 6.200 _{PCS} 40 HC - 15.000 _{PCS}



SB-620 BÜYÜK VENTİLLİ SOBA Big Heater with Safety Device

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	227,3 _{G/H}		2,9 _{KW} /2495 _{Kcal/h}	2 _{KG}
CTN		DIM		LOAD
	5 _{PCS} / 10,1 _{KG}		540x250x365 _{MM}	20 DC - 2.850 _{PCS} 40 HC - 6.950 _{PCS}



SB-640 AYAKLI ORPORT BÜYÜK VENTİLLİ SOBA Port Big Heater With Trade And Safety Device

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	227,3 _{G/H}		2,9 _{KW} /2495 _{Kcal/h}	3,07 _{KG}
CTN		DIM		LOAD
	4 _{PCS} / 12,36 _{KG}		250x700x330 _{MM}	20 DC - 2.850 _{PCS} 40 HC - 6.950 _{PCS}



BR-201 BÜYÜK RADYAN Big Ceramic Burner Radian

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	227,3 _{G/H}		2,9 _{KW} /2495 _{Kcal/h}	1,07 _{KG}
CTN		DIM		LOAD
	20 _{PCS} / 21,8 _{KG}		365x365x545 _{MM}	



KR-100 KÜÇÜK RADYAN Ceramic Burner Radian

MAT	Metal Body, Zinc Valve, Regulator, Ceramic Burner			
CONS		POWER		NET WGT
	160 _{G/H}		2 _{KW} /1750 _{Kcal/h}	640 _G
CTN		DIM		LOAD
	20 _{PCS} / 13,4 _{KG}		315x280x415 _{MM}	



SB-640/1 SERA SOBA Greenhouse Heater

MAT	Metal Body, Brass Valve, Ceramic Burner			
CONS		POWER		NET WGT
	227,3 _{G/H}		2,9 _{KW} /2495 _{Kcal/h}	2,27 _{KG}
CTN		DIM		LOAD
	1 _{PCS}		160x535x645 _{MM}	20 DC - 520 _{PCS} 40 HC - 1.240 _{PCS}





PS-700
PALMIYE SOBA
Patio Heater



MAT Metal Body, Aluminium Reflector, SS Burner



940,4 g/h



12 KW/10325
44.350 (BTU/h)



20,4 kg
4,3 kg



1 PCS
1 PCS



425x530x945 mm
140x830x820 mm



20 DC - 100 PCS
40 HC - 230 PCS

GAS CATEGORY	I3B/P(30)	I3+ (29-30/37)	
GAS TYPE	LPG Gas Mixture	Butan	Propan
GAS PRESSURE	30 mbar	28-30 mbar	37 mbar
TOTAL HEAT INPUT (KW) / g/h	12kW ffl %10		
INJECTOR SIZE	Burner: Ø1,70mm Pilot : Ø0,19mm		



Stainless Steel Burner
&
Piezo Ignition Button



Easy to Move



Anti-Tilt Safety System




KAMP LAMBALARI

CAMPING LANTERN

Tařınabilir piknik tüplerinde kullanılmak üzere tasarlanmış ekonomik lambalar regülatör olmadan doğrudan her türlü standarttaki silindir tüplerde kullanılacak çeřitlilięe sahiptir.

For use in portable picnic cylinders designed economical lamps have the versatility to be used directly in cylinder tubes of any standard without a regulator.





KAMP LAMBALARI CAMPING LANTERN



CL-190 ÇAKMAKLI KARTUŞ LAMBA Cartridge Lamp with Ignition

MAT Metal Body, Gas Mantle, Glass



43,1_{g/h}



0,55_{kW}/473_{cal/h}



800_g



12_{PCS}/10_{KG}



380x260x565_{MM}



CL-192 ÇAKMAKLI KARTUŞ LAMBA Cartridge Lamp with Ignition

MAT Metal Body, Gas Mantle, Glass



43,1_{g/h}



0,55_{kW}/473_{cal/h}



500_g



12_{PCS}/6_{KG}



215x320x370_{MM}



L-626 BÜYÜK LAMBA Big Lamp

MAT Metal Body, Gas Mantle, Glass



105_{g/h}



1,34_{kW}/1153_{cal/h}



800_g



12_{PCS}/9,92_{KG}



315x460x440_{MM}



L-627 EKO BÜYÜK LAMBA Eco Big Lamp

MAT Metal Body, Gas Mantle, Glass



105_{g/h}



1,34_{kW}/1153_{cal/h}



780_g




12_{PCS}/9,47_{KG}



460x310x230_{MM}

80 CM



L-640

MUSLUKLU UZATMA BORU
Extension Pipe with Valve

MAT Metal Pipe, Brass Valve



CTN 30PCS / 15,12KG



DIM 855x195x155MM

NET WGT



480G



C-100

LAMBA CAMI
Lamp Chimney



C-200

LAMBA CAMI
Lamp Chimney



C-300

LAMBA CAMI
Lamp Chimney



F-100

FİTİL
Gas Mantle



F-200

FİTİL
Gas Mantle




F-300

FİTİL
Gas Mantle

DEDANTÖRLER REGULATORS

Farklı ülkelerin farklı standartlarına göre kalite uygunlukları gösteren alternatifler sunmaktadır.

It offers alternatives showing quality conformities according to the different standards of different countries.





300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
	Outlet Diameter	: Ø10MM (H.50)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: W21.8x1.814LH(G12)
	Outlet Diameter	: Ø10MM (H.50)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator With Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: W21.8x1.814LH(G12)
	Outlet Diameter	: G1/4" LH (H.4)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: 0,885 - 14 NGO(G10)
	Outlet Diameter	: Ø10MM (H.50)



300-12

AYARLANABİLİR DEDANTÖR Adjustable Regulator


FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 25-50mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
		: W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)




ND-100

NUMARALI YÜKSEK BASINÇ DEDANTÖRÜ Numeric High Pressure Regulator


FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0 - 2mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
		: W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)




EN18129-G1




EN18129-G2




EN18129-G5



EN18129-G10



EN18129-G12



EN18129-H4-G1/LH



EN18129-H4-G5



300-35

JUMBO ALÇAK BASINÇ DEDANTÖR Jumbo Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



MT-320

JUMBO ALÇAK BASINÇ DEDANTÖR Jumbo Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



YB-350

JUMBO YÜKSEK BASINÇ DEDANTÖR Jumbo High Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



MT-300-20
ALÇAK BASINÇ DEDANTÖR
Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø13,5MM (H.51) Ø10MM (H.50)



YB-150
YÜKSEK BASINÇLI DEDANTÖR
High Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0-2mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø10MM (H.50)



PIK-300
ALÇAK BASINÇ KAMP DEDANTÖRÜ
Low Pressure Camping Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0-2mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: M16 x 1,5 (G3) M14 x 1,5 (G32)
	Outlet Diameter	: Ø10MM (H.50)



301-20
DÜŞÜK BASINÇLI KOMPAKT DEDANTÖR
Compact Quick On Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: Ø20, Ø21, Ø22, Ø27
	Outlet Diameter	: Ø10MM (H.50)



BDS-300-20
METAL DEDANTÖR HORTUM SETİ
Metal Regulator Hose Set

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0 - 2mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø10MM (H.50)
	Hose	: 1,5Meter
	Hose Clamp	: 2PCS



BDS-300-11
DEDANTÖR HORTUM SETİ
Regulator Hose Set

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1) W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)
	Hose	: 1,5Meter
	Hose Clamp	: 2PCS



AK-14
ADAPTÖR
Adapter

FEATURES	Inlet Diameter (mm)	: M14 x 1,5
	Outlet Diameter	: 7/16 - 28 UNF



AK-16
ADAPTÖR 16 mm
Adapter 16mm

FEATURES	Inlet Diameter (mm)	: M14 x 1,5
	Outlet Diameter	: W3/4 x 1/12



AK-716
ADAPTÖR
Adapter


FEATURES	Inlet Diameter (mm)	: 7/16 - 28 UNF
	Outlet Diameter	: M14 x 1,25 (LH-g4)

HORTUMLAR

HOSES

Farklı ülkelerin farklı standartlarındaki gerekliliklerine uyumlu hortumlar.

Hoses compliant with the requirements of different standards of different countries.





H-808
DÜZ MAVİ HORTUM
Blue LPG Hose

CTN	50	DIM	310x310x180	WGT	6,1KG
FEATURES	Product Diameter Inside	:	8MM		
	Product Diameter Outer	:	13MM		
	Weight	:	102GR/M		
	Thickness	:	2.5MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



OH-808
ÖRGÜLÜ MAVİ HORTUM
Plaited Blue LPG Hose

CTN	50	DIM	330x330x200	WGT	6,2KG
FEATURES	Product Diameter Inside	:	8MM		
	Product Diameter Outer	:	14MM		
	Weight	:	122GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



TH-808
TURUNCU SANAYİ HORTUMU
Orange Industrial Hose

CTN	50	DIM	370x370x130	WGT	7,5KG
FEATURES	Product Diameter Inside	:	8MM		
	Product Diameter Outer	:	14MM		
	Weight	:	150GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



H-810
DÜZ BEYAZ HORTUM
White LPG Hose

CTN	50	DIM	380x380x160	WGT	7,1KG
FEATURES	Product Diameter Inside	:	10MM		
	Product Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



OH-810
ÖRGÜLÜ BEYAZ HORTUM
Plaited White LPG Hose

CTN	50	DIM	400x400x170	WGT	7,2KG
FEATURES	Product Diameter Inside	:	10MM		
	Product Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



TH-810
TURUNCU SANAYİ HORTUMU
Orange Industrial Hose

CTN	50	DIM	380x380x160	WGT	9KG
FEATURES	Product Diameter Inside	:	10MM		
	Product Diameter Outer	:	16MM		
	Weight	:	180GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



HH-808
HARDAL MAVİ ÖRGÜLÜ HORTUM
Ochre, Blue Plaited LPG Hose

CTN	50	DIM	330x330x200	WGT	7,5KG
FEATURES	Product Diameter Inside	:	8MM		
	Product Diameter Outer	:	14MM		
	Weight	:	122GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



MH-808
TERMO JAVA MAVİ OKSİJEN HORTUMU
Blue Oxygen LPG Hose

CTN	50	DIM	370x370x135	WGT	7,5KG
FEATURES	Product Diameter Inside	:	8MM		
	Product Diameter Outer	:	14MM		
	Weight	:	150GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



HH-810
HARDAL MAVİ ÖRGÜLÜ HORTUM
Ochre, Blue Plaited LPG Hose

CTN	50	DIM	380x380x160	WGT	9KG
FEATURES	Product Diameter Inside	:	10MM		
	Product Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1.16BAR		
	Blasting Pressure	:	3.5BAR		



MH-810
TERMO JAVA MAVİ OKSİJEN HORTUMU
Blue Oxygen LPG Hose

CTN	50	DIM	380x380x160	WGT	9KG
FEATURES	Product Diameter Inside	:	10MM		
	Product Diameter Outer	:	16MM		
	Weight	:	180GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		





KH-808

TERMO JAVA KIRMIZI OKSİJEN HORTUMU
Red Oxygen LPG Hose

CTN	DIM	WGT
50 _M	370x370x130 _{MM}	7,5 _{KG}

FEATURES	Product Diameter Inside	: 8MM
	Product Diameter Outer	: 14MM
	Weight	: 150GR/M
	Thickness	: 3MM
	Working Pressure	: 20BAR
	Blasting Pressure	: 60BAR



KSH-808

SİYAH - KIRMIZI ŞERİTLİ HORTUM
Black - Red Lined LPG Hose

CTN	DIM	WGT
50 _M	350x350x160 _{MM}	7,1 _{KG}

FEATURES	Product Diameter Inside	: 8MM
	Product Diameter Outer	: 14MM
	Weight	: 122GR/M
	Thickness	: 3MM
	Working Pressure	: 1.16BAR
	Blasting Pressure	: 3.5BAR



LDK-75

GAZ AKTARMA HORTUMU
Gas Transfer Hose

CTN	DIM	WGT
100 _{PCS} / 18,50 _{KG}	405x270x410 _{MM}	150 _G

FEATURES	Inlet Diameter (mm)	: M14 x 1,5
	Outlet Diameter	: W3/4 x 1/12



AK-19

ÇELİK GAZ AKTARMA HORTUMU
Steel Gas Transfer Hose

CTN	DIM	WGT
100 _{PCS} / 16,2 _{KG}	285x360x195 _{MM}	140 _G



REKORLU BAĞLANTI HORTUMU

SPECIAL CONNECTION HOSE

Ürün Kodu / Code	Boy Ölçüsü (M) / Size	Diş Bağlantı Ölçüsü / Connection Measurement
H-140/14	1,40	G 1/4" (LH)
H-80/14	0,80	G 1/4" (LH)
H-40/14	0,40	G 1/4" (LH)
H-140/34	1,40	G 3/4" (LH)
H-80/34	0,80	G 3/4" (LH)
H-40/34	0,40	G 3/4" (LH)



BH-808

8"LIK LPG HORTUM SET
Lpg Hose Set Of 8

SIZE	DIM	WGT
165 _{CM}	370x370x135 _{MM}	200 _G
CTN		
50 _{PCS} / 10 _{KG}		



K-13X19

KELEPÇE
Hose Clamp

CTN	DIM	WGT
1000 _{PCS} / 8,9 _{KG}	170x320x180 _{MM}	0,8 _G



K-10X16

KELEPÇE
Hose Clamp


CTN	DIM	WGT
1000 _{PCS} / 9,6 _{KG}	180x360x175 _{MM}	0,9 _G

MUSLUK VE BRULÖRLER

VALVES AND BURNERS

Farklı ülkelerin farklı standart gerekliliklerine uyumlu donanım ve tüpleri için yüksek kaliteli valfler.

High quality valves for equipment and tubes complying with different standard requirements of different countries.





MUSLUK
VALVES



M-700-10
DAR PİKNİK MUSLUK
Narrow Stove Valve



M-700-15
GENİŞ PİKNİK MUSLUK
Wide Stove Valve



M-700-75
DAR KAMP MUSLUK
Narrow Stove Valve



M-700-80
GENİŞ KAMP MUSLUK
Wide Stove Valve



M-900-10
KAMP VE LÜKS MUSLUK
Stove And Lamp Valve



M-500-20
ÇEK POL KAMP VE LÜKS MUSLUK
Stove And Lamp Valve



M-500-15
GENİŞ POL MUSLUK
Wide Pol Valve



M-500-10
DAR POL MUSLUK
Narrow Pol Valve



M-500-25
POL ÇEK MUSLUK
Pol Check Valve



M-700-55
GENİŞ HORTUM GİRİŞLİ MUSLUK
Faucet with Wide Hose Inlet Valve



M-700-50
DAR HORTUM GİRİŞLİ MUSLUK
Narrow Hose Inlet Valve



M-700-69
DİK GAZ MUSLUK
Vertical Gas Valve



M-700-69
DİK GAZ MUSLUK
Vertical Gas Valve



M-700-96
BÜYÜK SOBA MUSLUK
Large Heater Valve



M-700-91
VOLKAN OCAK MUSLUK
Volcano Stove Valve



M-700-95
ÇAY OCAK MUSLUK
Tea Stove Valve



V-100/4-5
PİKNİK TÜP VALFLİ VOLANLI
Cylinders Valve



M-40-006
ENJEKTÖR
Injector



M-40-009
HORTUM GİRİŞ ADAPTÖRÜ
Hose Inlet Adapter



SHG-100
SOMUN HORTUM GİRİŞİ
Nut Hose Inlet



ORT-8
8'LİK T
T of 8



M-40-017
GENİŞ MUSLUK CONTASI(26x14x2)
Wide Tap Gasket(26x14x2)



B-310-004
VİDALI DEDANTÖR CONTASI(18x11x2)
Screwed Regulator Gasket(18x11x2)





BRÜLÖRLER BURNERS



B-194
MİKRO PREMIUM BRÜLÖR
Micro Premium Burner



B-627
ORTA BOY PREMIUM BRÜLÖR
Medium Premium Burner



B-628
BÜYÜK BOY PREMIUM BRÜLÖR
Big Premium Burner



B-602
KROM KAPLAMA BRÜLÖR
Chrome Plated Burner



B-605
SAC BRÜLÖR
Sheet Iron Burner



B-608
KROM KAPLAMA BRÜLÖR
Chrome Plated Burner



B-610
KAMP VİDALI BRÜLÖR
Screwed Camping Burner



B-615
KAMP GEÇME BRÜLÖR
Transitive Camping Burner



B-606
KARTUŞ BRÜLÖR
Cardridge Burner



B-606/1
TÜRBÜLANS KARTUŞ BRÜLÖR
Turbulence Cardridge Burner



B-640
POL BEK
Pol Bek



B-625
TURBO BRÜLÖR
Turbo Burner



B-638
SÜPER TURBO BRÜLÖR
Super Turbo Burner




TAV VE KAYNAK TAKIMLARI

BLOWTORCHES and WELDING TOOLS

Orgaz yenilikçi ve gelişen teknolojilerle uygun, kullanımı kolay, güvenli ve güvenilir ürünler sunmaktadır. Kaynak takımları çok zorlu işler için yüksek güçte verimlilik sunmakta olup, farklı gaz tüpleriyle uyumludur. Farklı tipte başlıkları kusursuz uyum. Ayarlanabilir alev uzunlukları sayesinde kullanım çeşitliliği sağlamaktadır.

Orgaz offers convenient, easy-to-use, safe and reliable products with innovative and developing technologies. Welding tools offer high power efficiency for very demanding jobs and are compatible with different gas cylinders. Perfect fit with different types of heads. Adjustable flame lengths provide a variety of uses.





TAV VE KAYNAK TAKIMLARI

BLOWTORCHES and WELDING TOOLS

TAV VE KAYNAK TAKIMLARI

BLOWTORCHES and WELDING TOOLS



SAP-75

SIZE	DIA	CONS	POWER	BAR
75 CM	Ø57	4350 G/H	55,6 KW/47,850 kcal/h	0,8 BAR

SAP-45

SIZE	DIA	CONS	POWER	BAR
45 CM	Ø57	4350 G/H	55,6 KW/47,850 kcal/h	0,8 BAR

SAP-33

SIZE	DIA	CONS	POWER	BAR
33 CM	Ø48	2305 G/H	29,5 KW/30,030 kcal/h	0,8 BAR

SAP-20

SIZE	DIA	CONS	POWER	BAR
20 CM	Ø48	2305 G/H	29,5 KW/30,030 kcal/h	0,8 BAR

SAP-13

SIZE	DIA	CONS	POWER	BAR
13 CM	Ø40	1910 G/H	24,5 KW/25,355 kcal/h	0,8 BAR



OTS-95

SIZE	DIA	CONS	POWER	BAR
75 CM	Ø57	4350 G/H	55,6 KW/47,850 kcal/h	0,8 BAR

OTS-90

SIZE	DIA	CONS	POWER	BAR
45 CM	Ø57	4350 G/H	55,6 KW/47,850 kcal/h	0,8 BAR

OTS-66

SIZE	DIA	CONS	POWER	BAR
33 CM	Ø48	2305 G/H	29,5 KW/30,030 kcal/h	0,8 BAR

OTS-41

SIZE	DIA	CONS	POWER	BAR
20 CM	Ø48	2305 G/H	29,5 KW/30,030 kcal/h	0,8 BAR

OTS-26

SIZE	DIA	CONS	POWER	BAR
13 CM	Ø40	1910 G/H	24,5 KW/25,355 kcal/h	0,8 BAR



OS-333

CONS	POWER	SIZE
280 G/H	3,6 KW / 3.080 kcal/h	13 CM
435 G/H	8,7 KW / 7.770 kcal/h	
700 G/H	24,5 KW / 25.355 kcal/h	
DIA	BAR	
Ø22-Ø28-Ø32	0,8 BAR	

PROPANE TEMPER AND WELDINGS SET

PROPAN ÜÇLÜ TAKIM

Bu sette üç yedek başlık olup çok yönlü kullanım sağlar.

Başlık ebatları 22mm, 28mm, 32mm

PROPANE TRIPLE SET

This set includes three spare heads for versatile use.

Head sizes 22mm, 28mm, 32mm



OS-170

CONS	POWER	SIZE
125 G/H	1,6 KW / 1375 kcal/h	7 CM
DIA	BAR	
Ø17	0,8 BAR	



OS-220

CONS	POWER	SIZE
280 G/H	3,6 KW / 3080 kcal/h	13 CM
DIA	BAR	
Ø22	0,8 BAR	



OS-280

CONS	POWER	SIZE
435 G/H	5,55 KW / 4785 kcal/h	13 CM
DIA	BAR	
Ø28	0,8 BAR	



OS-320

CONS	POWER	SIZE
700 G/H	8,7 KW / 7770 kcal/h	13 CM
DIA	BAR	
Ø32	0,8 BAR	



OS-350

CONS	POWER	SIZE
1600 G/H	20,45 KW / 17600 kcal/h	13 CM
DIA	BAR	
Ø35	0,8 BAR	



OS-400

CONS	POWER	SIZE
1910 G/H	24,5 KW / 25355 kcal/h	13 CM
DIA	BAR	
Ø40	0,8 BAR	



OS-480

CONS	POWER	SIZE
2305 G/H	29,5 KW / 30030 kcal/h	13 CM
DIA	BAR	
Ø48	0,8 BAR	



OS-570

CONS	POWER	SIZE
4350 G/H	55,6 KW / 47850 kcal/h	13 CM
DIA	BAR	
Ø57	0,8 BAR	



OH-1700

CONS	POWER	SIZE
125 G/H	1,6 KW / 1375 kcal/h	7 CM
DIA	BAR	
Ø17	0,8 BAR	



OH-2200

CONS	POWER	SIZE
280 G/H	3,6 KW / 3080 kcal/h	13 CM
DIA	BAR	
Ø22	0,8 BAR	



OH-2800

CONS	POWER	SIZE
435 G/H	5,55 KW / 4785 kcal/h	13 CM
DIA	BAR	
Ø28	0,8 BAR	




OH-3200

CONS	POWER	SIZE
700 G/H	8,7 KW / 7770 kcal/h	13 CM
DIA	BAR	
Ø32	0,8 BAR	




OH-3500




OH-4000



OH-4800



OH-5700




OB-35



OB-32




OB-28




OB-22



OB-17



OB-40



OB-48



OB-57



NOT: _____

45 |



Tařınabilir enerjide gvenli marka
Reliable brand in portable energy



İSTOÇ SHOWROOM

İstoç Toptancılar Çarşısı
2418. Sk. 1. Ada No: 165-167
Bağcılar / İSTANBUL - TÜRKİYE
Tel: +90 212 659 90 54
Fax: +90 212 659 90 64

CENTER and FACTORY

İstanbul Anadolu Yakası OSB.
Aydınlı Mah. 1. Sk. No: 14 - 34953
Tuzla / İSTANBUL - TÜRKİYE
Tel: +90 216 593 13 01
Fax: +90 216 593 13 02

ORCAMP OUTDOOR STORE

Fatih Mah. Katip Çelebi
Cad. No: 4/1
Tuzla / İstanbul / Türkiye

info@orgaz.com.tr



We are the member of
European Customs
Community
By Made in TURKEY

