



lubrotech

Synthetic Engine Oil Technology

STRENGTH FOR
MAXIMUM
PERFORMANCE



www.wst-germany.de

LUBRATECH

Ultra Plus C5 0W20

Ultra Plus C5 0W20 is a high performance and fully synthetic motor oil offers long-lasting engine performance and superior protection for your car against extreme engine temperatures. It reduces damaging Low Speed Pre-Ignition (LSPi) problems and helps to enhance fuel efficiency.

Approvals & Standards: Meets the requirements of ACEA C5, API SP, ILSAC GF-6A, BMW LL17FE+, MB 229.71, MB 229.72, FORD WSS M2C947-B1, FORD WSS M2C962-A1, FIAT 9.55535-GSX, CHRYSLER MS-12145

LUBRATECH

Ultra 0W20

Ultra 0W20 is a high performance synthetic motor oil for passenger cars. It is formulated for latest motor technologies. It is used in gasoline engines with or without turbos and catalytic converter where a fuel economy oil is recommended. It has been developed with special additives, which provide optimal protection during extended drain intervals.

Approvals & Standards: Meets the requirements of API: SP, ILSAC GF-6A &B, GM DEXOS 1 GEN 3, FORD WSS-M2C962-A1, CHRYSLER MS6395

LUBRATECH

Ultra Plus X 0W30

Ultra Plus X 0W30 is a high performance synthetic passenger car motor oil. It is formulated for latest motor technologies. Suitable for most Peugeot, Citroën and Fiat gasoline engines and diesel engines with Diesel Particulate Filter (DPF) requiring PSA B71 2312 specification.

Approvals & Standards: Meets the requirements of ACEA C2, ACEA C3, PSA B71 2312, Fiat 9.55535.DS-1

LUBRATECH

Molygena 5W30

LUBRATECH MOLYGENA 5W-30 is a fully synthetic motor oil formulated the combination of high performance base oils and advanced additive packages. In modern engines, LSPi can cause engine damages in direct injection cars. Lubratech Molygena 5W30 (API SP) technology reduces damaging Low Speed Pre-Ignition (LSPi) problems and this helps to improve engine efficiency and extended engine life.

Approvals & Standards: Meets the requirements of: API SP, ILSAC GF-6A, GM dexos1 Gen 3, Chrysler MS-6395 Ford WSS-M2C961-A1, Fiat 9.55535-CR-1 Honda, Hyundai, Isuzu, Kia, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota

LUBRATECH

Ultra Plus XM 5W30

Ultra Plus XM 5W30 is a high performance fully synthetic passenger car motor oil for long mileages. Designed for gasoline, diesel passenger cars and light duty vehicles equipped with after treatment devices such as diesel particulate filters (DPF). It decreases fuel consumption and it is environment friendly due to minimum levels of emissions with its mid SAPS property.

Approvals : MB-Approval 229.52
Standards : API SN/CF, ACEA C3, BMW Long Life-04, GM dexos 2, MB 229.51 / MB 229.31

LUBRATECH

Ultra Plus RN 5W30

Ultra Plus RN 5W30 is a high performance low SAPS synthetic engine oil with an additive package designed to meet ACEA C4, Renault RN0720, MB 226.51 engine lubrication requirements. In all weather and road conditions, provides unique engine performance with high viscosity index(VI). It is suitable for gasoline, diesel and LPG passenger cars and light duty commercial vehicles with diesel particulate filters(DPF). It is formulated for reliable engine wear protection and designed to extend engine life in severe conditions.

Approvals & Standards:
Meets the requirements of: ACEA C4, Renault RN0720, MB 226.51

LUBRATECH

Ultra Plus 504/507 5W30

Ultra Plus 504/507 5W30 is a high performance fully synthetic passenger car motor oil for long mileages. Designed for gasoline, diesel passenger cars and light duty vehicles equipped with after treatment devices such as diesel particulate filters (DPF). It decreases fuel consumption and it is environment friendly due to minimum levels of emissions with its mid SAPS property. The product is specially for VAG Group (Volkswagen, Audi, Seat, Skoda) cars.

Approvals & Standards: Meets the requirements of API: SN/CF, ACEA C3-12, VW 504.00/507.00, MB 229.31/51/52, BMW Longlife – 04, GM Dexos 2

LUBRATECH

Ultra Plus X 5W30

Ultra Plus X 5W30 is developed by formulation of superior quality DPF additives and synthetic base oils. It is produced especially for the requirements of modern cars generating high power. It keeps the engine clean by reducing deposit and ash formation. It prevents the pressure losses and prolongs the engine's lifetime. It provides economization by decreasing the oil and fuel consumption. It can be used in all vehicles with naturally aspirated and turbocharged motors as well as vehicles with the latest technology catalytic convertors.

Approvals & Standards: Meets the requirements of API: SN/CF, ACEA C3, MB 229.31/51/52, BMW Longlife – 04, GM Dexos 2

LUBRATECH

Ultra Plus X 5W40

Ultra Plus X 5W/40 is developed by formulation of superior quality DPF additives and synthetic base oils. It is produced especially for the requirements of modern cars generating high power.

It keeps the engine clean by reducing deposit and ash formation. It prevents the pressure losses and prolongs the engine's lifetime. It provides economization by decreasing the oil and fuel consumption. It can be used in all vehicles with naturally aspirated and turbocharged motors as well as vehicles with the latest technology catalytic convertors.

Approvals & Standards: Meets the requirements of API: SN/CF, ACEA C3, MB 229.31/51/52, BMW Longlife – 04, GM Dexos 2

LUBRATECH

Ultra 10W60

Ultra 10W60 is a fully synthetic high performance top level engine oil. Specially developed for 4-stroke engines operating under extremely severe conditions of racing competitions. It has been specially developed for all modern turbocharged, high output gasoline engines and some diesel engines of cars used in high performance passenger cars as well as SUVs, light vans and trucks. It is designed to provide excellent engine cleanliness and wear protection.

Approvals & Standards: Meets the requirements of API: SN/CF, ACEA A3/B4

LUBRATECH

Ultra 5W20

Ultra 5W20 is a high performance synthetic motor oil for passenger cars. It is formulated for latest motor technologies. It is used in gasoline engines with or without turbos and catalytic converter where a fuel economy oil is recommended. It has been developed with special additives, which provide optimal protection during extended drain intervals.

Approvals & Standards: Meets the requirements of API: SN, GM dexos1, ILSAC GF-5

LUBRATECH

Ultra 5W30

Ultra 5W30 is formulated with high quality synthetic base oils and advanced additive technology. Meets all the requirements of gasoline, diesel and LPG passenger cars and vans. Shows excellent performance in all season. Provides perfect engine protection in all weather and road conditions with high viscosity index.

Approvals & Standards: Meets the requirements of API SN/CF, ACEA A3/B4, MB 229.5, VW 502.00, 505.00, Renault RN 0710, 0700, BMW Long-Life-01

LUBRATECH

Ultra 5W40

Ultra 5W40 is formulated with high quality synthetic base oils and advanced additive technology. Meets all the requirements of gasoline, diesel and LPG passenger cars and vans. Shows excellent performance in all season. Provides perfect engine protection in all weather and road conditions with high viscosity index.

Approvals & Standards: Meets the requirements of API SN/CF, ACEA A3/B4, MB 229.5, VW 502.00, 505.00, Renault RN 0710, 0700, Porsche A40, BMW Long-Life-01

LUBRATECH

Ultra 10W40

Ultra 10W40 is high performance semi synthetic engine oil for diesel and gasoline engine. It has been formulated with high-quality base oils and advanced additive technology. Four seasons can be used safely and provides excellent engine cleanliness. Does not occur foam, thanks to quality additives in the formulation.

Approvals & Standards: Meets the requirements of API SN/CF, ACEA A3/B4, MB 229.3, VW 502.00, 505.00

LUBRATECH

Techno Series

5W-30, 5W-40, 10W-40,

15W-40, 20W-50

Techno 5W-30, 5W-40, 10W-40, 15W-40, 20W-50 are high performance motor oils for long mileages. Designed for gasoline, diesel or LPG engines of passenger cars and light duty vehicles. It is formulated with finest quality base oils and advanced additive technology.

Approvals & Standards: Meets the requirements of API: SL/CF





LUBRATECH

Power Tech 5W30

Power Tech 5W30 is a synthetic heavy duty diesel engine oil developed to meet the requirements of modern European engines meeting the latest Euro emission norms. It is formulated with synthetic base oils and advanced additives technology to offer superior engine and after treatment devices protection and significantly extended drain intervals. The oil meets the latest ACEA E9, E6 specifications.

Approvals & Standards: Meets the requirements of API CK-4, ACEA E9 / E6, MAN 3677, 3477, Volvo VDS-4, MB 228.51, Renault Truck RLD-4, MTU Type 3.1

LUBRATECH

Power Tech 10W40

Power Tech 10W40 is synthetic diesel engine oil with superior performance. Provides superior protection and lubrication. Its formula is based on high quality synthetic base oils and high performance additives. Designed to provide improved performance and service life in after treatment systems including diesel particulate filters (DPF), continuously regenerating trap systems (CRT) and engines using selective catalytic reduction (SCR) technologies.

Approvals : Volvo VDS-3, Renault RLD-2, Mack EO-N

Standards : Meets the requirements of API CK-4, ACEA E9/E6, MB 228.51, MAN 3477/3271-1, MTU Type 3.1

LUBRATECH

Long Life 10W30

Long Life 10W30 is formulated with quality synthetic base oils and additives for all heavy duty and diesel engines. Meets all the requirements for diesel engines that are produced with modern methods. Provides unique performance in the four seasons. Provides engine protection with high viscosity index in all weather and road conditions.

Standards : Meets the requirements of API: CI-4, ACEA A3/B3/B4, ACEA E7, MB 228.3/229.1, MAN 3275-1, MTU Type 2, VDS-3, RLD-2, EO-N,

LUBRATECH

Long Life 10W40

Long Life 10W40 is formulated with quality synthetic base oils and additives for all heavy duty and diesel engines. Meets all the requirements for diesel engines that are produced with modern methods. Provides unique performance in the four seasons. Provides engine protection with high viscosity index in all weather and road conditions.

Approvals : Volvo VDS-3, Renault RLD-2, Mack EO-N

Standards : Meets the requirements of API: CI-4, ACEA A3/B3/B4, ACEA E7, MB 228.3/229.1, MAN 3275-1, MTU Type 2, VDS-3, RLD-2, EO-N,

LUBRATECH

Long Life Extra 15W40

Long Life Extra 15W40 is a high performance heavy duty motor oil formulated with high quality base oils and advanced additives technology. It can be used in all four seasons and provide maximum motor cleanliness. Suitable for heavy duty diesel vehicles and machinery. Suitable for Euro 6 engines.

Approvals & Standards: API CK-4, ACEA E9/E6, E7, MAN 3275, MB 228.31

LUBRATECH

Long Life 15W40

Long Life 15W40 is formulated with high quality base oils and additives for all heavy duty and diesel engines. Meets all the requirements for diesel engines that are produced with modern methods. Provides unique performance in the four seasons. Provides engine protection with high viscosity index in all weather and road conditions.

Approvals : Volvo VDS-3, Renault RLD-2, Mack EO-N

Standards : Meets the requirements of API: CI-4, ACEA A3/B3/B4, ACEA E7, MB 228.3/229.1, MAN 3275-1, MTU Type 2, VDS-3, RLD-2, EO-N,

LUBRATECH

Spectro Series (15W40, 20W50)

Spectro series ahigh performance heavy duty motor oil with low viscosity,high stability for all year use produced to meet the latest requirements of all modern motors. It suits for fleet including high motor power for heavy loads. It shows excellent performance against wear, corrosion and deposit formation. High quality additives ensure long service intervals and high performance during even hard enviromental conditions.

Approvals & Standards: Meets the requirements of API: CH-4/CF-4

LUBRATECH

Superior Mono Series (30-40-50)

Superior Mono series are mono-grade motor oils for the general use in all types of passenger and commercial diesel engines with normally aspirated or turbo charged engines. It is fortified with additive packages and anti foaming agents to provide high performance. It contains film stability for being able to use in hydraulic systems. Provides thermo stability, engine cleanliness, good cold start. Prevents from black sludge formation.

Approvals & Standards: Meets the requirements of API: CF/SF



LUBRATECH

ATF DEXRON VI

ATF DEXRON VI is a supreme performance long life automatic transmission fluid. This fluid is formulated with exceptional quality synthetic base oils and advanced additive technology to provide outstanding oxidation resistance, friction durability, wear protection.

Approvals & Standards: GM Dexron VI, Audi/VW G 052/G 055/G 060 162, BMW ATF 6/7, Chrysler/Dodge/Jeep MOPAR SP IV, Ford MERCON LV, Ford ESP-M2C166H, Peugeot/Citroen (PSA) AL4, Hyundai/Kia SP-IV, ZF 6/8/9 speed transmissions

LUBRATECH

CVT FLUID

CVT FLUID is exclusively formulated with the well-balanced blend of high-performance additives and synthetic base fluids to provide suitable performance in a wide range of CVT equipped passenger vehicles. Its performances include low-temperature fluidity, oxidation stability, wear protection, shear stability, metal-to-metal friction and foaming prevention.

Approvals & Standards: Toyota CVTF TC, Toyota CVTF FE, Nissan NS-1-2-3, Honda HCF2, Honda HMMF, Mitsubishi SP-III, Subaru ECVT, Subaru iCVT, Hyundai SP-III, Chrysler Jeep NS-2, Mini Cooper EZL799

LUBRATECH

MULTI VEHICLE DCTF

MULTI VEHICLE DCTF is a fully synthetic oil formulated to meet the needs of wet type dual-clutch automatic transmissions (DCT). Its high performance additive package provides smooth gear shifts and superior wear protection. Protects the sealing equipment, prevent oil leaks, and helps to extend the life of the gearbox.

Approvals & Standards: VW (Audi, Seat, Skoda) DSG7=S-Tronic, 7/6-speed, FWS BMW Drivelogic 7-speed (Getrag), 6-speed DCT Renault EDC 7-speed, 6-speed, Ford/Nissan WSSM2C936A, Powershift 6-speed, Chrysler Powershift 6-speed, Mitsubishi TC-SST 6-speed, Peugeot/Citroen DCS 6-speed Volvo Powershift 6-speed.

LUBRATECH

ATF DEXRON III

ATF DEXRON III is a multipurpose automatic transmission fluid produced for light & heavy passenger & commercial vehicles steering wheels, some of the manual transmissions and hydraulic systems designed taking into consideration the characteristics of modern semi-synthetic oil. It protects automatic transmissions against the formation of varnish, sludge, foam and harmful deposits. With its high viscosity index, it shows full performance while maintaining its fluidity in low temperature and its lubrication ability in high temperatures. Thanks to its contents of rust, corrosion and oxidation inhibiting additives, it extends the equipment life in automatic transmission system motorcycles.

Approvals & Standards: Meets the requirements of DEXRON III, ALLISON C 4, Volvo S6 - 66, CATERPILLAR TO- 2, ZF-TE-ML 14, MB 236.9

LUBRATECH

Geartech EP 75W90

Geartech EP 75W90 is a transmission fluid for gear boxes of passenger cars and commercial vehicles. It is formulated with synthetic base oils and modern technology additives including EP and AW additives meeting API GL-5 performance level. Offers good gear box efficiency, increases service periods by providing cleanliness

Approvals & Standards: Meets the requirements API GL-4/GL-5, MT-1, SAE J 2360

LUBRATECH

Geartech EP Series (80W90, 85W140)

Geartech EP series a lubricant for transmissions and differentials, formulated with high quality base oils and EP additives, meeting the API GL-5 performance level. It contains sulphur-phosphorus type of EP additives, defoaming agents and additives protecting bronze alloys.

Approvals & Standards: Meets the requirements of API GL-5,

LUBRATECH

Geartech 140/EP 140

Geartech 140/EP 140 is a mono-grade mineral based gear oil developed for differentials, transmissions and gear boxes of automobiles, heavy vehicles and construction equipments that are not working under high pressure. It keeps the equipments clean by preventing the formation of deposits with its oxidation stability. Geartech EP 90 is enriched with quality EP additives.

Approvals & Standards: Meets the requirements of API: GL-1/GL-4

LUBRATECH

Geartech 90/EP 90

Geartech 90/EP 90 is monograde mineral based gear oil developed for differentials, transmissions and gear boxes of automobiles, heavy vehicles and construction equipments that are not working under high pressure. It keeps the equipments clean by preventing the formation of deposits with its oxidation stability. Geartech EP 90 is enriched with quality EP additives.

Approvals & Standards: Meets the requirements of API: GL-1/GL-4

LUBRATECH

POWER STEERING FLUID

POWER STEERING FLUID is a premium quality mineral oil designed to provide high performance in power steering systems. It provides optimum protection in power steering systems.



LUBRATECH**UTTO LUB PLUS**

UTTO LUB PLUS series are Universal Tractor Transmission Oil (UTTO) series for transmissions, hydraulic systems, immersed wet brakes and final drives for tractors, combines, harvesters and off-road equipment with or without turbo-charger engine.

Approvals & Standards: Meets the requirements of John Deere JDM J20C / J20D, Case&New Holland MAT 3525, Massey Ferguson M1141, M1143, VCE WB 101, ZF TE-ML-03E, TE-ML-05F, TE-ML-06K

MOTORCYCLE OILS**LUBRATECH****MOTORRAD SYNTH 4T Series**

MOTORRAD SYNTH 4T Series are 4-stroke synthetic motorcycle oils. Available in 10W-30 and 10W-40 viscosities. They are blended with premium quality synthetic base oils and advanced additive technology. It is used in high rev, 4-stroke motorcycles (air or water cooled). Also suitable for European and Japanese manufacturers where JASO MA2 and API SN is recommended.

Approvals & Standards: Meets the requirements of JASO MA-2, API SN

LUBRATECH**MOTOTECH POWER 4T Series**


MOTOTECH POWER 4T Series are high quality 4-stroke motorcycle oils. Available in 10W40 and 15W50 viscosities. They are blended with premium quality base oils and performance additives. It is used in high rev, 4-stroke motorcycles (air or water cooled). Also suitable for European and Japanese manufacturers where JASO MA, API SN is recommended.

Approvals & Standards: Meets the requirements of JASO MA, API SN (5W40), (10W40), (15W50), (15W40), (20W50)

**LUBRATECH****Mototech Power 2T**

Mototech Power 2T is an engine oil for two-stroke, air-cooled motorcycles and other small motorcycles; its formula is based on performance additives and mineral base oil. It is mixed with gasoline in the engines of two-stroke air-cooled motorcycles, scooters and other small motorcycles.

Approvals & Standards: Meets the requirements of API: TC/W2-W3





**STRENGTH FOR
MAXIMUM
PERFORMANCE**

LUBRATECH

Super Colex Organic Antifreeze

LUBRATECH SUPER COLEX ORGANIC ANTIFREEZE is organic antifreeze including mono ethylene glycol and organic corrosion inhibitors, it is a "very long life" antifreeze. It is concentrated with proper amount of water, and used as cooling fluid in gasoline and diesel engines in passenger cars, trucks, commercial and agricultural machinery. Colour : Red

LUBRATECH

Ready Colex Organic Antifreeze / Ready Colex Antifreeze

Ready To Use formulation of Super Colex Organic and Super Colex Antifreeze. Mixed with pure demineralised water. Protection up to -37 °C



Headquartered in Stuttgart, WST Germany has its manufacturing facility in Istanbul's Gebze Organized Industrial Zone under the name of Lubratech Company.

Since 2009, Lubratech Company has served as the producer of excellent quality industrial and engine lubricants under the brands of Lubratech and Lubramax.

We produce a wide range of lubricants at our plant thanks to our experienced and professional staff. Our products meet all the latest performance criteria.*

(* Specified by international OEM brands)

The Lubratech manufacturing facility has been assessed and certified with:

**ISO 9001:2015 Quality,
ISO 14001:2015 Environmental ,
ISO 45001:2018 Health and Safety (OH&S)
Management and System certificates.**

The main objective of Lubratech Company is to exceed our customers' expectations and requests with high performing and economic products in a relatively short time. Besides, we are the channel partner of Exxon Mobil and we provide support in technical consultancy services.

In addition to providing a direct service to our customers on a Turkish market, we also deliver our products in several countries through our distributors.



Synthetic Engine Oil Technology



Main Office:

WST Germany

Markgröninger Str.62

70435 Stuttgart / Germany

Inh. Alpay Cayman

Coordination Manager for International Business

Email: import@wst-germany.de

Telephone: +49 711 3609727 Pbx.

Web: www.wst-germany.de

Manufacturing facility address:

Lubratech Industrial Company

Gebze Güzeller Osb. Galvano San.Sitesi Cumhuriyet

Cd.No:2/2 PK41400 Gebze / Kocaeli / Turkey

Telephone: + 90 554 499 19 40

Email: lubratech@lubratech.com.tr

Web: www.lubratech.com.tr

