

aluwood.com.tr



W ALUWOOD
WOOD ALUMINIUM
WINDOWS • DOORS • FACADES

Elevating Spaces with ALUWOOD Windows and Doors





Our Journey

For three decades, MEBAY has been a pioneer in WOOD-ALUMINUM COMPOSITE WINDOWS-DOORS SYSTEMS. Our hallmark, ALUWOOD, seamlessly blends the timeless beauty of wood with the strength of aluminum, reshaping spaces across the globe.

Discover the ALUWOOD Advantages

Aluwood's wood-aluminium window and door systems combine the beauty of wood with the advantages of aluminum. These systems offer elegance, minimal maintenance, and high quality.


Natural Aesthetics: ALUWOOD seamlessly integrates the warmth and aesthetics of wood into your environment. The natural grain patterns and textures create a welcoming atmosphere.

Superior Insulation: Wood provides excellent thermal insulation, keeping your interiors cozy. Additionally, the air-filled cells within wood prevent heat transfer, making ALUWOOD ideal for energy efficiency.

Sound Absorption: Wood absorbs sound, reducing echo and noise. Enjoy a quieter and more peaceful living or working space.

Durability: Aluminum, known for its longevity, ensures that ALUWOOD systems withstand the test of time. They resist natural elements and require minimal maintenance.

Eco-Friendly: Both wood and aluminum are sustainable materials. Wood captures greenhouse gases even after processing, while aluminum can be recycled multiple times without losing quality.



ALUWOOD Composite Systems

Our specialty lies in WOOD-ALUMINUM COMPOSITE WINDOWS-DOORS SYSTEMS. ALUWOOD combines the timeless appeal of wood with the strength of aluminum, resulting in windows and doors that harmonize aesthetics and performance.



Crafted Excellence

At ALUWOOD every window and door is meticulously crafted by our skilled craftsmen. We pay attention to the smallest detail, ensuring that each product reflects our commitment to excellence. Whether it's a cozy home or a commercial space, ALUWOOD elevates your surroundings.




Global Reach

Our impact extends far beyond our production facility. Across the globe, more than 90% of our products find homes. Architects, builders, and homeowners trust ALUWOOD to deliver quality and style.

Sustainability Matters

We believe in responsible manufacturing. Our processes minimize waste, and we prioritize eco-friendly materials. When you choose ALUWOOD, you're not just investing in superior windows and doors; you're contributing to a greener future.




Your ALUWOOD Experience

Explore our catalog and envision ALUWOOD transforming your spaces. Whether it's a cozy study bathed in natural light or a grand entrance that leaves a lasting impression, ALUWOOD has the solution.





Whether you're an architect, homeowner, or builder, we invite you to explore our range of ALUWOOD windows and doors. Discover elegance, functionality, and lasting value.



Ready to elevate your spaces?

Connect with our team today.

Let's create something extraordinary together.



SERIES

AW-80T

Thermo



The windows and doors, which play an important role in both interior and exterior design, create a unique sense of integrity through the combination of two distinct materials.

Aluwood's Thermo series elegantly offers composite windows and doors crafted from wood and aluminum, showcasing a modern aesthetic.



**AIR PERMEABILITY

Class 4

(EN 12207:2016-12)

U_f up to **2.15** W/(m²K)



**WATER TIGHTNESS

Class E1200

(EN 12208:1999-11)

U_g **0.6** W/(m²K)




**WIND LOAD

Class C5/B5

(EN 12210:2016-03)

* U_w **1.42** W/(m²K)



- Sash active width 99mm on a frame of 80mm
- Supports glazing up to 44mm or 130kg per sash
- EPDM gaskets ensure weatherproofing
- 20 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-2:2017 on a 1230x1480 mm one wing window with $U_g=0.6$ W/m²K glass.

** Calculated according to EN 14351-1:2006+A2:2016-09 on a 1230x1480 mm window.



Wood-aluminum windows, which give a spacious and comfortable look to the environment with wood, provide better protection outside with aluminum, while completely changing the style of your building by adding a modern atmosphere to the exterior.

If you need visuality, durability, more insulation, and a long-lasting door-window, the Thermo+ series is exactly the right choice for you.



**AIR PERMEABILITY

Class 4

(EN 12207:2016-12)

U_f up to **1.41** W/(m²K)



** WATER TIGHTNESS

Class E750

(EN 12208:1999-11)

U_g **0.6** W/(m²K)





** WIND LOAD

Class C5/B5

(EN 12210:2016-03)

* U_w **1.14** W/(m²K)



- Sash active width 113mm on a frame of 94mm
- Supports glazing up to 44mm or 130kg per sash
- EPDM gaskets ensure weatherproofing
- 34 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-2:2017 on a 1230x1480 mm one wing window with $U_g=0.6$ W/m²K glass.

** Calculated according to EN 14351-1:2006+A2:2016-09 on a 1230x1480 mm window.

SERIES

AW-180ST

Pull & Slide



**AIR PERMEABILITY

Class 4

(EN 12207:2017)

U_f up to **2.55** W/(m²K)



** WATER TIGHTNESS

Class E900

(EN 12208:2004)

U_g **0.6** W/(m²K)




** WIND LOAD

Class C4

(EN 12210:2016)

* U_w **1.11** W/(m²K)



- 180 mm frame depth and 86 mm vent depth
- Supports glazing up to 44mm or 200 kg per sash
- EPDM gaskets ensure weatherproofing
- 20-34 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-2:2017 on a 2400x2600 mm one wing window with $U_g=0.6$ W/m²K glass.

** Calculated according to EN 14351-1 + A2:2016 on a 2400x2600 mm door.

Sliding



Wood-aluminium sliding windows; It gives a clean and modern look and style to the exterior and facades of the buildings, and creates a pleasant ambience with large windows on the inside.


You can save space with these doors in narrow places and, unlike normal doors; you can keep the opening wall behind the door completely up to you.

This system is ideal for windows and medium sliding doors.

U_f up to **3.15** $W/(m^2K)$

U_g **1.1** $W/(m^2K)$

* U_w **1.82** $W/(m^2K)$



- 120 mm frame depth and 63 mm vent depth
- Supports glazing up to 24mm or 120 kg per sash
- EPDM gaskets ensure weatherproofing
- 10/15 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-2:2017 on a 2100x2100 mm window with $U_g=1.1W/m^2K$ glass.

SERIES

AW-185ST

Lift & Slide



Modern, large-format wooden aluminium lift sliding doors for garden exits, terraces and balconies are a recommended and space-saving solution for very large door openings.


It offers effective thermal protection, maximum sealing, outstanding stability, and safety.

Its large area windows provide excellent illumination of the interior. It allows large and heavy doors of this type to be moved with minimal effort.

U_f up to **2.49** W/(m²K)

U_g **0.6** W/(m²K)

* U_w **1.06** W/(m²K)



- 186 mm frame depth and 85 mm vent depth
- Supports glazing up to 42mm or 400 kg per sash
- EPDM gaskets ensure weatherproofing
- 20 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-2:2017 on a 2400x2600 mm one wing window with $U_g=0.6$ W/m²K glass.



SERIES

AW-80BT

Bi-fold





Wood-aluminium bifold doors offer great flexibility to open fully wide openings. It allows you to open your rooms to outside for larger areas. This innovative door design creates the perfect and larger indoor-outdoor spaces to use the garden or terrace areas at optimum profit.

Folding doors that let coming natural light to your home are an ideal alternative to sliding doors both in new buildings and in renovation projects.

U_f up to **2.17** $W/(m^2K)$

U_g **0.6** $W/(m^2K)$

* U_w **1.37** $W/(m^2K)$



- The profiles have a construction depth of a 80 mm
- Supports glazing up to 44 mm ve 110 kg per panel
- EPDM gaskets ensure weatherproofing
- 10/15 mm polyamide thermal insulation
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN 10077-1 on a 3500x2500 mm, 4 panels door with $U_g=0.6W/m^2K$ glass.



Wood-aluminium curtain wall is a modern-looking system that provides static requirements and used for large openings.

In modern architecture, it is used instead of walls to provide more light penetration and provide aesthetics to the building.

When used alongside window, door, and sliding systems, this powerful system creates a perfect solution. Additionally, it boasts excellent heat and sound insulation.



**AIR PERMEABILITY
AE 900
EN 12153



**WATER TIGHTNESS
RE 1200
EN 12155




**WIND LOAD
1200 Pa
EN 122179



U_f up to **1.60** W/(m²K)

U_g **0.6** W/(m²K)

* U_w **0.89** W/(m²K)



- Inside as a supporting construction made of solid wood laminate, outside as a thermal insulating aluminium construction
- Possible use with all normal types of glass, panels and opening elements
- Accessories in European standards
- Water based European colors and varnishes

* Calculated according to EN ISO 10077-2:2017 on a 1200x1800 mm curtain wall with $U_g=0.6$ W/m²K glass.

** Calculated according to EN 113830 on a 3000x2500 mm curtain wall.



WINDOWS



You can create safe, natural, bright, warm, and highly insulated, at the same time rich combinations suitable for all types of classical or modern architectural styles with wooden aluminium windows.



WINDOWS

Wood and Aluminium are materials with unique properties. The weak side of aluminium is its cold appearance, whereas wood requires maintenance. Wood aluminium composite windows and doors are; the use of different materials in the right places.






WINDOWS


Wood and aluminum; two different materials, two separate facades.

The colors and textures are different.



Excellent durability, non-fading colors are on the outside, a warm and natural material on the inside.









DOORS



Balcony, terrace or main entrance doors, opening in or out, folding or sliding. Architectural solutions with systems suitable for any possible use.







Doors are the parts of the buildings that are in constant motion and at the same time have security problems. For this reason, wooden aluminum door systems that can withstand this intensive use for many years will offer you a safe and long-lasting comfort.






Required for an average door; safety, aesthetics, strength, and ease of use. It is possible to have all these features together with wooden aluminium composite doors.



FACADES


Developing architectural trends require brighter spaces in buildings. As a result, it requires higher windows. You can create bright and extraordinary spaces with wooden aluminum facade systems where you can pass large openings by providing static requirements and bring all the naturalness of wood to living spaces.





FACADES

Our facade system, which is an important part of the decoration as well as its functionality, combines the visuality and warmth of natural wood inside, as well as the durability of aluminum outside.



WINTER GARDENS | EXTENSIONS

Wood aluminum winter garden systems give you the beauty of open-air in a bright and warm environment that warms you even in the coldest winter days, with extra spaces that you can design adjacent to the buildings or independently with wooden aluminium windows.




WOOD COLORS

Three natural essences

and tens of exclusive colors...

Standard Wood Colors



MS-102-M Oak




MS-7046-M Oak




ASH-102-M



ASH-G7016-M




MS-101-M Oak




MS-7016-M Oak




ASH-152-M



ASH-G5015-M



MS-113-M Oak




MS-122-M Oak




ASH-101-M



FR-112 Frake



MS-112-M Oak




MS-9010-BM Oak




ASH-105-M



FR-119 Frake



MS-105-M Oak



MS-1013-BM Oak

2. Group Wood Colors



MS-151-MX Oak



ASH-201-PMX

ALUMINIUM COLORS


Aluminium Wood Effect Colors




ALTIN MESE




VENGE




4159 K



4252 AP




CEVIZ A



4252 KP



MAUN




4393 Y



AKCA AGAC




CEVIZ K




4159 A



KOYU MESE



4393 K



4393 KP


On the aluminium side you can choose
either hundreds of RAL colors
or anodized colors or wooden colors...

Standard RAL Colors

RAL 9010 MAT, RAL 1013 MAT, RAL 7001 MAT, RAL 7030MAT, RAL 7016 MAT, RAL 8017MAT, RAL 8019 MAT


WINDOW GRIDS

INNER GRID




spacer between the two or three panes of glass

SURFACE MOUNTED GRID WITH SPACER




The interior side of the window is wood, the exterior side is aluminum grid, and there is a spacer between the two or three panes of glass

SURFACE MOUNTED GRID WITHOUT SPACER




The interior side of the window is wood, the exterior side is aluminum grid, and there is no spacer between the two or three panes of glass




ACCESSORIES

You can select accessories in colors that match with wood and aluminum finishes.






REFERENCES
























aluwood.com.tr

MEBAY

İnşaat Tur. Tic. ve San. Ltd. Şti.

Rabia Sk. No.49 Tuzla 34953 İstanbul

+90 216 393 31 90