



YILDIRIM MACHINE

TÜRKİYE



+90 542 737 73 04
+90 532 465 65 44



info@yildirimmachine.com



SENEGAL

+221 78 015 50 78



Çorlu - Tekirdağ / TÜRKİYE



www.yildirimmachine.com






TECHNICAL SPECIFICATIONS

FEATURES OF THE MACHINE

12hp diesel engine
Mixing capacity: 600L
Max final concrete volume: 500L
Weight of the gasoline concrete mixer
excluding the shovel: 780kg
80L oil tank






TECHNICAL SPECIFICATIONS

FEATURES OF THE MACHINE

Boiler Capacity m3 3m3
Rotation System Reducer Hydraulic
Hydraulic Pump Tail Shaft Movable
Number of Rotation 24 Minutes/Revolution
Machine Width 1970mm
Machine Length 4900mm
Water Tank 500L
Tire and Axle 1 1.5/80-15.3
Brake System Hydraulic
Weight (Empty) 1800kg
Required Tractor Power 90hp and Above






BLOCK

CAPACITY





BLOCK

CAPACITY



PAVER CAPACITY: 0.25 m² / PRESS (250 m² / SHIFT)

CURB CAPACITY: 2-3 UNITS / PRESS (2000-3000 UNITS/SHIFT)

TECHNICAL SPECIFICATIONS

FEATURES OF THE MACHINE

WORK TYPE: Semi-automatic

HYDRAULIC PUMP MOTOR: 7.5 kW

NUMBER OF HYD. MOVEMENTS: 5/6 units.

VIBRATOR MOTOR: 5.5 kW

PALLET SIZE: 57 cm x 80 cm x 30 mm

MIXER FEATURES

OUTPUT VOLUME : 0.15 m³

GEARBOX MOTOR : 7.5 kW

TRANSFER BELT FEATURES

RUBBER SIZE: 60 cm x 10 m-11.25 m

GEARBOX MOTOR: 2.2 kW

12 MS

BLOCK MACHINE



BLOCK

CAPACITY



PAVER CAPACITY: 0,325 m²/PRESS (325 m²/SHIFT)
CURB CAPACITY: 3-4 UNITS / PRESS (3.000-4.000 UNITS/SHIFT)

TECHNICAL SPECIFICATIONS

FEATURES OF THE MACHINE

WORK TYPE: Semi-automatic
HYDRAULIC PUMP MOTOR: 7.5 kW
NUMBER OF HYD. MOVEMENTS: 5/6 Units
VIBRATOR MOTOR: 5,5 kW & 0,44 kW
PALLET SIZE: 60 cm x 92 cm x 35 mm

MIXER FEATURES

OUTPUT VOLUME : 0.15 m³
GEARBOX MOTOR : 7.5 kW

TRANSFER BELT FEATURES

RUBBER SIZE: 60 cm x 10 m - 11.25 m
GEARBOX MOTOR: 2.2 kW

CONCRETE BLOCK AND PAVER MAKING MACHINES

20 MS

BLOCK MACHINE



BLOCK

CAPACITY



PAVER CAPACITY: 0,55 m²/PRESS (550 m²/SHIFT)

CURB CAPACITY: 3-4 UNITS / PRESS (3.000-4.000 UNITS/SHIFT)

TECHNICAL SPECIFICATIONS

FEATURES OF THE MACHINE

WORKTYPE: Semi-automatic
HYDRAULIC PUMP MOTOR: 15 kW
NUMBER OF HYD. MOVEMENTS: 5/8 Units
VIBRATOR MOTOR: 2 x 5,5 kW 2 x 0,44 kW
PALLET SIZE: 95 cm x 92 cm x 35 mm
EXIT CHAIN LENGTH: 3/5 m
EXIT CHAIN MOTOR: 1,1 kW

MIXER FEATURES

OUTPUT VOLUME: 0,5 m³

GEARBOX MOTOR: 22 kW

TRANSFER BELT FEATURES

RUBBER SIZE: 60 cm x 15 m-18 m

GEARBOX MOTOR: 5.5 kW

STACKING ROBOT (OPTIONAL)

HYD. PUMP MOTOR: 2 x 2.2 kW



YILDIRIM MACHINE



TÜRKİYE



+90 542 737 73 04
+90 532 465 65 44



info@yildirimmachine.com



SENEGAL

+221 78 015 50 78



Çorlu - Tekirdağ / TÜRKİYE



www.yildirimmachine.com

