



Taşınabilir enerjide güvenli marka
Reliable brand in portable energy

2026 ORGAZ PRODUCT CATALOGUE

www.orgaz.com.tr



STOVE | REGULATOR | TORCH | HEATER | BARBEQUE | GAS APPLIANCES



ORGAZ | LPG EKİPMANLARI



34 YILLIK ÜRETİM TECRÜBESİ

34 yılı aşkın tecrübemizle alçak ve yüksek basınç regülatörleri, portatif sobalar, lambalar gibi LPG ile çalışan ekipmanların imalatını yapmaktayız.

34 YEARS OF PRODUCTION EXPERIENCE

With more than 34 years of experience, we manufacture LPG powered equipment such as low and high pressure regulators, portable stoves and lamps.



74 ÜLKEYE İHRACAT

Müşteri odaklı yaklaşımımızla 74 ülkeye çeşitli markalar altında ürün tedarik etmekteyiz.

EXPORTS TO 74 COUNTRIES

With our customer-oriented approach, we supply products to 74 countries under various brands.



ORGAZ® alçak ve yüksek basınç regülatörleri, portatif sobalar, brülörler, lambalar, vanalar gibi LPG ile çalışan ekipmanların imalatını yapmaktadır.

Üretim hattımız 3 büyük kıtanın merkezinde yer alan İstanbul'da gerçekleştirildiği için lojistik açıdan hızlı çıkış sağlanmaktadır.

34 yılı aşkın üretim tecrübesine sahip Orgaz, müşteri odaklı yaklaşımıyla 74 ülkeye çeşitli markalar altında ürün tedarik etmektedir.

Bu ülkelerin ulusal standartlarının gerektirdiği ürün sistemleri içerisinde CE ve ISO belgelerine sahip olup, kalite ve zamanında teslimat ana ilkeleridir.

Ürün kalitesi, hammadde girişinden ürün çıkışına kadar her aşamada uygulanan kontrol sistemleri, laboratuvar testleri ve ürünlere yönelik muayene testleri ile sağlanmaktadır.

"Tüm Bu Ürünlerimizi Avrupa Kalitesinde ve Uzak Doğu Fiyatlarında bulabilirsiniz."

LPG Ekipmanlarımız ORGAZ ve GASPOWER markaları altında , Kartuş grubu ekipmanı ORCAMP ve CAMPINGMAN markası altında , Tüp emniyet valfleri ORG markası altında , Elektrikli ev aletleri ise ORHOME ve SCHANAL markası altında satılmaktadır.

ORGAZ, İSTANBUL'dadır; Türkiye'nin en büyük ve tarihi sanayi şehridir. Burada 3 havalimanı, uluslararası liman, en ucuz ve en büyük Lojistik avantajları bulunmaktadır.

ORGAZ kalitesi, prestijli onaylarla Türk TSE belgesi, CE Belgeleri CERTY GAS, Pi tarafından TÜV SÜD tarafından onaylanmıştır.

ORGAZ, Türkiye'nin Avrupa Özel Topluluğuna üyeliğinden dolayı müşterilere vergi avantajı sağlayan EUR.1, A.TR, EURO-MED sertifikalarının tümünü ürünleri için verebilir.

ORGAZ, tedarikçilerinden biri olan SHV Enerji temsilcisidir. İç pazarda yaygın bir iştirak sistemine sahibiz. Bugün 74 ülkeye ihracat yapıyoruz ve ihracatımız toplam satışlarımızın yaklaşık yüzde 70'ini oluşturmaktadır. Ürünlerimiz ağırlıklı olarak Afrika, Avrupa, Orta Doğu ve Rusya'ya ihraç edilmektedir.



ORGAZ® manufactures LPG-operated equipment such as low- and high-pressure regulators, portable stoves, burners, lamps, valves. Since our production line is carried out in Istanbul, which is located in the center of 3 large continents, fast output is provided in terms of logistics.

With more than 34 years of production experience, Orgaz supplies products under various brands to 74 countries with its customer-oriented approach.

It has CE and ISO certificates within the product systems required by the national standards of these countries, and quality and timely delivery are the main principles.

Product quality is ensured by control systems, laboratory tests and inspection tests for products applied at every stage from raw material entry to product exit.

"All this products you can find European Quality with the Far East Prices"

Our LPG Equipment's sold under the ORGAZ and GASPOWER brand names, cartridge group equipment's sold under the ORCAMP and CAMPINGMAN brand names , cylinder safety valves sold under the ORG brand name, home appliances sold under the ORHOME and SCHANAL brand name.

ORGAZ is in İSTANBUL that is; the biggest Industrial and historical city of Turkey. There are 3 airports, international ports, the cheapest and the biggest Logistics advantages.

ORGAZ quality is certified by prestigious approvals as the Turkish TSE, CE Certificates are approved by CERTY GAS , Pi marked by TÜV SÜD.

ORGAZ can give the EUR.1, A.TR, EURO-MED, certificate all of their products because of Turkey membership to European Custom Community that gives tax advantage to customers.

ORGAZ is the one of the supplier of which is the representative of SHV Energy. We have a widespread subsidiary system in our domestic market. Today we export to 74 countries, which account for approximately 70% of our total sales. Our products are mainly exported to Africa, Europe, Middle East and Russia.

KARTUŞLU OCAKLAR CARTRIDGE STOVES

3

SİBOPLU OCAKLAR SAFETY VALVE CARTRIDGE STOVES

4

NARGİLE OCAKLAR HOOKAH STOVES

6

KAMP OCAKLAR CAMPING STOVES

7

SET ÜSTÜ OCAKLAR TABLE COOKERS

11

PAELLA OCAKLARI PAELLA STOVES

12

MANGAL & PIŞİRİCİLER BBQ & MULTI COOKING OPTIONS

13

KAMP EKİPMANLARI CAMPING EQUIPMENTS

20

PÜR MÜZLER TORCHES

22

ISITICILAR VE PIŞİRİCİ RADYANLAR HEATERS AND CERAMIC BURNERS

25

KAMP LAMBALARI CAMPING LANTERN

28

DEDANTÖRLER REGULATORS

31

LPG HORTUMLARI LPG HOSES

34

MUSLUK VE BRÜLÖRLER VALVES AND BURNERS

37

TAV VE KAYNAK TAKIMLARI BLOWTORCHES and WELDING TOOLS

41

OCAKLAR STOVES

Delinebilir ve Vidalı taşınabilir piknik tüplerinde Bütan ve Propan gaz kartuşları kullanılmaktadır. Modern tasarımı ile kolay taşınması doğa aktivitelerinde konforlu kullanım sağlamaktadır. Uluslararası standartlara uyumlu, zengin ürün yelpazesi.

Drillable and Screwed Orcamp Brand Butane and Propane gas cartridges are used. Easy transportation with its modern design provides comfortable use in nature activities. Rich product range in compliance with international standards.





KARTUŞLU OCAKLAR CARTRIDGE STOVES



K-190 KARTUŞ OCAK Cartridge Stove

MAT Metal Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 550 _G
CTN 12 _{PCS} / 6,9 _{KG}	DIM 410x280x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



CK-190 ÇAKMAKLI KARTUŞ OCAK Cartridge Stove with Ignition



MAT Metal Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 550 _G
CTN 12 _{PCS} / 7,3 _{KG}	DIM 410x280x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



K-191 KARTUŞ OCAK Cartridge Stove

MAT Metal Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 600 _G
CTN 12 _{PCS} / 7,7 _{KG}	DIM 405x270x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



CK-191 ÇAKMAKLI KARTUŞ OCAK Cartridge Stove with Ignition

MAT Metal Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 600 _G
CTN 12 _{PCS} / 7,7 _{KG}	DIM 405x270x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



PK-190 PLASTİK GÖVDELİ KARTUŞ OCAK Cartridge Stove / Plastic Body

MAT Plastic Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 400 _G
CTN 12 _{PCS} / 5,4 _{KG}	DIM 410x280x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



PCK-190 ÇAKMAKLI PLASTİK GÖVDELİ KARTUŞ OCAK Cartridge Stove / Plastic Body / Ignition

MAT Plastic Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 500 _G
CTN 12 _{PCS} / 6,68 _{KG}	DIM 410x 280x410 _{MM}	LOAD 20 DC - 7.680 _{PCS} 40 HC - 17.340 _{PCS}



EPK-190 PLASTİK GÖVDELİ EKONOMİK KARTUŞ OCAK Economic Cartridge Stove / Plastic Body

MAT Plastic Body, Chrome Grill and Burner

CONSUMPTION 62,7 _{G/H}	POWER 0,8 _{KW} /688 _{KCAL/H}	NET WT 300 _G
CTN 12 _{PCS} / 4,06 _{KG}	DIM 350x456x210 _{MM}	LOAD 20 DC - 10.080 _{PCS} 40 HC - 24.360 _{PCS}

Standart Cartridge Housing
Color Option





SİBOPLU OCAKLAR SAFETY VALVE CARTRIDGE STOVES



Plactic Box



Folding - Arm Desing



Adjustable Gas Switch



Universal 7/16"-28NEF Valve



Plactic Box



Piezzo Ignition



Powerfull Burner



Universal 7/16"-28NEF Valve



K-502

SİBOPLU KARTUŞ OCAK Safety Valve Cartridge Stove

MAT Chrome Burner and Supports, Brass Valve

CONS 101,9_{G/H}

POWER 1,3_{KW}/1119_{cal/h}

NET WGT 300_G

CTN 12_{PCS}/14_{KG}

DIM 295x360x195_{MM}

CK-194

ÇAKMAKLI MİKRO OCAK Micro Stove with Ignition

MAT Chrome Burner and Supports, Brass Valve

CONS 62,7_{G/H}

POWER 0,8_{KW}/688_{cal/h}

NET WGT 250_G

CTN 12_{PCS}/3,4_{KG}

DIM 335x485x165_{MM}



K-193

SİBOPLU KARTUŞ OCAK Safety Valve Cartridge Stove



WIND RESISTANT

MAT Chrome Burner and Grill, Brass Valve

CONS 62,7_{G/H}

POWER 0,8_{KW}/688_{cal/h}

NET WGT 250_G

CTN 24_{PCS}/7,24_{KG}

DIM 405x280x410_{MM}



CK-193

ÇAKMAKLI SİBOPLU KARTUŞ OCAK Valve Cartridge Stove with Ignition



WIND RESISTANT

MAT Chrome Burner and Grill, Brass Valve

CONS 62,7_{G/H}

POWER 0,8_{KW}/688_{cal/h}

NET WGT 330_G

CTN 24_{PCS}/8,80_{KG}

DIM 405x280x410_{MM}



K-192

SİBOPLU KARTUŞ OCAK Safety Valve Cartridge Stove

MAT Chrome Burner and Grill, Brass Valve

CONS 62,7_{G/H}

POWER 0,8_{KW}/688_{cal/h}

NET WGT 240_G

CTN 24_{PCS}/6,2_{KG}

DIM 405x280x410_{MM}



CK-192

ÇAKMAKLI SİBOPLU KARTUŞ OCAK Valve Cartridge Stove with Ignition



MAT Chrome Burner and Grill, Brass Valve

CONS 62,7_{G/H}

POWER 0,8_{KW}/688_{cal/h}

NET WGT 300_G

CTN 24_{PCS}/7,5_{KG}

DIM 405x280x410_{MM}



SB-605 ISITICI FONKSİYONLU OCAK Stove with Heater Functional

MAT Chrome Burner and Grill, Brass Valve

CONS	POWER	NET WGT
 112,9 _{Gr/h}	 1,44 _{kW} /1239 _{cal/h}	 440 _g
CTN	DIM	
 20 _{PCS} / 9,10 _{kg}	 400x550x385 _{mm}	



K-500 SİBOPLU KAMP OCAK Valve Cartridge Stove

MAT Chrome Burner and Grill, Brass Valve

CONS	POWER	NET WGT
 101,9 _{Gr/h}	 1,3 _{kW} /1119 _{cal/h}	 450 _g
CTN	DIM	
 12 _{PCS} / 5,86 _{kg}	 315x385x400 _{mm}	



KTS-227 227 Gr GAZ KARTUŞU 227 Gr Gas Cartridge

CTN	DIM	WGT
 24 _{PCS} / 8,2 _{kg}	 285x420x215 _{mm}	 300 _g

FEATURES Lindal 7/16 Double Layer 227g Bayonet-Type Gas Cartridge. Complies With En-417. Safety Release System



KTS-230 230 Gr GAZ KARTUŞU 230 Gr Gas Cartridge

CTN	DIM	WGT
 24 _{PCS} / 9,5 _{kg}	 345x440x205 _{mm}	 350 _g

FEATURES Lindal 7/16 Double Layer Universal Valve Complies With En-417.



KTS-450 450 Gr GAZ KARTUŞU 450 Gr Gas Cartridge

CTN	DIM	WGT
 12 _{PCS} / 8,10 _{kg}	 340x240x319 _{mm}	 640 _g

FEATURES Lindal 7/16 Double Layer Universal Valve Complies With En-417.





NARGİLE OCAKLAR HOOKAH STOVE



NO-190
KARTUŞ NARGİLE OCAK
Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	780 _G
CTN	DIM	LOAD
12 _{PCS} / 9,9 _{KG}	380x260x565 _{MM}	20 DC - 6.420 _{PCS} 40 HC - 14.580 _{PCS}



NO-192
SİBOPLU NARGİLE OCAK
Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	500 _G
CTN	DIM	LOAD
12 _{PCS} / 6,62 _{KG}	260x380x385 _{MM}	20 DC - 10.800 _{PCS} 40 HC - 24.600 _{PCS}



NO-194
NARGİLE OCAK
Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	790 _G
CTN	DIM	LOAD
12 _{PCS} / 9,74 _{KG}	575 x325x295 _{MM}	



ENO-220
ELEKTRİKLİ NARGİLE OCAK
Electrical Charcoal Burner

MAT Enamelled Coated Body and Grill, S/S Tong

CTN	DIM	NET WGT
12 _{PCS} / 19,05 _{KG}	365x525x470 _{MM}	1,50 _{KG}

Voltage:	220 - 240V
Nominal Voltage:	3A
Frequency:	50 - 60HZ
Class:	1
Power:	700W



NO-191
KARTUŞ NARGİLE OCAK
Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	890 _G
CTN	DIM	LOAD
12 _{PCS} / 11,16 _{KG}	330x495x530 _{MM}	20 DC - 3.960 _{PCS} 40 HC - 9.480 _{PCS}



NO-193
SİBOPLU NARGİLE OCAK
Hookah Cartridge Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	1,40 _{KG}
CTN	DIM	LOAD
6 _{PCS} / 8,60 _{KG}	345x500x310 _{MM}	20 DC - 9.900 _{PCS} 40 HC - 22.500 _{PCS}



NO-195
AMERİKAN NARGİLE OCAK
Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	500 _G
CTN	DIM	LOAD
12 _{PCS} / 6,62 _{KG}	260x380x385 _{MM}	



NO-196
AMERİKAN BÜYÜK NARGİLE OCAK
Hookah Stove

MAT Metal Body, Enamel Coated Grill, Chrome Burner

CONS	POWER	NET WGT
94 _{G/H}	1,2 _{KW} /1033 _{cal/h}	1,40 _{KG}
CTN	DIM	LOAD
6 _{PCS} / 8,60 _{KG}	345x500x310 _{MM}	



KAMP OCAKLAR CAMPING STOVE



K-630
KAMP OCAK
Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
184,2g/H	2,35kW/2022cal/h	650g
CTN	DIM	LOAD
20 Pcs / 13,45kg	470x470x655mm	20 DC - 4.000 Pcs 40 HC - 9.400 Pcs



K-635
TURBO KAMP OCAK
Turbo Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
297,8g/H	3,8kW/3270cal/h	690g
CTN	DIM	LOAD
20 Pcs / 14,21kg	470x470x655mm	20 DC - 4.000 Pcs 40 HC - 9.400 Pcs



K-636
SÜPER TURBO KAMP OCAK
Super Turbo Camping Stove

MAT Chrome Body and Burner, Brass Valve

CONS	POWER	NET WGT
278,8g/H	3,55kW/3054cal/h	800g
CTN	DIM	LOAD
20 Pcs / 16,9kg	470x470x690mm	20 DC - 3.700 Pcs 40 HC - 9.000 Pcs



CK-630
ÇAKMAKLI KAMP OCAK
Camping Stove with Ignition

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
184,2g/H	2,35kW/2022cal/h	700g
CTN	DIM	LOAD
20 Pcs / 14,43kg	470x470x655mm	20 DC - 4.000 Pcs 40 HC - 9.400 Pcs



CK-635
ÇAKMAKLI TURBO KAMP OCAK
Turbo Camping Stove with Ignition

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
297,8g/H	3,8kW/3270cal/h	740g
CTN	DIM	LOAD
20 Pcs / 15,15kg	470x470x655mm	20 DC - 4.000 Pcs 40 HC - 9.400 Pcs



BK-630 / BK-635
BLİSTER AMBALAJ KAMP OCAK
Blister Package Camping Stove

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
184,2g/H	2,35kW/2022cal/h	650g
CTN	DIM	LOAD
12 Pcs / 9,80kg	605x465x300mm	20 DC - 4.200 Pcs 40 HC - 9.960 Pcs



K-620
MİDİ OCAK
Midi Stove

MAT Chrome Body and Burner Brass Valve

CONS	POWER	NET WGT
116g/H	1,48kW/1273cal/h	400g
CTN	DIM	LOAD
20 Pcs / 9,1kg	400x550x385mm	20 DC - 6.700 Pcs 40 HC - 16.100 Pcs



EPK-620
BOYALI MİDİ OCAK
Painted Midi Stove

MAT Painted Body and Chrome Burner and Brass Valve

CONS	POWER	NET WGT
116g/H	1,48kW/1273cal/h	500g
CTN	DIM	LOAD
20 Pcs / 10,65kg	400x550x385mm	20 DC - 15.000 Pcs 40 HC - 125.000 Pcs

CONNECTION TYPES



W20-1/14" L



W21,8-1/14" L



G3/8" -19L



G3/8



M10x1



W20-1/14" L



EPK-630

BOYALI KAMP OCAK Painted Camping Stove

MAT Painted Body, Zinc Burner and Zinc Valve

CONS	POWER	NET WGT
184,2 _{G/H}	2,35 _{KW} /2022 _{Kcal/h}	500 _G
CTN	DIM	LOAD
15 _{PCS} / 8,25 _{KG} Domounted Package	230x710x240 _{MM}	20 DC - 9.750 _{PCS} 40 HC - 23.500 _{PCS}



PK-628

MIDI OCAK Midi Stove

MAT Chrome Body, Zinc Burner and Zinc Valve

CONS	POWER	NET WGT
116 _{G/H}	1,48 _{KW} /1273 _{Kcal/h}	700 _G
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{KG}	470x470x655 _{MM}	20 DC - 51.000 _{PCS} 40 HC - 120.000 _{PCS}



K-625

MIDI OCAK Midi Stove

MAT Chrome Arm and Burner, Brass Valve

CONS	POWER	NET WGT
116 _{G/H}	1,48 _{KW} /1273 _{Kcal/h}	700 _G
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{KG}	470x470x655 _{MM}	



K-626

MIDI OCAK Midi Stove

MAT Chrome Arm and Burner, Brass Valve

CONS	POWER	NET WGT
116 _{G/H}	1,48 _{KW} /1273 _{Kcal/h}	700 _G
CTN	DIM	LOAD
20 _{PCS} / 14,43 _{KG}	470x470x655 _{MM}	



PK-638

KAMP OCAK VE BRÜLÖR VALF TAKIM Camping Stove with Valve Burner Set

MAT Painted Body, Chrome Burner and Brass Valve

CONS	POWER	NET WGT
297,8 _{G/H}	3,8 _{KW} /3270 _{Kcal/h}	300 _G
CTN	DIM	LOAD
50 _{PCS} / 15,77 _{KG}	575x245x560 _{MM}	



PK-640

KAMP OCAK VE METAL HORTUM SET Camping Stove with Metal Hose Set

MAT Painted Body, Chrome Burner and Brass Valve

CONS	POWER	NET WGT
297,8 _{G/H}	3,8 _{KW} /3270 _{Kcal/h}	300 _G
CTN	DIM	LOAD
50 _{PCS} / 15,77 _{KG}	575x245x560 _{MM}	



PK-633

ADAPTÖRLÜ KAMP OCAK Camping Stove with Adapter

MAT Painted Body, Chrome Burner and Brass Valve Zinc Adapter

CONS	POWER	NET WGT
184,2 _{G/H}	2,35 _{KW} /2022 _{Kcal/h}	700 _G
CTN	DIM	LOAD
20 _{PCS} / 14,47 _{KG}	470x470x655 _{MM}	



7/16"-28NEF



M16x1,5



M14x1,25



M14x1,25



G3/8



M14x1,5



CK-504 MOJO + İKİLİ OCAK Mojo + Double Stove

MAT Painted Body, Chrome Burner, Brass Valve

CONS	POWER	NET WGT
 2x295 _{g/h}	 2x3,8 _{kw} /3260 _{cal/h}	 3,9 _{kg}
CTN	DIM	
 1 PCS	 500x214x176 _{mm}	



CK-503 MOJO TEKLİ OCAK Mojo Single Burner

MAT Painted Body, Chrome Burner, Brass Valve

CONS	POWER	NET WGT
 148,9 _{g/h}	 1,5 _{kw} /1635 _{cal/h}	 1,7 _{kg}
CTN	DIM	
 1 PCS	 270x203x135 _{mm}	



K-629 KATLANABİLİR İKİLİ KAMP OCAK Foldable Two Burner Camping Stove

MAT Painted Body, Chrome Burner, Brass Valve

CONS	POWER	NET WGT
 2x295 _{g/h}	 2x3,8 _{kw} /3260 _{cal/h}	 3,3 _{kg}
CTN	DIM	
 2 PCS / 6,83 _{kg}	 285x545x360 _{mm}	



K-628 İKİLİ YER TİPİ KAMP OCAK Ground Type Two Burner Camping Stove

MAT Painted Body, Chrome Burner, Brass Valve

CONS	POWER	NET WGT
 2x295 _{g/h}	 2x3,8 _{kw} /3260 _{cal/h}	 3,3 _{kg}
CTN	DIM	
 2 PCS / 6,83 _{kg}	 285x545x360 _{mm}	



*Gas Connection Options / Gaz Bağlantı Seçenekleri



*Optional Accessories / Opsiyonel Aksesuarlar



ALÜMİNYUM GRANİT IZGARA
Aluminum Granite Grill



TAŞIMA ÇANTASI.
Carry Bag.

Burner AND VALVE

Trusted by African Families For More Than 30 Years



B-630

VALF BRÜLÖR TAKIM

Valve Burner Set

MAT Brass Valve, Chrome Burner, Metal or Plastic Knob

CONS 184,2 _{G/H}	POWER 2,35 _{kW} /2022 _{kcal/h}	NET WGT 150 _g
CTN 100 _{PCS} / 19,910 _{kg}	DIM 520x225x470 _{MM}	LOAD 20 DC - 54,000 _{PCS} 40 HC - 125,000 _{PCS}



B-800

VALF BRÜLÖR TAKIM

Super Valve Burner Set

MAT Brass Valve, Chrome Burner, Metal Knob

CONS 278,8 _{G/H}	POWER 3,55 _{kW} /3054 _{kcal/h}	NET WGT 200 _g
CTN 100 _{PCS} / 27,70 _{kg}	DIM 560x225x470 _{MM}	



G-300

TRİVET İZGARA

Trivet Grill

MAT Metal Painted Body

CTN 6 _{PCS} / 10,50 _{kg}	DIM 685x350x335 _{MM}	NET WGT 1,65 _{kg}
---	----------------------------------	-------------------------------



G-270

TRİVET GRİLL

Trivet Grill

MAT Metal Painted Body

CTN 10 _{PCS} / 7,7 _{kg}	DIM 325x325x315 _{MM}	NET WGT 700 _g
--	----------------------------------	-----------------------------



GR-813

BRÜLÖRLÜ İZGARA

Grill with Burner

MAT Metal Painted Body

CONS 184,2 _{G/H}	POWER 2,35 _{kW} /2022 _{kcal/h}	NET WGT 1,05 _{kg}
CTN 20 _{PCS} / 22,10 _{kg}	DIM 510x775x375 _{MM}	



KA-402

İKİLİ SANAYİ OCAK

Two Burner Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS 1200 _{G/H}	POWER 15,4 _{kW} /13200 _{kcal/h}	NET WGT 15 _{kg}
CTN 1 _{PCS}	DIM 360x820x260 _{MM}	



VL-400

KARE VOLKAN OCAK

Square Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS 1200 _{G/H}	POWER 15,4 _{kW} /13200 _{kcal/h}	NET WGT 4,24 _{kg}
CTN 1 _{PCS}	DIM 325x310x105 _{MM}	SIZE L35x35.22 _{CM}



VL-401

KARE VOLKAN OCAK

Square Cast Iron Body Stove

MAT Metal Body, Cast Iron Burner

CONS 1200 _{G/H}	POWER 15,4 _{kW} /13200 _{kcal/h}	NET WGT 4,10 _{kg}
CTN 1 _{PCS}	DIM 410x408x130 _{MM}	SIZE L40x40.16 _{CM}



VL-402

EKO VOLKAN OCAK

Eco Square Cast Iron Body Stove

MAT Metal Body Shaped Tube, Cast Iron Burner

CONS 278,8 _{G/H}	POWER 3,55 _{kW} /3054 _{kcal/h}	NET WGT 1,5 _{kg}
CTN 1 _{PCS}	DIM 305x305x52 _{MM}	SIZE L32x32.14 _{CM}



SET ÜSTÜ OCAKLAR TABLE COOKERS



OR-110

TEKLİ SET ÜSTÜ OCAK
Table Cooker with One Burner

MAT Metal Painted Body, S/S Burner

CONS 70,5 ^g /h	POWER 0,9 ^{kw} /774 ^{cal/h}	NET WGT 1,42 ^{kg}
CTN 1 ^{pcs}	DIM 110x275x255 ^{mm}	LOAD 20 DC - 3.750 ^{PCS} 40 HC - 8.915 ^{PCS}



OR-210

İKİLİ SET ÜSTÜ OCAK
Table Cooker with Two Burner

MAT Metal Painted Body, S/S Burner

CONS 148,9x2 ^g /h	POWER 1,9x2 ^{kw} /1635x2 ^{cal/h}	NET WGT 2,56 ^{kg}
CTN 1 ^{pcs}	DIM 110x555x255 ^{mm}	LOAD 20 DC - 1.850 ^{PCS} 40 HC - 4.410 ^{PCS}



OR-310

ÜÇLÜ SET ÜSTÜ OCAK
Table Cooker with Three Burner

MAT Metal Painted Body, S/S Burner

CONS 70,5-148,9x2 ^g /h	POWER 0,9-1,9x2 ^{kw} /774-1635x2 ^{cal/h}	NET WGT 3,30 ^{kg}
CTN 1 ^{pcs}	DIM 335x90x635 ^{mm}	LOAD 20 DC - 1.500 ^{PCS} 40 HC - 3.600 ^{PCS}



OR-101

TEKLİ SET ÜSTÜ OCAK
Table Cooker with One Burner

MAT Metal Painted Body, Enamel Burner

CONS B 164,6 ^g /h	POWER B 2,10 ^{kw} 1807 ^{cal/h}	NET WGT 1,82 ^{kg}
CTN 1 ^{pcs}	DIM 85x305x365 ^{mm}	LOAD 20 DC - 2.250 ^{PCS} 40 HC - 5.340 ^{PCS}



OR-201

İKİLİ SET ÜSTÜ OCAK
Table Cooker with Two Burner

MAT Metal Painted Body, Enamel Burner

CONS M 109,7 ^g /h B 164,6 ^g /h	POWER M 1,40 ^{kw} 1205 ^{cal/h} B 2,10 ^{kw} 1807 ^{cal/h}	NET WGT 2,82 ^{kg}
CTN 1 ^{pcs}	DIM 85x305x500 ^{mm}	LOAD 20 DC - 1.900 ^{PCS} 40 HC - 4.600 ^{PCS}



OR-301

ÜÇLÜ SET ÜSTÜ OCAK
Table Cooker with Three Burner

MAT Metal Painted Body, Enamel Burner

CONS S 74,5 ^g /h M 109,7 ^g /h B 164,6 ^g /h	POWER S 0,95 ^{kw} 817 ^{cal/h} M 1,40 ^{kw} 1205 ^{cal/h} B 2,10 ^{kw} 1807 ^{cal/h}	NET WGT 4,15 ^{kg}
CTN 1 ^{pcs}	DIM 85x380x620 ^{mm}	LOAD 20 DC - 1.400 ^{PCS} 40 HC - 3.400 ^{PCS}



OR-401

DÖRTLÜ SET ÜSTÜ OCAK
Table Cooker with Four Burner

MAT Metal Painted Body, Enamel Burner

CONS S 74,5 ^g /h M 109,7 ^g /h B 164,6 ^g /h	POWER S 0,95 ^{kw} 817 ^{cal/h} M 1,40 ^{kw} 1205 ^{cal/h} B 2,10 ^{kw} 1807 ^{cal/h}	NET WGT 5,43 ^{kg}
CTN 1 ^{pcs}	DIM 133x513x566 ^{mm}	LOAD 20 DC - 1.150 ^{PCS} 40 HC - 2.850 ^{PCS}



PAELLA OCAKLARI PAELLA STOVES



MOD-200
Ø20CM TEKLİ PAELLA OCAK
Ø20cm Single Paella Burner

MAT Enameled Burner



5kW



1,2kg



10 Pcs / 13,67kg



340x440x330mm



20 DC - 6,25 Pcs
40 HC - 14,00 Pcs



MOD-300
Ø30CM TEKLİ PAELLA OCAK
Ø30cm Single Paella Burner

MAT Enameled Burner



6,5kW



1,5kg



10 Pcs / 21,85kg



505x615x335mm



20 DC - 6,25 Pcs
40 HC - 14,00 Pcs



MOD-300 DUAL
Ø30CM İKİLİ PAELLA OCAK
Ø30cm Dual Paella Burner

MAT Enameled Burner



7,5kW



1,95kg



10 Pcs / 21,85kg



505x615x335mm



20 DC 3.300 Pcs
40 HC 9.000 Pcs



MOD-350
Ø35CM İKİLİ PAELLA OCAK
Ø35cm Dual Paella Burner

MAT Enameled Burner



9,1kW



2kg



10 Pcs / 21,85kg



590x615x335mm



20 DC - 2.600 Pcs
40 HC - 8.000 Pcs



MOD-400
Ø40CM İKİLİ PAELLA OCAK
Ø40cm Dual Paella Burner

MAT Enameled Burner



11,4kW



2,40kg



10 Pcs / 25,50kg



640x340x740mm



20 DC - 2.000 Pcs
40 HC - 7.000 Pcs



MOD-500
Ø50CM İKİLİ PAELLA OCAK
Ø50cm Dual Paella Burner

MAT Enameled Burner



14,1kW



2,9kg



5 Pcs / 16,32kg



520x750x350mm



20 DC - 1.500 Pcs
40 HC - 5.500 Pcs



MOD-600
Ø60CM ÜÇLÜ PAELLA OCAK
Ø60cm Triple Paella Burner

MAT Enameled Burner



21kW



4,25kg



1 Pcs



630x900x135mm



20 DC - 1.050 Pcs
40 HC - 3.250 Pcs



MOD-700
Ø70CM ÜÇLÜ PAELLA OCAK
Ø70cm Triple Paella Burner

MAT Enameled Burner



24,1kW



4,90kg



1 Pcs



700x990x135mm



20 DC - 800 Pcs
40 HC - 2.250 Pcs



MANGAL & PİŞİRİCİLER

BBQ & MULTI COOKING OPTIONS

Konforunuz için, yaratıcı ve pratik çözüm. Kolay kurulum ve taşınabilirlik. Güvenilir gıda emayesi ile kaplanmış ızgara, homojen ısı dağılımı veren patentli özel brülör ile lezzetli mangal keyfinizi sağlar.

Creative and practical solution for your comfort. Easy installation and portability. The grill, coated with reliable food enamel, provides your delicious barbecue pleasure with a patented special burner that gives homogeneous heat distribution.





ÇOK AMAÇLI SÜPER OCAKLAR MULTI-PURPOSE SUPER STOVE



GR-823

ÇOK AMAÇLI SÜPER OCAK Multi Purpose Super Stove

MAT Painted Body, Chrome Burner, Brass Valve,
Enamel or Teflon Grills Options

CONS
278,8_₺/SH

POWER
3,55_{kW}/3054_{cal/h}

NET WGT
4_{KG}

CTN
4_{PCS} / 16,35_₺

DIM
410x620x405_{MM}

*Gas Connection Options / Gaz Bağlantı Seçenekleri



7/16 Universal Gas
Cartridge



M40 - 009
Adapter



AK - 190
Adapter Set



*Optional Accessories / Opsiyonel Aksesuarlar



Granit Enamel

GR-823-(60/70)

EMAYE VEYA YAPIŞMAZ GRANİT
KAPLAMALI
Enamel Or Non-Stick Granite Coated
Ø 40 cm



Granit

GR-823-50

YAPIŞMAZ GRANİT KAPLAMA
Non - Stick Granite Coated
Ø 40 cm



Granit Enamel

GR-823-(80/90)

EMAYE VEYA YAPIŞMAZ GRANİT
KAPLAMALI
Enamel Or Non-Stick Granite Coated
Ø 40 cm



GR-823-40

TAŞIMA ÇANTASI
Carry Bag



GR-820

ÇOK AMAÇLI SÜPER OCAK Multi Purpose Super Stove

MAT Painted Body, Chrome Burner, Brass Valve,
Enamel or Teflon Grills Options

CONS
180,3_₺/SH

POWER
2,30_{kW}/1979_{cal/h}

NET WGT
3,2_{KG}

CTN
4_{PCS} / 13,2_₺

DIM
410x620x405_{MM}





GR-917 TÜP ÜSTÜ KATMER SAC Cylinder Grill

Painted Body, Chrome Burner, Brass Valve,
Enamel or Teflon Grills Options

CONSUMPTION 278,8 _{g/h}	POWER 3,55 _{kw} /3054 _{kcal/h}	NET WT 6,10 _{kg}
CTN 2 _{pcs} / 12,26 _{kg}	DIM 340x460x565 _{mm}	

*Product Details / Ürün Detayları



*Optional Accessory / Opsiyonel Aksesuarlar



EMAYE VEYA YAPIŞMAZ GRANİT
KAPLAMALI
Enamel Or Non-Stick Granite Coated
Ø 40 cm



EMAYE VEYA YAPIŞMAZ GRANİT
KAPLAMALI
Enamel Or Non-Stick Granite Coated
Ø 40 cm



TAŞIMA ÇANTASI
Carry Bag



GR-918 TRİPOT ÇOK AMAÇLI SÜPER MANGAL Tripot Multi Purpose Super Grill

Painted Body, Chrome Burner, Brass Valve,
Enamel or Teflon Grills Options

CONSUMPTION 278,8 _{g/h}	POWER 3,55 _{kw} /3054 _{kcal/h}	NET WT 4,25 _{kg}
CTN 2 _{pcs} / 8,69 _{kg}	DIM 330x485x550 _{mm}	

*Gas Connection Options / Gaz Bağlantı Seçenekleri




GR-919

FRIGON PORTATİF MANGAL Frigon Portable Barbecue

Painted Body, Chrome Burner, Brass Valve

CONSUMPTION 278,8 _{g/h}	POWER 3,55 _{kw} /3054 _{kcal/h}	NET WT 6,8 _{kg}
CTN 6 _{pcs} / 40,8 _{kg}	DIM 315x350x205 _{mm}	

DEMOUNTED PARTS






ORM-6 Marin Tip Barbekü Marine Grill

Dünyada en yaygın
kullanılan şık marin
tip barbecue



GRILL OPTIONS



PROTECTIVE BAG



ORM-6 MARİN TİP BARBEKÜ Marine Grill

MAT Stainless Steel Body and Grill, Brass Valve

CONS
278,8_g/h

POWER
3,55_{kw}/3054_{kcal/h}

NET WT
6,35_{kg}

CTN
1_{pcs}

DIM
515x450x280_{mm}

FEATURES Paslanmaz barbecue, Kartuş tüp bağlantılı
Stainless Steel, any EN417 7/16"x27 UNEF threaded
gas cartridge (direct pressure)





ORM-5 TRİPOD AYAKLI MANGAL Tripod Stand BBQ

MAT Painted Body, Stainless Steel Grill, Chrome Burner

CONS 
278,8^{GSH}

POWER 
3,55^{kW}/3054^{kcal/h}

NET WT 
6,35^{KG}

CTN 
1^{PCS}

DIM 
515x450x280^{MM}



ORM-4 TÜP ÜSTÜ PREMIUM MANGAL Top Premium Grill

MAT Painted Body, Stainless Steel Grill, Chrome Burner

CONS 
278,8^{GSH}

POWER 
3,55^{kW}/3054^{kcal/h}

NET WT 
6,35^{KG}

CTN 
1^{PCS}

DIM 
515x450x280^{MM}

*Product Details / Ürün Detayları



YAĞ KABI
Oilcan



PASLANMAZ ÇELİK IZGARA
Stainless Steel Grill



KROM GÜÇLÜ BRÜLÖR
Powerfull Chrome Burner



DOĞRUDAN TÜP BAĞLANTISI
Direct Cylinder Connection



METAL HORTUM BAĞLANTISI
Metal Hose Connector





SB-645

MINİ ŞİŞ - DÖNER MAKİNASI (ELEKTRİK MOTORLU 220 V) Shawarma - Shashlik Grill (Electrical Rotisserie Motor 220 V)

MAT Stainless Steel Body

CONS 
352_{G/H}

POWER 
3,15_{KW}/3500_{KCAL/H}

NET WGT 
8,18_{KG}

CTN 
1_{PCS}

DIM 
340x400x200_{MM}

FEATURES
Powerfull Ceramic Radian Burner.
Ø 30 cm Cooking Area.
Gas Type: Butan-Propane (LPG)
Operation Pressure: - 50 mbar
High Quality Stainless Steel Body
240V - 4Kw



SB-645

MINİ ŞİŞ - DÖNER MAKİNASI (PİLLİ MOTORLU) Shawarma - Shashlik Grill (Battery Rotisserie Motor)

MAT Stainless Steel Body

CONS 
352_{G/H}

POWER 
3,15_{KW}/3500_{KCAL/H}

NET WGT 
8,18_{KG}

CTN 
1_{PCS}

DIM 
340x400x200_{MM}

FEATURES
Powerfull Ceramic Radian Burner.
Ø 30 cm Cooking Area.
Gas Type: Butan-Propane (LPG)
Operation Pressure: - 50 mbar
High Quality Stainless Steel Body



ELEKTRİK MOTORLU 220 V
Electrical Rotisserie Motor 220 V



PİLLİ MOTORLU
Battery Rotisserie Motor



KATLANABİLİR
Foldable



TAŞIMA ÇANTALI
Carry Bag.



GR-831

TEFLON KREP TAVASI Crepe Pan

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3^{gH}

POWER
2,3^{kW}/1979^{kcal/h}

NET WGT
4,75^{KG}

CTN
1^{PCS}

DIM
560x555x225^{MM}



GR-832

GAZLI PANKEK TAVASI Pancake Maker

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3^{gH}

POWER
2,3^{kW}/1979^{kcal/h}

NET WGT
4,75^{KG}

CTN
1^{PCS}

DIM
560x555x225^{MM}



GR-830

TÜP ÜSTÜ YUFKA SACI Tube Grill

MAT Painted Body, S/S Grill, Chrome Burner

CONS
180,3^{gH}

POWER
2,3^{kW}/1979^{kcal/h}

NET WGT
4,75^{KG}

CTN
1^{PCS}

DIM
560x555x225^{MM}

Gıda emayesi ile sağlıklı pişirme sağlayan pişirme sacı, özel brülörü ile homojen ısı dağılımı sağlar.

Special burner and food enameled coverage gives, healthy food and homogeneous heat all side of the grill.





KAMP EKİPMANLARI CAMPING EQUIPMENTS



OUT-4260

ATEŞ ÇUKURU BARBEKÜ Portable BBQ Grill

MAT Painted Body, Stainless Steel Grill



1PCS



360x250x205MM



4,62KG



DM-300

NOSMO ATEŞ KUTUSU Nosmo Fire Box

MAT Painted Body, Stainless Steel Grill



6PCS / 32,6KG



260x318x234MM



5,43KG



G-171

ATEŞ KUTUSU Fire Box

MAT Stainless Steel



6PCS



130x130x130MM



1,060KG



G-385

BOYALI ATEŞ ÜSTÜ IZGARA Painted Foldable Campfire Grill

MAT Painted Body



1PCS



387x224x160MM



1,54KG



G-387

PASLANMAZ ATEŞ ÜSTÜ IZGARA S/S Foldable Campfire Grill

MAT Stainless Steel



1PCS



387x224x160MM



1,53KG



G-388

ATEŞ ÜSTÜ ŞİŞ / PİLİÇ ÇEVİRME S/S Portable Compact Grill and Shashlik

MAT Stainless Steel



1PCS



387x224x300MM



2,17KG



G-330

ATEŞ ÜSTÜ PASLANMAZ ŞİŞ APARATI S/S, BBQ Skewer Rack

MAT Stainless Steel



6PCS



520x360x240MM



500G



G-380

AYAKLI KAVURMA SACI Tripod Roasting Sheet

MAT Sheet Iron, Wood Handle



1PCS



560x460x90MM



2,13KG



G-360

ÜÇGEN KATLANIR OCAK Triangle Folding Hob

MAT Painted Body



1PCS



360x360x360MM



1,290KG



OUT-2250

KATLANABİLİR YAN MASALI SANDALYE
Folding Side Table Camping Chair

CTN
6PCS

DIM
360x360x360_{MM}

WGT
1,29_{KG}



G-590

TROVE AKILLI IZGARA
Trove Smarter Grill

MAT
Sheet Iron

CTN
1PCS

DIM
590x385x50_{MM}

WGT
6,55_{KG}



G-591

TROVE AKILLI IZGARA ALT TABLA
Trove Smarter Grill Bottom Plate

MAT
Sheet Iron

CTN
1PCS

DIM
590x385x50_{MM}

WGT
12_{KG}



DS-270

DOĞA ŞÖMİNE
Fire Pit

MAT
Painted Body

CTN
1PCS

DIM
Ø270/360_{MM}

WGT
4,22_{KG}



DS-340

DOĞA ŞÖMİNE
Fire Pit

MAT
Painted Body

CTN
1PCS

DIM
Ø240/420_{MM}

WGT
4,58_{KG}



RZ-306

RÜZGARLIK
Wind Screen

MAT Galvanization Coating

HIGH
300_{CM}

WIDTH
120

N-O-W
6



RZ-556

RÜZGARLIK
Wind Screen

MAT Galvanization Coating

HIGH
550_{CM}

WIDTH
160

N-O-W
6



RZ-559

RÜZGARLIK
Wind Screen

MAT Galvanization Coating

HIGH
550_{CM}

WIDTH
160

N-O-W
9

PÜR MÜZLER


TORCHES

METAL ve PLASTİK GÖVDELİ KARTUŞ PÜR MÜZLER

METAL and PLASTIC BODY BLOWTORCHES

Delinebilir ve Vidalı Orcamp Marka Butan ve Propan gaz kartuşları kullanılmaktadır. Modern tasarımı ile kolay taşınması doğa aktivitelerinde konforlu kullanım sağlamaktadır. Cihaz kapalı olmadan ve bitmeden asla kartuş tüpünü yerinden çıkaramayınız.

Drillable and Screwed Orcamp Brand Butane and Propane gas cartridges are used. Easy transportation with its modern design provides comfortable use in nature activities. Never remove the cartridge tube before the device is turned off and finished.





PÜR MÜZLER TORCHES

Standart Cartridge Housing
Color Option



X-190
KARTUŞ PÜR MÜZ
Cartridge Torch

MAT Metal Body, Plastic Handle

CONS	POWER	NET WGT
170 G/H	2,2kW/1900 kcal/h	650 g
CTN	DIM	LOAD
12 PCS / 8,29 kg	400x380x455 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



CX-190
ÇAKMAKLI KARTUŞ PÜR MÜZ
Cartridge Torch with Ignition

MAT Metal Body, Plastic Handle

CONS	POWER	NET WGT
170 G/H	2,2kW/1900 kcal/h	700 g
CTN	DIM	LOAD
12 PCS / 9,39 kg	400x380x455 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



XU-190
UZUN BOYUNLU KARTUŞ PÜR MÜZ
Cartridge Torch with Long Burner

MAT Metal Body, Plastic Handle

CONS	POWER	NET WGT
170 G/H	2,2kW/1900 kcal/h	750 g
CTN	DIM	LOAD
12 PCS / 9,96 kg	350x456x210 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



EPX-190
EKO KARTUŞ PÜR MÜZ
Eco Cartridge Torch with Plastic Body

MAT Plastic Body, Plastic Handle

CONS	POWER	NET WGT
170 G/H	2,2kW/1900 kcal/h	420 g
CTN	DIM	LOAD
12 PCS / 5,7 kg	400x380x455 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



PX-190
KARTUŞ PÜR MÜZ
Cartridge Torch with Plastic Body

MAT Plastic Body, Plastic Handle

CONS	POWER	WGT
170 G/H	2,2kW / 1900 kcal/h	500 g
CTN	DIM	LOAD
12 PCS / 6,75 kg	400x380x445 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



PCX-190
ÇAKMAKLI KARTUŞ PÜR MÜZ
Cartridge Torch with Ignition

MAT Plastic Body, Plastic Handle

CONS	POWER	WGT
170 G/H	2,2kW / 1900 kcal/h	550 g
CTN	DIM	LOAD
12 PCS / 7,36 kg	400x380x445 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



XU-190
VİDALI SİBOPLU PÜR MÜZ
Valve Cartridge Torch
(for 227 g gas cartridge)

MAT Brass Valve, S/S Burner

CONS	POWER	WGT
170 G/H	2,2kW / 1900 kcal/h	500 g
CTN	DIM	LOAD
12 PCS / 6,75 kg	400x380x445 mm	



CX-500+KTS-227
PÜR MÜZ SET
Torch Set with 227gr Gas Cartridge

MAT Zinc Valve, S/S Burner

CONS	POWER	WGT
80 G/H	1kW / 1900 kcal/h	450 g
CTN	DIM	LOAD
12 PCS / 7,36 kg	400x380x445 mm	20 DC - 4.920 PCS 40 HC - 11.880 PCS



CX-194 YABANI OT YAKMA PÜRMÜZÜ Weed Burner

MAT Brass Valve, Metal Burner

CONS 228_{G/H}

POWER 3,6_{KW}/2900_{ICd/h}

NET WGT 900_G

CTN

12_{PCS} / 11,02_{KG}

DIM

345x900x310_{MM}



X-192 SİBOPLU PÜRMÜZ Valve Gas Cartridge Torch

MAT Brass Valve, S/S Burner

CONS 170_{G/H}

POWER 2,20_{KW} / 1900_{ICd/h}

NET WGT 550_G

CTN

12_{PCS} / 7,36_{KG}

DIM

400x380x445_{MM}

LOAD

20 DC - 4.920_{PCS}
40 HC - 11.880_{PCS}



XM-192 SİBOPLU PÜRMÜZ Valve Gas Cartridge Torch

MAT Brass Valve, Metal Burner

CONS 170_{G/H}

POWER 2,2_{KW}/1900_{ICd/h}

NET WGT 0,60_G

CTN

12_{PCS} / 7,75_{KG}

DIM

400x380x455_{MM}



YAK-400 YAK - YAK TAKIM Yak Yak Set

MAT Brass Valve, Metal Burner, Hose

CONS 170_{G/H}

POWER 2,2_{KW}/1900_{ICd/h}

NET WGT 600_G

CTN

12_{PCS} / 7,75_{KG}

DIM

400x380x455_{MM}



BUN-100 BUNSEN LAB BRÜLÖR Bunsen Lab Burner

MAT Brass Valve, Chrome Burner

CONS 192_{G/H}

POWER 2,45_{KW}



BUN-101 BUNSEN LAB BRÜLÖR 7/16 Bunsen Lab Burner 7/16

MAT Brass Valve, Chrome Burner

CONS 192_{G/H}

POWER 2,45_{KW}



BUN-102 BUNSEN KARTUŞLU LAB BRÜLÖR Bunsen Lab Burner

MAT Meral Body, Brass Valve, Chrome Burner

CONS 192_{G/H}

POWER 2,45_{KW}




ISITICILAR VE PİŞİRİCİ RADYANLAR

HEATERS AND CERAMIC BURNERS

Farklı standartlardaki tüplerde kullanılabilir soba seçenekleri ile doğa aktivitelerinde, açık alan ısıtmasında kolay çözümler üretir. Kolay taşınabilir ve saklanır, ekonomik gaz tüketimi ile tercihinizdir. Döner ocaklarınızda kaliteli yedek parça imkanı edebilirsiniz.

With stove options that can be used in cylinders of different standards, you can use them in nature activities, outdoor areas produces easy solutions for heating. Easy to carry and store, it is your choice with economical gas consumption. You get quality spare parts for your rotary cookers.





ISITICILAR VE PIŞİRİCİ RADYANLAR HEATERS AND CERAMIC BURNERS



SB-600 KAMP SOBA Camping Heater

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
112,9 ^{G/H}	1,44 ^{KW} /1239 ^{cal/h}	1 ^{KG}
CTN	DIM	LOAD
20 ^{PCS} /20,1 ^{KG}	400x380x455 ^{MM}	20 DC - 6.200 ^{PCS} 40 HC - 15.000 ^{PCS}



SB-601 TELLİ KAMP SOBA Camping Heater with Safety Wire

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
112,9 ^{G/H}	1,44 ^{KW} /1239 ^{cal/h}	1 ^{KG}
CTN	DIM	LOAD
20 ^{PCS} /20,1 ^{KG}	400x380x455 ^{MM}	20 DC - 6.200 ^{PCS} 40 HC - 15.000 ^{PCS}



SB-620 BÜYÜK VENTİLLİ SOBA Big Heater with Safety Device

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
227,3 ^{G/H}	2,9 ^{KW} /2495 ^{cal/h}	2 ^{KG}
CTN	DIM	LOAD
5 ^{PCS} /10,1 ^{KG}	540x250x365 ^{MM}	20 DC - 2.850 ^{PCS} 40 HC - 6.950 ^{PCS}



SB-640 AYAKLI ORPORT BÜYÜK VENTİLLİ SOBA Port Big Heater With Trade And Safety Device

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
227,3 ^{G/H}	2,9 ^{KW} /2495 ^{cal/h}	3,07 ^{KG}
CTN	DIM	LOAD
4 ^{PCS} /12,36 ^{KG}	250x700x330 ^{MM}	20 DC - 2.850 ^{PCS} 40 HC - 6.950 ^{PCS}



BR-201 BÜYÜK RADYAN Big Radian

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
227,3 ^{G/H}	2,9 ^{KW} /2495 ^{cal/h}	1,07 ^{KG}
CTN	DIM	LOAD
20 ^{PCS} /21,8 ^{KG}	365x365x545 ^{MM}	



KR-100 KÜÇÜK RADYAN Small Radian

MAT Metal Body, Zinc Valve, Regulator, Ceramic Burner

CONS	POWER	NET WGT
160 ^{G/H}	2,9 ^{KW} /1750 ^{cal/h}	640 ^G
CTN	DIM	LOAD
20 ^{PCS} /13,4 ^{KG}	315x280x415 ^{MM}	



SB-641 SERA SOBA Greenhouse Heater

MAT Metal Body, Brass Valve, Ceramic Burner

CONS	POWER	NET WGT
227,3 ^{G/H}	2,9 ^{KW} /2495 ^{cal/h}	2,27 ^{KG}
CTN	DIM	LOAD
1 ^{PCS}	160x535x645 ^{MM}	20 DC - 520 ^{PCS} 40 HC - 1.240 ^{PCS}





PS-700
PALMIYE SOBA
Patio Heater



MAT Metal Body, Outdoor Durable Painted, Aluminium Reflector, SS Burner

CONS 
940,4 g/h

POWER 
12 KW/10325 kcal/h
44.350 (BTU)

NET WGT 
20,4 kg
4,3 kg

CTN 
1 PCS
1 PCS

DIM 
425x530x945 mm
140x830x820 mm

LOAD 
20 DC - 100 PCS
40 HC - 230 PCS

GAS CATEGORY	I3B/P(30)		I3+(29-30/37)	
	GAS TYPE	LPG Gas Mixture		Butan
GAS PRESSURE	30 mbar		28-30 mbar	37 mbar
TOTAL HEAT INPUT (KW) / g/h	12kW ffl %10			
INJECTOR SIZE	Burner: Ø1,70mm Pilot : Ø0,19mm			



Stainless Steel Burner & Piezo Ignition Button



Easy to Move



Anti-Tilt Safety System




KAMP LAMBALARI

CAMPING LANTERN

Taşınabilir piknik tüplerinde kullanılmak üzere tasarlanmış ekonomik lambalar regülatör olmadan doğrudan her türlü standarttaki silindir tüplerde kullanılacak çeşitliliğe sahiptir.

For use in portable picnic cylinders designed economical lantern have the versatility to be used directly in cylinder tubes of any standard without a regulator.





KAMP LAMBALARI CAMPING LANTERN



CL-190 ÇAKMAKLI KARTUŞ LAMBA Cartridge Lantern with Ignition

MAT Metal Body, Gas Mantle, Glass



43,1G/H



0,55kW/473cal/h



800g



12PCS/10KG



380x260x565mm



CL-192 ÇAKMAKLI SİBOPLU KARTUŞ LAMBA Valve Cartridge Lantern with Ignition

MAT Metal Body, Gas Mantle, Glass



43,1G/H



0,55kW/473cal/h



500g



12PCS/6KG



215x320x370mm



L-626 BÜYÜK LAMBA Big Lantern

MAT Metal Body, Gas Mantle, Glass



105G/H



1,34kW/1153cal/h



800g



12PCS/9,92KG



315x460x440mm



L-627 EKO BÜYÜK LAMBA Eco Big Lantern

MAT Metal Body, Gas Mantle, Glass



105G/H



1,34kW/1153cal/h



780g



12PCS/9,47KG




460x310x230mm





LAMBA YEDEK PARÇA LANTERN SPARE PARTS



L-640 MUSLUKLU UZATMA BORU Extension Pipe with Valve

MAT Metal Pipe, Brass Valve



30 pcs / 15,12 kg



855x195x155 mm



480 g



C-100 LAMBA CAMI Lantern Glass



C-300 LAMBA CAMI Lantern Glass



F-100 FİTİL

Gas Lantern Mantle



F-200 FİTİL

Gas Lantern Mantle



F-300 FİTİL


Gas Lantern Mantle

DEDANTÖRLER

REGULATORS

Farklı ülkelerin farklı standartlarına göre kalite uygunlukları gösteren alternatifler sunmaktadır.

It offers alternatives showing quality conformities according to the different standards of different countries.





300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
	Outlet Diameter	: W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: W21.8x1.814LH(G12)
	Outlet Diameter	: Ø10MM (H.50)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator With Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: W21.8x1.814LH(G12)
	Outlet Diameter	: G1/4"LH(H.4)



300-11

VANALI ALÇAK BASINÇ DEDANTÖRÜ Low Pressure Regulator with Valve

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: 0,885 - 14 NGO(G10)
	Outlet Diameter	: Ø10MM (H.50)



300-12

AYARLANABİLİR DEDANTÖR Adjustable Regulator


FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 25-50mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
	Outlet Diameter	: W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)




ND-100

NUMARALI YÜKSEK BASINÇ DEDANTÖRÜ Numeric High Pressure Regulator


FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0 - 2BAR
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1)
	Outlet Diameter	: W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)




EN16129-G1




EN16129-G2




EN16129-G5




EN16129-G10



EN16129-G12



EN16129-H.4-G1/4"LH



EN16129-H.50-8MM



300-35

JUMBO ALÇAK BASINÇ DEDANTÖR Jumbo Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 2Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



MT-320

JUMBO ALÇAK BASINÇ DEDANTÖR Jumbo Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



YB-350

JUMBO YÜKSEK BASINÇ DEDANTÖR Jumbo High Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: Ø 35 (G.56)
	Outlet Diameter	: Ø13,5MM (H.51)



MT-300-20
ALÇAK BASINÇ DEDANTÖR
Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø13,5MM (H.51) Ø10MM (H.50)



YB-150
YÜKSEK BASINÇLI DEDANTÖR
High Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 0 - 2BAR
	Capacity	: 0 - 8Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø10MM (H.50)



301-20
DÜŞÜK BASINÇLI KOMPAKT DEDANTÖR
Compact Quick On Low Pressure Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: Ø20, Ø21, Ø22, Ø27
	Outlet Diameter	: Ø10MM (H.50)



PIK-300
ALÇAK BASINÇ KAMP DEDANTÖRÜ
Low Pressure Camping Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: M16 x 1,5(G3)
	Outlet Diameter	: Ø10MM (H.50)



PIK-300
ALÇAK BASINÇ KAMP DEDANTÖRÜ
Low Pressure Camping Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: M14 x 1,5 (G32)
	Outlet Diameter	: Ø10MM (H.50)



PIK-300
ALÇAK BASINÇ KAMP DEDANTÖRÜ
Low Pressure Camping Regulator

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: M14 x 1,25
	Outlet Diameter	: Ø10MM (H.50)



AK-22
ADAPTÖR
Adapter with Safety Device

FEATURES	Inlet Diameter	: Ø20 / Ø22 MM
	Outlet Diameter	: M14 x 1,5



AK-14
ADAPTÖR
Adapter with Safety Device

FEATURES	Inlet Diameter	: M14 x 1,5
	Outlet Diameter	: 7/16 - 28 UNF



AK-16
ADAPTÖR 16 mm
Adapter 16mm

FEATURES	Inlet Diameter	: W3/4 x 1/12
	Outlet Diameter	: M14 x 1,5



AK-716
ADAPTÖR
Adapter with Safety Device


FEATURES	Inlet Diameter	: 7/16 - 28 UNF
	Outlet Diameter	: M14 x 1,5

HORTUMLAR

HOSES

Farklı ülkelerin farklı standartlarındaki gerekliliklerine uyumlu hortumlar.

Hoses compliant with the requirements of different standards of different countries.





H-808
DÜZ MAVİ HORTUM
Blue LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		310x310x180MM		6,1KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	13MM		
	Weight	:	102GR/M		
	Thickness	:	2,5MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



OH-808
ÖRGÜLÜ MAVİ HORTUM
Braided Blue LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		330x330x200MM		6,2KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	122GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



TH-808
TURUNCU SANAYİ HORTUMU
Orange Industrial Hose

CTN		DIM		WGT	
1 Roll - 50M		370x370x130MM		7,5KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	150GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



H-810
DÜZ BEYAZ HORTUM
White LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		380x380x160MM		7,1KG	
FEATURES	Diameter Inside	:	10MM		
	Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



OH-810
ÖRGÜLÜ BEYAZ HORTUM
Braided White LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		400x400x170MM		7,2KG	
FEATURES	Diameter Inside	:	10MM		
	Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



TH-810
TURUNCU SANAYİ HORTUMU
Orange Industrial Hose

CTN		DIM		WGT	
1 Roll - 50M		380x380x160MM		9KG	
FEATURES	Diameter Inside	:	10MM		
	Diameter Outer	:	16MM		
	Weight	:	180GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



HH-808
HARDAL MAVİ ÖRGÜLÜ HORTUM
Mustard, Blue Braided LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		330x330x200MM		7,5KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	122GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



MH-808
TERMO JAVA MAVİ OKSİJEN HORTUMU
Blue Oxygen LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		370x370x135MM		7,5KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	150GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



KH-808
TERMO JAVA KIRMIZI OKSİJEN HORTUMU
Red Oxygen LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		370x370x130MM		7,5KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	150GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



HH-810
HARDAL MAVİ ÖRGÜLÜ HORTUM
Mustard, Blue Braided LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		380x380x160MM		9KG	
FEATURES	Diameter Inside	:	10MM		
	Diameter Outer	:	16MM		
	Weight	:	142GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



MH-810
TERMO JAVA MAVİ OKSİJEN HORTUMU
Blue Oxygen LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		380x380x160MM		9KG	
FEATURES	Diameter Inside	:	10MM		
	Diameter Outer	:	16MM		
	Weight	:	180GR/M		
	Thickness	:	3MM		
	Working Pressure	:	20BAR		
	Blasting Pressure	:	60BAR		



KSH-808
SİYAH - KIRMIZI ŞERİTLİ HORTUM
Black - Red Lanced LPG Hose

CTN		DIM		WGT	
1 Roll - 50M		350x350x160MM		7,1KG	
FEATURES	Diameter Inside	:	8MM		
	Diameter Outer	:	14MM		
	Weight	:	122GR/M		
	Thickness	:	3MM		
	Working Pressure	:	1,16BAR		
	Blasting Pressure	:	3,5BAR		



BDS-300-20 METAL DEDANTÖR HORTUM SETİ Metal Regulator Hose Set

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: Ø16 (G.50)
	Outlet Diameter	: Ø10MM (H.50)
	Hose	: 1,5Meter
	Hose Clamp	: 2Pcs



BDS-300-11 DEDANTÖR HORTUM SETİ Regulator Hose Set

FEATURES	Inlet Pressure	: 0,3 - 16BAR
	Outlet Pressure	: 29mbar
	Capacity	: 1,5Kg/h
	Inlet Diameter (mm)	: W20x1.814LH(G1) W21.8x1.814LH(G5)
	Outlet Diameter	: Ø10MM (H.50)
	Hose	: 1,5Meter
	Hose Clamp	: 2Pcs



BH-808 LPG HORTUM SET Lpg Hose Set

SIZE	DIM	WGT
165cm	370x370x135mm	200g
CTN		
50-PCS / 10kg		



AK-19 ÇELİK GAZ AKTARMA HORTUMU Steel Gas Transfer Hose

CTN	DIM	WGT
100-PCS / 16,2kg	285x360x195mm	140g



LDK-75 GAZ AKTARMA HORTUMU Gas Transfer Hose

CTN	DIM	WGT
100-PCS / 18,50kg	405x270x410mm	150g

FEATURES	Inlet Diameter (mm)	: M14 x 1,5
	Outlet Diameter	: W3/4 x 1/12



REKORLU BAĞLANTI HORTUMU SPECIAL CONNECTION HOSE

Ürün Kodu / Code	Boy Ölçüsü (M) / Length	Diş Bağlantı Ölçüsü / Connection Measurement
H-140/14	1,40	G 1/4" (LH)
H-80/14	0,80	G 1/4" (LH)
H-40/14	0,40	G 1/4" (LH)
H-140/34	1,40	G 3/4" (LH)
H-80/34	0,80	G 3/4" (LH)
H-40/34	0,40	G 3/4" (LH)



K-10X16 KELEPÇE Hose Clamp

CTN	DIM	WGT
1000-PCS / 9,6kg	180x360x175mm	0,9g



K-13X19 KELEPÇE Hose Clamp


CTN	DIM	WGT
1000-PCS / 8,9kg	170x320x180mm	0,8g

MUSLUK VE BRÜLÖRLER

VALVES AND BURNERS

Farklı ülkelerin farklı standart gerekliliklerine uyumlu donanım ve tüpleri için yüksek kaliteli musluklar ve brülörler.

High-quality valve and burners for equipment and tubes that comply with the different standard requirements of various countries.





M-700-10
DAR PİKNİK MUSLUK
Stove Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M14X1,25



M-700-15
GENİŞ PİKNİK MUSLUK
Stove Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-700-75
DAR KAMP MUSLUK
Stove Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M14X1,25



M-700-80
GENİŞ KAMP MUSLUK
Stove Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-900-10
KAMP VE LÜKS MUSLUK
Stove and Lantern Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M14X1,5



M-500-20
ÇEK POL KAMP VE LÜKS MUSLUK
Stove And Lamp Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : G3/8



M-500-15
GENİŞ POL MUSLUK
Pol Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-500-10
DAR POL MUSLUK
Pol Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M14X1,25



M-500-25
POL ÇEK MUSLUK
Pol Check Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : G3/8



M-700-55
GENİŞ HORTUM GİRİŞLİ MUSLUK
Hose Outlet Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-700-50
DAR HORTUM GİRİŞLİ MUSLUK
Hose Outlet Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M14X1,25



M-700-68
DİK GAZ MUSLUK
Vertical Gas Valve

FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-700-69
DİK GAZ MUSLUK
Vertical Gas Valve


FEATURES MAT
Brass, Plastic Handle
Inlet Diameter : M16X1,5



M-700-91
VOLKAN OCAK MUSLUK
Volcano Stove Valve



M-700-95
ÇAY OCAK MUSLUK
Tea Stove Valve



V-100/4-5
PİKNIK TÜP VALFLİ VOLANLI
Cylinders Valve



M-40-006
ENJEKTÖR
Injector



M-40-009
HORTUM GİRİŞ ADAPTÖRÜ
Hose Inlet Adapter



SHG-100
SOMUN HORTUM GİRİŞİ
Nut Hose Inlet



ORT-8
8'LİK T
T Connection



M-40-017
GENİŞ MUSLUK GİRİŞİ
M16X1,5 Valve Gasket(26x14x2)



B-310-004
VİDALI DEDANTÖR GİRİŞİ
Screwed Regulator Gasket(18x11x2)



KB-636
KROM KÜÇÜLTÜCÜ
Chrome Grid

CTN  250 Pcs / 13,45 Kg
DIM  405x270x410 mm
WGT  50 Kg





B-194
MİKRO PREMIUM BRÜLÖR
Micro Premium Burner



B-627
ORTA BOY PREMIUM BRÜLÖR
Medium Premium Burner



B-628
BÜYÜK BOY PREMIUM BRÜLÖR
Big Premium Burner



B-602
GEÇME PİKNİK BRÜLÖR
Chrome Plated Burner



B-605
SAC BRÜLÖR
Sheet Iron Burner



B-608
MİDİ BRÜLÖR
Chrome Plated Burner



B-610
KAMP BRÜLÖR
Screwed Camping Burner



B-615
KAMP GEÇME BRÜLÖR
Camping Burner



B-606
KARTUŞ BRÜLÖR
Cartridge Burner



B-606/1
TÜRBÜLANS KARTUŞ BRÜLÖR
Turbulence Cartridge Burner



B-640
POL BEK BRÜLÖR
Pol Burner



B-625
TURBO BRÜLÖR
Turbo Burner



B-638
SÜPER TURBO BRÜLÖR
Super Turbo Burner




TAV VE KAYNAK TAKIMLARI

BLOWTORCHES and WELDING TOOLS

Orgaz yenilikçi ve gelişen teknolojilerle uygun, kullanımı kolay, güvenli ve güvenilir ürünler sunmaktadır. Kaynak takımları çok zorlu işler için yüksek güçte verimlilik sunmakta olup, farklı gaz tüpleriyle uyumludur. Farklı tipte başlıkları kusursuz uyum. Ayarlanabilir alev uzunlukları sayesinde kullanım çeşitliliği sağlamaktadır.

Orgaz offers convenient, easy-to-use, safe and reliable products with innovative and developing technologies. Welding tools offer high power efficiency for very demanding jobs and are compatible with different gas cylinders. Perfect fit with different types of heads. Adjustable flame lengths provide a variety of uses.





TAV VE KAYNAK TAKIMLARI
BLOWTORCHES and WELDING TOOLS

TAV VE KAYNAK TAKIMLARI BLOWTORCHES and WELDING TOOLS



SAP-75

SIZE	DIA	CONS	POWER	BAR
75 cm	Ø57	4350 GPH	55,6 kW / 47,850 kcal/h	0,8 BAR

SAP-45

SIZE	DIA	CONS	POWER	BAR
45 cm	Ø57	4350 GPH	55,6 kW / 47,850 kcal/h	0,8 BAR

SAP-33

SIZE	DIA	CONS	POWER	BAR
33 cm	Ø48	2305 GPH	29,5 kW / 30,030 kcal/h	0,8 BAR

SAP-20

SIZE	DIA	CONS	POWER	BAR
20 cm	Ø48	2305 GPH	29,5 kW / 30,030 kcal/h	0,8 BAR

SAP-13

SIZE	DIA	CONS	POWER	BAR
13 cm	Ø48	1910 GPH	24,5 kW / 25,355 kcal/h	0,8 BAR



OTS-95

SIZE	DIA	CONS	POWER	BAR
75 cm	Ø57	4350 GPH	55,6 kW / 47,850 kcal/h	0,8 BAR

OTS-90

SIZE	DIA	CONS	POWER	BAR
45 cm	Ø57	4350 GPH	55,6 kW / 47,850 kcal/h	0,8 BAR

OTS-66

SIZE	DIA	CONS	POWER	BAR
33 cm	Ø48	2305 GPH	29,5 kW / 30,030 kcal/h	0,8 BAR

OTS-41

SIZE	DIA	CONS	POWER	BAR
20 cm	Ø48	2305 GPH	29,5 kW / 30,030 kcal/h	0,8 BAR

OTS-26

SIZE	DIA	CONS	POWER	BAR
13 cm	Ø48	1910 GPH	24,5 kW / 25,355 kcal/h	0,8 BAR

PROPANE TEMPER AND WELDINGS SET



OS-333

CONS	POWER	SIZE
280 G/H 435 G/H 700 G/H	3,6 kW / 3.080 kcal/h 8,7 kW / 7.770 kcal/h 24,5 kW / 25.355 kcal/h	13 CM
DIA	BAR	
Ø22-Ø28-Ø32	0,8 BAR	

PROPAN ÜÇLÜ SET

Bu sette üç yedek başlık olup çok yönlü kullanım sağlar.

Başlık ebatları 22mm, 28mm, 32mm

PROPANE TRIPLE SET

This set includes three spare heads for versatile use.

Head sizes 22mm, 28mm, 32mm



OS-170

CONS	POWER	SIZE
125 G/H	1,6 kW / 1375 kcal/h	7 CM
DIA	BAR	
Ø17	0,8 BAR	



OS-220

CONS	POWER	SIZE
280 G/H	3,6 kW / 3080 kcal/h	13 CM
DIA	BAR	
Ø22	0,8 BAR	



OS-280

CONS	POWER	SIZE
435 G/H	5,55 kW / 4785 kcal/h	13 CM
DIA	BAR	
Ø28	0,8 BAR	



OS-320

CONS	POWER	SIZE
700 G/H	8,7 kW / 7770 kcal/h	13 CM
DIA	BAR	
Ø32	0,8 BAR	



OS-350

CONS	POWER	SIZE
1600 G/H	20,45 kW / 17600 kcal/h	13 CM
DIA	BAR	
Ø35	0,8 BAR	



OS-400

CONS	POWER	SIZE
1910 G/H	24,5 kW / 25355 kcal/h	13 CM
DIA	BAR	
Ø40	0,8 BAR	



OS-480

CONS	POWER	SIZE
2305 G/H	29,5 kW / 30030 kcal/h	13 CM
DIA	BAR	
Ø48	0,8 BAR	



OS-570

CONS	POWER	SIZE
4350 G/H	55,6 kW / 47850 kcal/h	13 CM
DIA	BAR	
Ø57	0,8 BAR	



OH-1700

CONS	POWER	SIZE
125 G/H	1,6 kW / 1375 kcal/h	7 CM
DIA	BAR	
Ø17	0,8 BAR	



OH-2200

CONS	POWER	SIZE
280 G/H	3,6 kW / 3080 kcal/h	13 CM
DIA	BAR	
Ø22	0,8 BAR	



OH-2800

CONS	POWER	SIZE
435 G/H	5,55 kW / 4785 kcal/h	13 CM
DIA	BAR	
Ø28	0,8 BAR	



OH-3200

CONS	POWER	SIZE
700 G/H	8,7 kW / 7770 kcal/h	13 CM
DIA	BAR	
Ø32	0,8 BAR	



OH-3500

1600 G/H
20,45 KW / 17600 kcal/h
13 CM
Ø35
0,8 BAR



OH-4000

1910 G/H
24,5 KW / 25355 kcal/h
13 CM
Ø40
0,8 BAR



OH-4800

2305 G/H
29,5 KW / 30030 kcal/h
13 CM
Ø48
0,8 BAR



OH-5700

4350 G/H
55,6 KW / 47850 kcal/h
13 CM
Ø57
0,8 BAR



OB-35

1600 G/H
17,600 kcal/h
28 CM
Ø35



OB-32

700 G/H
7770 kcal/h
23 CM
Ø32



OB-28

435 G/H
4785 kcal/h
22 CM
Ø28



OB-22

280 G/H
3080 kcal/h
15 CM
Ø22



OB-17

125 G/H
1375 kcal/h
10 CM
Ø17



OB-40

1910 G/H
25355 kcal/h
40 CM
Ø40



OB-48

2305 G/H
30030 kcal/h
40 CM
Ø48



OB-57

4350 G/H
47850 kcal/h
40 CM
Ø57





Taşınabilir enerjide güvenli marka
Reliable brand in portable energy

www.orgaz.com.tr - info@orgaz.com.tr



We are the member of
European Customs
Community
By Made in TÜRKİYE



İSTOÇ SHOWROOM

İstoc Toptancılar Çarşısı
2418. Sk. 1.Ada No: 165-167
Bağcılar / İSTANBUL - TÜRKİYE
Tel: +90 212 659 90 54
Fax: +90 212 659 90 64



FACTORY

İstanbul Anadolu Yakası OSB.
Aydınlı Mah. 1.Sk. No: 14 - 34953
Tuzla / İSTANBUL - TÜRKİYE
Tel: +90 216 593 13 01
Fax: +90 216 593 13 02



ORCAMP OUTDOOR STORE

Fatih Mah. Katip Çelebi
Cad. No:4/1
Tuzla /İstanbul / Türkiye

